


AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS




PRODUCT FEATURES:

- » Tables offered in veneer, laminate, Fenix and Formica Colorcore 2.
- » Corian top also available.
- » Tables with 20" depth are intended for use against a wall or divider (**signature edge detail featured on one side only**).



- » Table lengths of 120" and greater will require a center panel base.
- » All panel bases feature adjustable glides as standard for leveling purposes.
- » End panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- » Select technology options for top surface and/or side-mount placement available on all sizes, please refer to pages 6-10 for options. Power units cannot be installed on center panel bases.
- » Two-tone wood finishing available (exterior surface one color, interior surface another color), please add \$408 list for 1-piece tops and \$684 List for 2-piece tops and specify finishes. Edge finish will be the interior surface color.
- » All dimensions are nominal.



AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS


VENEER TABLE SPECIFICATIONS:

- » Available in maple, walnut and white oak wood species.
- » Veneer direction will run cross-grain on all table sizes.
- » All standard wood finishes available on selected wood species (note: MA0915 Ebony Maple not available).
- » Premium wood finish upcharge applies to the following wood finishes. Refer to options section for pricing.
 - Super Matte Sable Maple
 - Alabaster Oak
 - Super Matte Sable Oak
- » For custom wood finishes, please add one-time upcharge of \$472 List per color per order.

LAMINATE TABLE SPECIFICATIONS:

- » Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- » Wood species and finish must be specified for the table interior surface, which will also be applied to the edge. For the best results, please reference guide below which identifies the appropriate wood species for each standard laminate.
- » Laminate wood grain direction will run lengthwise on all table sizes.
- » Available in all standard laminates.
- » Matching wood edges and/or bases specified with Formica Brite White and Pionite Slate, please add one-time upcharge of \$472 List per color, per order.
- » Matching wood edges and/or bases to our standard wood grain laminates is performed at no additional upcharge.
- » For custom laminates, add \$590 List per color per order. Pre-approval required, please contact client services.


STANDARD LAMINATES AND CORRESPONDING WOOD SPECIES:




Nevamar WM-8-340T
Clear Maple



Nevamar WM-0005T
Siren Maple



Pionite WX421-PV
Witchcraft




Formica 459-58
Brite White



Pionite SG228-SD
Slate

MAPLE




Wilsonart 7937-38
River Cherry


WALNUT



Wilsonart 7954-38
Natural Rift



Formica 5794-NG
Beige Elm



Wilsonart 7937-38
River Cherry



Wilsonart 8212K-28
Phantom Ecru



Pionite WY160-SD
Absolute Acajou

WHITE OAK



Nevamar WM-0047T
Iconic Maple



Pionite SW101-AW
Black Ashwood



Wilsonart 1595-60
Black

AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

FENIX TABLE SPECIFICATIONS:

- » Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- » Wood species and finish must be specified for the table interior surface, which will also be applied to the edge.
- » Matching wood edges and/or bases specified with Bianco Kos, please add one-time upcharge of \$472 List per order.
- » Matching wood edges and/or bases specified in Nero Ingo is performed at no additional upcharge. Finish will be super matte black on white oak species.

FENIX COLORS:

- » FJ0032 Bianco Kos
- » FJ0718 Grigio Londra
- » FJ0720 Nero Ingo
- » FJ0724 Grigio Bromo
- » FJ0725 Grigio Efeso

FORMICA COLORCORE 2 SPECIFICATIONS:


- » Features the same high performance characteristics as laminates with the added dimension of solid through color (i.e. eliminates the dark line associated with laminate edges).
- » Offered in 949C-58 White Matte color only.
- » Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- » Wood species and finish must be specified for the table interior surface, which will also be applied to the edge.
- » To order in Colorcore 2, please specify and add \$421 list for 1-piece tops and \$699 List for 2-piece tops (add upcharge to applicable interior surface wood species column).

CORIAN TOP SPECIFICATIONS:

- » Corian is affixed to table top only and increases overall table height by $\frac{1}{2}$ ". Please note that a $\frac{1}{8}$ " reveal will be present.
- » Corian not available on table edges or on panel bases.
- » Wood species and finish must be specified for panel bases.
- » For Corian top, specify "-CO" after model number with color selection and add upcharge to applicable table pricing.
- » Custom Corian colors available, please contact client services for pricing.

CORIAN COLORS:

- » CWN Designer White
- » CLN Linen
- » CTD Witch Hazel
- » CRC Rain Cloud
- » CGQ Grey Onyx
- » CSQ Stonique



SHIPPING/ASSEMBLY:

- » **All tables ship blanket-wrapped within the contiguous United States.**
- » If cartoning is required, a 20% upcharge will be applied to each applicable product. Contact client services for additional information.
- » Please note that Canadian shipments are unable to be shipped blanket-wrapped and a 20% cartoning surcharge will always apply.
- » Tables 96" in length and under ship in one piece.
- » Tables 120" in length and over ship in two sections.
- » All tables that are shipped in more than one piece will include a table joint connector to attach sections together.
- » Limited field assembly is required as bases are pre-assembled to table tops.

ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Exterior surface finish
- » Interior surface finish, as applicable
- » Options, as applicable

AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Exterior surface finish
- » Interior surface finish, as applicable
- » Options, as applicable

*Intended for use against a wall or divider	MODEL NUMBER	MAPLE OR LAMINATE EXTERIOR WITH MAPLE INTERIOR	WALNUT, WHITE OAK OR LAMINATE EXTERIOR WITH WALNUT OR WHITE OAK INTERIOR	FENIX EXTERIOR (-FE) Add upcharge to applicable wood species column	CORIAN TOP (-CO) Add upcharge to applicable wood species column	WEIGHT (excludes Corian)
20" Depth*, 29" Height						
20 D x 60 L x 29 H	A-206029	7361	8137	832	1760	142
20 D x 72 L x 29 H	A-207229	7656	8454	832	2111	151
20 D x 96 L x 29 H	A-209629	8118	8965	832	2811	165
20 D x 120 L x 29 H	A-2012029	10325	11451	1663	3514	256
20 D x 144 L x 29 H	A-2014429	10526	11636	1663	4215	269
20 D x 192 L x 29 H	A-2019229	11337	12470	1663	5618	289
20" Depth*, 42" Height						
20 D x 60 L x 42 H	A-206042	7656	8378	832	1760	153
20 D x 72 L x 42 H	A-207242	7944	8916	832	2111	163
20 D x 96 L x 42 H	A-209642	8412	9296	832	2811	177
20 D x 120 L x 42 H	A-2012042	10670	11779	1663	3514	287
20 D x 144 L x 42 H	A-2014442	11181	12342	1663	4215	301
20 D x 192 L x 42 H	A-2019242	11795	13138	1663	5618	321
30" Depth, 29" Height						
30 D x 60 L x 29 H	A-306029	8902	10077	1663	2635	156
30 D x 72 L x 29 H	A-307229	9240	10355	1663	3163	169
30 D x 96 L x 29 H	A-309629	9563	10865	1663	4215	183
30 D x 120 L x 29 H	A-3012029	12277	13853	2494	5270	280
30 D x 144 L x 29 H	A-3014429	12721	14415	2494	6321	198
30 D x 192 L x 29 H	A-3019229	13925	15002	2494	8426	318
30" Depth, 42" Height						
30 D x 60 L x 42 H	A-306042	9127	10360	1663	2635	193
30 D x 72 L x 42 H	A-307242	9573	10941	1663	3163	205
30 D x 96 L x 42 H	A-309642	10180	11606	1663	4215	221
30 D x 120 L x 42 H	A-3012042	13094	14668	2494	5270	347
30 D x 144 L x 42 H	A-3014442	13221	14875	2494	6321	364
30 D x 192 L x 42 H	A-3019242	14226	15987	2494	8426	388
OPTIONS						
-PFW06	Premium Wood Finish (96" Length and Under)			275		
-PFW07	Premium Wood Finish (120" Length and Over)			400		

AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Exterior surface finish
- » Interior surface finish, as applicable
- » Options, as applicable

	MODEL NUMBER	MAPLE OR LAMINATE EXTERIOR WITH MAPLE INTERIOR	WALNUT, WHITE OAK OR LAMINATE EXTERIOR WITH WALNUT OR WHITE OAK INTERIOR	FENIX EXTERIOR (-FE) Add upcharge to applicable wood species column	CORIAN TOP (-CO) Add upcharge to applicable wood species column	WEIGHT (excludes Corian)
36" Depth, 29" Height						
36 D x 60 L x 29 H	A-366029	9131	10215	1663	3631	176
36 D x 72 L x 29 H	A-367229	9494	10792	1663	4356	188
36 D x 96 L x 29 H	A-369629	9940	11270	1663	5808	204
36 D x 120 L x 29 H	A-3612029	12746	14359	2494	7257	315
36 D x 144 L x 29 H	A-3614429	13965	15874	2494	8706	332
36 D x 192 L x 29 H	A-3619229	14846	16526	2494	11608	356
36" Depth, 42" Height						
36 D x 60 L x 42 H	A-366042	9421	10557	1663	3631	193
36 D x 72 L x 42 H	A-367242	9743	11126	1663	4356	205
36 D x 96 L x 42 H	A-369642	10353	11777	1663	5808	222
36 D x 120 L x 42 H	A-3612042	13816	15617	2494	7257	357
36 D x 144 L x 42 H	A-3614442	14783	16361	2494	8706	373
36 D x 192 L x 42 H	A-3619242	15347	17181	2494	11608	398
42" Depth, 29" Height						
42 D x 60 L x 29 H	A-426029	9264	10550	1663	4245	184
42 D x 72 L x 29 H	A-427229	9795	11049	1663	5081	196
42 D x 96 L x 29 H	A-429629	10201	11587	1663	6774	210
42 D x 120 L x 29 H	A-4212029	13767	15553	2494	8467	334
42 D x 144 L x 29 H	A-4214429	14871	16456	2494	10157	352
42 D x 192 L x 29 H	A-4219229	15682	17694	2494	13542	371
42" Depth, 42" Height						
42 D x 60 L x 42 H	A-426042	9602	10998	1663	4245	201
42 D x 72 L x 42 H	A-427242	10121	11566	1663	5081	214
42 D x 96 L x 42 H	A-429642	10703	11840	1663	6774	230
42 D x 120 L x 42 H	A-4212042	14947	16933	2494	8467	377
42 D x 144 L x 42 H	A-4214442	15595	17803	2494	10157	395
42 D x 192 L x 42 H	A-4219242	16871	19113	2494	13542	418





OPTIONS

-PFW06	Premium Wood Finish (96" Length and Under)	275
-PFW07	Premium Wood Finish (120" Length and Over)	400

AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

ELECTRICAL UNIT NOTES:

- » All units below are corded and available for top surface and/or side-mount placement. Refer to pages 8-9 for daisy chain options.
- » Power units cannot be positioned above center panel bases nor can they be installed onto center panel bases themselves.
- » Side-mount placement can be on inside or outside of end panel bases.
- » **Please specify if power unit is to be placed on table top, inside base panel or outside base panel.**
- » Cord length should be taken into account when specifying electrical placement.
- » **Power source location must be identified.**
- » Refer to page 10 for power unit standard locations.
- » End interior panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- » To add power cord exit to the exterior base panel, please specify -"PC02" and add \$98 List. For 20" depth tables, please note the base location as left or right, as facing.

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST
PX3-() 	Power Matrix 3 <ul style="list-style-type: none"> » Dimensions: 5⁷/₈" W x 2⁷/₈" D » Black (-B) or white finish (-W) » One (1) outlet, one (1) USB-A and one (1) USB-C charging port » 120" electrical cord (only length available) » UL listed 	472
PX4-() 	Power Matrix 4 <ul style="list-style-type: none"> » Dimensions: 7¹/₄" W x 2⁷/₈" D » Black (-B) or white finish (-W) » Two (2) outlets, one (1) USB-A and one (1) USB-C charging port » 120" electrical cord (only length available) » UL listed 	494
PP2 	Portal Power 2 <ul style="list-style-type: none"> » Dimensions: 5¹/₄" W x 4¹/₄" D » Touch latch lid with metallic silver finish » Unit features two (2) simplex outlets with 72" electrical cord » 120" length cord available, please specify and add \$38 List » UL listed 	670
PP3 	Portal Power 3 <ul style="list-style-type: none"> » Dimensions: 5¹/₄" W x 4¹/₄" D » Touch latch lid with metallic silver finish » One (1) outlet with 72" electrical cord, one (1) USB-A and one (1) USB-C charging port » 120" length cord available, please specify and add \$38 List » UL listed 	792

AVELINA MEETING TABLES

//

DESIGNED BY MADSEN + CONTOIS

ELECTRICAL UNIT NOTES:






- » All units below are corded and available for top surface placement only. Refer to pages 8-9 for daisy chain options.
- » Power units cannot be positioned above center panel bases.
- » Cord length should be taken into account when specifying electrical placement.
- » **Power source location must be identified.**
- » End interior panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- » To add power cord exit to the exterior base panel, please specify -"PC02" and add \$98 List. For 20" depth tables, please note the base location as left or right, as facing.

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST
PP7	<div><div></div><div><p>Portal Power 7</p><ul style="list-style-type: none">» Dimensions: 6³/₄" W x 4³/₈" D» Touch latch lid with clear anodized aluminum finish» Two (2) 15 amp simplex outlets, one (1) USB-A and one (1) USB-C charging port» 72" electrical cord» 120" length cord available, please specify and add \$38 List» UL listed<p>PP7 units available for top surface mount placement only.</p></div></div>	852

AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

DAISY CHAIN ELECTRICAL UNIT NOTES:

- » Daisy chain units are required when more than one electrical unit is specified on one top.
- » To determine jumper cable length, measure length from edge of electrical unit to end of table.
- » Every connection point must be a female-to-male or male-to-female connection (**all daisy chain power units feature male ends**).

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST												
PB2-DC-S (SILVER FINISH) PB2-DC-W (WHITE FINISH) 	Power Band 2 Daisy Chain <ul style="list-style-type: none"> » Dimensions: 5³/₄" W x 2¹/₂" D » Metallic silver or white finish » Unit features two simplex outlets » UL listed 	428												
PB3-DC-S (SILVER FINISH) PB3-DC-W (WHITE FINISH) 	Power Band 3 Daisy Chain <ul style="list-style-type: none"> » Dimensions: 6¹/₂" W x 2¹/₂" D » Metallic silver or white finish » Unit features two simplex outlets and two USB charging ports » UL listed 	640												
PB4-DC-S (SILVER FINISH) PB4-DC-W (WHITE FINISH) 	Power Band 4 Daisy Chain <ul style="list-style-type: none"> » Dimensions: 10¹/₂" W x 2¹/₂" D » Metallic silver or white finish » Unit features two simplex outlets, two USB charging ports and cut-out for an A/V faceplate » For available A/V faceplate options, please contact client services » UL listed 	701												
PB-ST-CD-72 	Power Band Starter Cable, 72" Long, Corded Plug Infeed <ul style="list-style-type: none"> » Must select either corded or hardwire starter cable which goes from power source in wall or floor to first power band unit 	276												
PB-ST-HW-() 	Power Band Starter Cable, Hardwire Infeed <ul style="list-style-type: none"> » Must select either corded or hardwire starter cable which goes from power source in wall or floor to first power band unit <table border="1"> <thead> <tr> <th>MODEL</th><th>LENGTH</th><th>LIST</th></tr> </thead> <tbody> <tr> <td>PB-ST-HW-72</td><td>72"</td><td>191</td></tr> <tr> <td>PB-ST-HW-108</td><td>108"</td><td>220</td></tr> <tr> <td>PB-ST-HW-120</td><td>120"</td><td>245</td></tr> </tbody> </table>	MODEL	LENGTH	LIST	PB-ST-HW-72	72"	191	PB-ST-HW-108	108"	220	PB-ST-HW-120	120"	245	SEE TABLE
MODEL	LENGTH	LIST												
PB-ST-HW-72	72"	191												
PB-ST-HW-108	108"	220												
PB-ST-HW-120	120"	245												





AVELINA MEETING TABLES

//

DESIGNED BY MADSEN + CONTOIS

DAISY CHAIN ELECTRICAL UNIT NOTES:



- » Daisy chain units are required when more than one electrical unit is specified on one top.
- » To determine jumper cable length, measure length from edge of electrical unit to end of table.
- » Every connection point must be a female-to-male or male-to-female connection (**all daisy chain power units feature male ends**).

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST																											
<div>PB-FF-()</div> <div></div>	<div>Power Band Jumper Cables, Female to Female</div> <div>» Typically used to connect 2 units together</div> <div>» For additional lengths in 12" increments, please add \$21 List per foot</div> <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FF-12</td><td>12"</td><td>130</td></tr><tr><td>PB-FF-24</td><td>24"</td><td>142</td></tr><tr><td>PB-FF-30</td><td>30"</td><td>154</td></tr><tr><td>PB-FF-36</td><td>36"</td><td>154</td></tr><tr><td>PB-FF-48</td><td>48"</td><td>166</td></tr><tr><td>PB-FF-54</td><td>54"</td><td>172</td></tr><tr><td>PB-FF-60</td><td>60"</td><td>179</td></tr><tr><td>PB-FF-72</td><td>72"</td><td>191</td></tr></table>	MODEL	LENGTH	LIST	PB-FF-12	12"	130	PB-FF-24	24"	142	PB-FF-30	30"	154	PB-FF-36	36"	154	PB-FF-48	48"	166	PB-FF-54	54"	172	PB-FF-60	60"	179	PB-FF-72	72"	191	SEE TABLE
MODEL	LENGTH	LIST																											
PB-FF-12	12"	130																											
PB-FF-24	24"	142																											
PB-FF-30	30"	154																											
PB-FF-36	36"	154																											
PB-FF-48	48"	166																											
PB-FF-54	54"	172																											
PB-FF-60	60"	179																											
PB-FF-72	72"	191																											
<div>PB-FM-()</div> <div></div>	<div>Power Band Jumper Cables, Female to Male</div> <div>» Typically used to connect 2 units together</div> <div>» For additional lengths in 12" increments, please add \$21 List per foot</div> <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FM-12</td><td>12"</td><td>130</td></tr><tr><td>PB-FM-24</td><td>24"</td><td>142</td></tr><tr><td>PB-FM-30</td><td>30"</td><td>154</td></tr><tr><td>PB-FM-36</td><td>36"</td><td>154</td></tr><tr><td>PB-FM-48</td><td>48"</td><td>166</td></tr><tr><td>PB-FM-54</td><td>54"</td><td>172</td></tr><tr><td>PB-FM-60</td><td>60"</td><td>179</td></tr><tr><td>PB-FM-72</td><td>72"</td><td>191</td></tr></table>	MODEL	LENGTH	LIST	PB-FM-12	12"	130	PB-FM-24	24"	142	PB-FM-30	30"	154	PB-FM-36	36"	154	PB-FM-48	48"	166	PB-FM-54	54"	172	PB-FM-60	60"	179	PB-FM-72	72"	191	SEE TABLE
MODEL	LENGTH	LIST																											
PB-FM-12	12"	130																											
PB-FM-24	24"	142																											
PB-FM-30	30"	154																											
PB-FM-36	36"	154																											
PB-FM-48	48"	166																											
PB-FM-54	54"	172																											
PB-FM-60	60"	179																											
PB-FM-72	72"	191																											
<div>PB-T</div> <div></div>	<div>Power Band T-Connector</div> <div>» Used when power is needed to go in two directions</div> <div>» Features 2 male ends and 1 female end</div> <div></div>	172																											


AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

POWER UNIT STANDARD LOCATIONS:

Table Top Positioning



Panel Base (inside & outside)



2 Power Units

D X L	A	B
20" x 60"	20"	5"
20" x 72"	24"	5"
20" x 96"	32"	5"
20" x 120"	40"	5"
20" x 144"	48"	5"
20" x 192"	64"	5"
30" x 60"	20"	15"
30" x 72"	24"	15"
30" x 96"	32"	15"
30" x 120"	40"	15"
30" x 144"	48"	15"
30" x 192"	64"	15"
36" x 60"	20"	18"
36" x 72"	24"	18"
36" x 96"	32"	18"
36" x 120"	40"	18"
36" x 144"	48"	18"
36" x 192"	64"	18"
42" x 60"	20"	21"
42" x 72"	24"	21"
42" x 96"	32"	21"
42" x 120"	40"	21"
42" x 144"	48"	21"
42" x 192"	64"	21"

3 Power Units

D X L	A	B
20" x 60"	15"	5"
20" x 72"	18"	5"
20" x 96"	24"	5"
30" x 60"	15"	15"
30" x 72"	18"	15"
30" x 96"	24"	15"
36" x 60"	15"	18"
36" x 72"	18"	18"
36" x 96"	24"	18"
42" x 60"	15"	21"
42" x 72"	18"	21"
42" x 96"	24"	21"

1 Power Unit

D X H	A	B
20" x 29"	10.25"	5"
30" x 29"	10.25"	15"
36" x 29"	10.25"	18"
42" x 29"	10.25"	21"
20" x 42"	10.25"	5"
30" x 42"	10.25"	15"
36" x 42"	10.25"	18"
42" x 42"	10.25"	21"

For custom power unit placement, please contact client services to verify location can be accommodated.