
Price List

JUMP TO PRICING CLICK HERE



Paces 01 March 2022

Prices

All prices are list price, effective with date printed on cover, and supersedes all other published price lists. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total net price, or a flat rate of \$250*, whichever is greater. A minimum charge of \$300 * will apply to all shipments to Canada. Fees will be calculated using the zone map located on page 917. Normal delivery is on a dock-to-dock basis. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Versteel reserves the right to change prices, shipping fees, or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

Acknowledgement

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

CONTACT VERSTEEL

EMAIL contact@versteel.com

TELEPHONE 800 876 2120

812 634 2120

812 482 9318 **FACSIMILE**

MAILING ADDRESS

Versteel 2332 Cathy Lane Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

₫0\$ Quickship Program

Available for select products in the Deci, Paces, Performance, Vela and Wavelink table lines along with select products in the Chela, Companion, Kompis, OH!, SIMON, Quanta Max and The Maker Project seating lines

The Versteel Quickship Program consists of up to 50 tables, 25 tables with modesty panels or 100 chairs in 10 working days from time of order (received by 12pm EST).

Orders must be accompanied by final material and finish specifications for order entry. They must be clearly marked "Quickship" and consist of products from the program. Quickship orders cannot be changed or cancelled, and credit approval must be acquired within 24 hours.

For additional information see Versteel.com

Credit

You are requested to enclose one bank reference and three trade references with your initial order.

Credit Cards

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A 2.5% processing fee will be applied for all credit card purchases. Processing fee will not be applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances.

Changes or Cancellation

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

Packaging

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

Shipping Schedule

Standard Items

Laminate, Convex T-Mold Edge	3-5 WEEKS
Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS
Laminate, Urethane Edge	6-8 WEEKS
Veneer, Wood Edge	6-8 WEEKS
Powder Coat Tops	4-6 WEEKS
KrystalCast® Tops	7-8 WEEKS

Contact Versteel for special lead time requests.

Shipping

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. See freight program on page 917 for shipping charges.

Tables are shipped disassembled unless Assembled Folding Table option is selected; tops and base(s) ship simultaneously. ODIS, TIM and tilt-fold tables are shipped assembled. TIM fixed tables are cartoned separately.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

FOB ORIGIN, FREIGHT PREPAID

Versteel 2332 Cathy Lane Jasper, IN 47546

Shipping Damage Claims or Shortages

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

Concealed Damage

If concealed damage is discovered, the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal. Reports of concealed damage after five business days will not be considered.

Partial Shipments

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

Returns

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

Terms

Terms are 1%, 10 days, net 30 days from date of invoice.

Force Majeure

Versteel shall be excused from the duty to render timely performance of any obligation hereunder if such inability to perform is caused directly or indirectly by act of God, flood, war, riot, fire, accident, explosion, strikes or labor trouble, act of government, delay or default by a subcontractor or supplier of materials or services, transportation difficulty or delay, the existence of any circumstance making performance commercially impracticable or any other cause beyond Versteel's reasonable control. Buyer's obligation to make any payment due and owing to Versteel shall not be excused for any reason whatsoever.

Oversized Shipping Fee

Orders received for items or tops greater than 94" in length will receive a \$200 or net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 94" in length.

Warranty

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components, are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater

Warranty on plastic laminates, Corian®, KrystalCast® and upholstery is not covered by Versteel but is covered by laminate, Corian®, KrystalCast® and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling, is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

Care of Laminate Surfaces, T-Mold, Bumper, PVC Edges and Urethane

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

Care of Wood Edges and Veneer Surfaces

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

Care of Corian® Surfaces

Clean regularly with a cloth or sponge wrung out in warm soapy water. You can also use ammonia-based cleaners or commercial cleaners recommended for use on Corian® surfaces. Wipe up any water spills immediately so as not to leave a film that makes the finish look blotchy.

Care of Powder Coat Work Surfaces

Clean with warm water and mild soap and rinse with clean, warm water. Windex Multi-Surface Disinfectant and Windex All Purpose cleaner can be used for deep cleaning. Using a pump spray bottle, apply a normal amount of cleaner onto a clean microfiber or paper towel. Wipe the desired area until dry. Do not spray directly onto the surface or let sit un-wiped for an extended period.

Care of KrystalCast® Surfaces

Clean with a dish soap and water mixture in a spray bottle with a Green Scotch Brite 3M scrub pad to loosen all dirt and goo (including oil and wine stains, etc). Dry with a clean dry rag. Do not use solvents such as acetone, lacquer thinner, gasoline, undiluted alcohol or benzene.

Care of Powder Coat and Nickel

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Care of Chrome Bases

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, a non-abrasive automotive chrome polish can be applied as directed.

Maintenance of Mechanical Parts

Clean any lint or debris from the moving parts of the E-Z install tilt or folding base mechanisms. Do not apply lubricant. Mechanisms have been designed and tested to not require lubrication under normal conditions.

Care of Upholstered Tack Panels

For Versteel standard fabrics and vinyls, consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

Objective

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

Policy Statement

Each Versteel facility has the responsibility to:

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.





At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.

Base Construction

Versteel bases are constructed of a column, base and a mounting top plate in many styles and sizes.

 Mounting top plates attach to the column to allow attachment to the top.

FIXED BASES

Fixed bases feature a heavy gauge plate and are field installed into marked pre-drilled positions on the top with hardware provided.

TILT BASES

The 10 gauge upper plate is factory installed on the table top. The 7 gauge lower formed plate is attached to the base column.

FOLDING BASES

Folding bases feature a formed pan with welded construction that is connected to a wire formed frame. The wire formed frame acts as stacking bumpers and carrying handles for the table. Bases can be field installed into marked pre-drilled positions with provided hardware or request the option for factory installation.

- 2) Columns are constructed of 16 or 14 gauge tubular steel in a variety of shapes and diameters appropriate to the series and base styles.
- Base rails, feet or discs attach to the column and are heavy gauge steel to create a very stable table with glides to provide ¾" vertical adjustment for leveling the table.

Base Shipping Specifications

All Series TC, T1, T2 bases, W2, P3, P4 columns and D1 disc base ship assembled from the factory. Brattice, Uno and Vela Series X1 and X4 bases and Vela Y3 base also ship assembled from the factory. Performance and Tuscany Series X1 and X4 bases ship unassembled for field assembly.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

Quality Standards

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.



Reference Table Heights

Tables can be specified at many different heights based on your application needs. Standard Versteel tables are 29" from the floor to the table surface. The Interplay Rover Pup is 26 %" from the floor to the surface for use as a pull-up typing surface or can roll under most surfaces to store out of the way.

Suggested typing height table is 26 ¾"
Suggested wheelchair height table is 32"
Suggested counter height table is 36"
Suggested stand up height table is 42"



TIM Base Construction

TIM table bases are constructed of 14 gauge round tube upper legs with 16 gauge round tube telescoping height adjustment lower leg sections. Guide bushings inside the legs are molded from nylon bushing materials to provide smooth, quiet operation of the height adjustment feature. The height adjustment button is made of solid steel with a spring actuated movement. A Height Adjustment Lock Out Kit is available if you wish to lock out the push-button height adjustment feature.

FIXED BASES

Fixed bases feature a '4" thick mounting top plate and are field installed into pre-drilled holes with hardware provided. TIM tables with fixed bases include the push-button height adjustment feature.

NOTE FIXED BASES ARE SHIPPED SEPARATE FROM THE TOP AND ONLY REQUIRE SCREW ATTACHMENT TO ASSEMBLE

TILT-NEST-FOLD BASES

Tilt feature is cable actuated with the pull of a release handle located under the table top on the end of the surface. The cable operates two brake control mechanisms mounted on each end of the table to support the top. Nest-fold features are constructed of die cast metal components and 14 gauge round tube, fully enclosed in reinforced plastic housings for smooth, quiet operation.

NOTE THE TABLE IS SHIPPED FACTORY ASSEMBLED FOR IMMEDIATE USE AFTER INICARTANING

Reference Table Heights

TIM tables are constructed with push-button height adjustment to provide five inches of vertical movement. The top leg hole position will set the surface height at 27" with the third from the top hole for 29" standard seated task, and the bottom round hole providing the 32" surface height required for wheelchair applications. The adjustment holes are at 1" spacing increments.

c Usus Interstelle

Manufacturer certifies that products conform to UL Std 962 and are certified to Canadian standard CSA.T.I.L No. A-30.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of a 45-50 pound particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped predrilled for field installation of bases and accessories.

Laminate, Lightweight Core Construction - 1 1/4"

Lightweight core is a multi-ply birch plywood, with a density of around 28 lbs. per cubic ft., offering a 30%–35% weight reduction for a typical table vs. standard core. The tops are surfaced with a high pressure laminate face. A backer sheet is laminated to the under side of the top, and tops are shipped pre-drilled for field installation of bases and accessories. Lightweight core is only available on 1 $\frac{1}{4}$ " thick tops.

The lightweight plywood construction allows for mounting of bases or other accessories at any location under the top.

Lightweight core is available as an option for tops that are no larger than 48" x 96".

NOTE LIGHTWEIGHT TOPS LARGER THAN 48° X 96° REQUIRE A SPECIAL QUOTE. CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

NOTE LIGHTWEIGHT CORE ONLY AVAILABLE ON LAMINATE TOPS

Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores, and cores that contain no urea formaldehyde. Contact Versteel for pricing and availability.

PVC Flat or Fluted Edge



Edge of 2mm PVC hot melt banded to the top with $\frac{1}{2}$ " radius at the top and bottom. Corners with 1 $\frac{1}{2}$ " radius or square corners are available on $\frac{1}{2}$ ", 1 $\frac{1}{4}$ " or 1 $\frac{1}{4}$ " edge thicknesses.

Offered in twenty-one (21) standard colors.

Convex T-Mold Edge



Edge of %e" thick solid vinyl convex t-mold with 1 $\frac{1}{2}$ " radius corners on $\frac{1}{2}$ ", 1 $\frac{1}{2}$ " edge thicknesses. Offered in four (4) standard colors.

Wood Flat or Fluted Edge



Wood banding hot melt banded to the top with 1% radius at the top and bottom. Corners with 1 1% radius or square corners are available on 1% and 1 1% edge thicknesses.

Offered in Maple, Walnut or Cherry materials.

Bumper Edge



Exposed ply core banding with rubberized %" width bumper in the center of profile. Corners with 1 %" radius are available on %" and 1 %" edge thicknesses. Offered in black bumper standard color.

Reverse Bevel Acrylic



Edge of 2mm acrylic edge banding hot melt banded to MDF core. A reverse bevel is then cut into the edge exposing the MDF on the reverse bevel. The MDF is then clear coated.

Wood Square or Fluted Edge - 1 1/4"



Edge of 1 %" wide solid wood with softened top and bottom edges, and square, softened mitered corners. Available on %", 1 %" and 1 %" edge thicknesses. Offered in Maple, Walnut or Cherry materials.

Wood Bullnose Edge - 1 1/4"



Edge of 1 1" wide solid wood with a full bullnose edge, and 1" radius mitered corners. Available on 1", 1 1" and 1 1" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.



Wood Reverse Bevel Edge - 2"



Edge of 2" wide solid wood designed with a reverse sloped edge on one side and a flat wood edge on the remaining three sides for all Entourage cabinets. When specified on Elements Conference the reverse bevel detail will be on all four sides with mitered corners. Available on 1 ¼" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.

Wood Ergo Edge - 1 $\frac{3}{4}$ " or 2 $\frac{1}{2}$ "



Edge of 1 34" wide (on 18" thick tops) or 2 18" wide (on 1 18" thick tops) solid wood designed with a sloped edge for added comfort with softened, mitered corners

Offered in Maple, Walnut or Cherry materials.



Urethane Ergo Edge (User Side) - 1 ¾"

Edge of 1 ¾" wide molded urethane designed with a sloped ergonomic edge on one side and a ¼" wide square urethane edge on the remaining three sides. Corners are square. Available on ¾" edge thicknesses. Offered in five (5) standard colors.



Urethane/PVC Ergo Edge (User Side) - 1 3/4" & PVC

Edge of 1 %" wide molded urethane designed with a sloped ergonomic edge on one side and a 2mm PVC flat edge on the remaining sides. PVC corners are available in square or radius on %" and 1 %" edge

Urethane offered in five (5) colors with matching PVC colors. When specifying Chicory contact Customer Service for availability.

Laminate Modesty, General Core Construction

The modesty panel is constructed of %" thick, 45-50 lb. medium density particle board surfaced with high pressure laminate face on both sides. The modesty panel is 8" high on Vela and 10" high on Brattice and Performance series and extends the length of the top. The modesty panel is located along the front edge of the table for maximum leg and knee clearance.

Fixed Modesty (FixMod XM)

The Fixed Modesty panel is mounted to the top with screws through steel brackets and must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Finish details match the top unless specified differently.

Removable Modesty (RemMod RM)

The Removable Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to keep the modesty panel in position or loosen to remove the panel. For storage, the modesty attachment pins can be rotated 90° to prevent marring of the top surfaces. Finish details match the top unless specified differently.

Folding Modesty (FoldMod FM)

The Folding Modesty panel is mounted to the top with heavy duty hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Finish details match the top unless specified differently.



Form Metal Modesty, General Construction

The modesty panel is constructed with an aluminum extruded back panel and a perforated hinged steel door. There are three (3) separate unobstructed channels that allow the routing of power and data cables, with a wire exit on the back for the top and middle channel. The Form Modesty panel is 10" high and extends the length of the top on Brattice, Performance and Vela. The Form Modesty panel is located along the front edge of the table for maximum leg and knee clearance. Accessory end cap trim kit available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

Fixed Form Modesty (FixFormMod XF or XFS)

The Fixed Form Modesty panel is mounted to the top with screws through steel brackets. The fixed modesty panel must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE XFS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES

Folding Form Modesty (FoldFormMod FF)

The Folding Form Modesty panel is mounted to the top with heavy duty steel hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED



Fixed Lightweight Form Modesty (FixLightweightFormMod XL or XLS)

The Fixed Lightweight Form Modesty panel is a lightweight version of the Versteel Form Modesty. It is a formed steel perforated panel that is mounted to the top with screws through steel brackets. It must be field installed into pre-drilled positions in the top. A deep channel in the back of the panel allows for the routing of power and data cables inside of the modesty. Mounting hardware is packed with the modesty panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE XLS INDICATES STRAIGHT MODESTY CONSTRUCTION W/SQUARE HOLES

Hanging Modesty (HangMod HM)

The hanging modesty is mounted to the top with a metal hinge that is factory installed. This mechanism pivots if the table is tilted to allow for a 90 degree slim-tilt. Finish details match the top unless specified differently.



Removable Lightweight Form Modesty (RemLightweightFormMod RL or RLS)

The Removable Lightweight Form Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to secure the modesty in position, or loosen them to remove the panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE RLS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES



Panel Modesty (MPL and MPV)

The Panel Modesty is constructed of ½" hardboard core with laminate or veneer face and back surfaces, machined with exposed edges. Panel Modesty can be specified on both fixed and tilt-nest-fold base tables and will swing out to nest on the table. The 8½" high Panel Modesty is field mounted with hook brackets, installed with handwheels under the table top. Threaded inserts are installed in the top when Panel Modesty is specified with the table. Panel Modesty shapes complement the rectangle and arc rectangle top shapes. Finish details match the top unless specified differently.






Sail Modesty (MS__)

AVAILABLE ON

The Sail Modesty panel is constructed of Lycra® fabric hooked into slotted holes on the table legs then stretched and hooked over pegs on the under surface of the table top. Sail Modesty panels can be specified on both fixed and tilt-nest-fold base tables and can be stored on table when tilted, nested or folded on table transport. All TIM tables are pre-drilled for the field installation of the Sail Modesty. Top pegs are installed when Sail Modesty is specified with the table. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost.





Seating Accommodations

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.

Round

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	3-4
42"	4
48"	4
54"	4-6
60"	6

Square

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	4
42"	4
48"	4
54"	4-8
60"	8

Rectangle

42" x 72"

SIZE OFFERING	SEATING ACCOMMODATIONS
18" x 48"	1
18" x 60"	2
18" x 72"	3
18" x 84"	4
18" x 90"	4
18" x 96"	4-5
24" x 30"	2
24" x 36"	2
24" x 42"	2, TIM 1, TOD 1
24" x 48"	2, TIM 1, TOD 1
24" x 60"	2-3, TIM 2, TOD 2
24" x 72"	3, TIM 2, TOD 2
24" x 84"	4, TOD 2-3
24" x 90"	4, TOD 2-3
24" x 96"	4-5, TOD 3-4
30" x 36"	2
30" x 42"	2, TIM 1, TOD 1
30" x 48"	2-4, TIM 1, TOD 1
30" x 60"	4, TIM 2, TOD 2
30" x 72"	6, TIM 2, TOD 2
30" x 84"	6, TOD 2-3
30" x 90"	6, TOD 2-3
30" x 96"	8, TOD 3-4
30" x 120"	8
36" x 48"	2-4
36" x 60"	4-6
36" x 72"	6-8
36" x 84"	6-8
36" x 90"	8
36" x 96"	8-10
36" x 120"	8-10

6-8

Rectangle (continued)

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 84"	6-8
42" x 96"	8-10
48" x 96"	8-10
48" x 120"	8-10
48" x 144"	10
48" x 168"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 168"	12
60" x 192"	12-14
60" x 240"	16-18

Pipeline

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
22" x 60"	2-4
22" x 72"	2-4
24" x 48"	1-2
24" x 60"	2-4
24" x 72"	2-4
28" x 48"	1-2
28" x 60"	2-4
28" x 72"	2-4
30" x 48"	1-2
30" x 60"	2-4
30" x 72"	2-4
34" x 48"	1-2
34" x 60"	2-4
34" x 72"	2-4
36" x 48"	1-2

Tide

36" x 60"

36" x 72"

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
24" x 48"	1-2
28" x 48"	1-2
30" x 48"	1-2
34" x 48"	1-2
36" x 48"	1-2

2-4 2-4

Surf

ouri	
SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 60"	2-4
22" x 72"	2-4
24" x 60"	2-4
24" x 72"	2-4
28" x 60"	2-4
28" x 72"	2-4
30" x 60"	2-4
30" x 72"	2-4
34" x 60"	2-4
34" x 72"	2-4
36" x 60"	2-4
36" x 72"	2-4

Seating Accommodations (continued)

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.

Arc Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	6-8
36" x 84"	6-8
36" x 96"	8-10
42" x 72"	6-8
42" x 84"	6-8
42" x 96"	8-10
48" x 96"	8-10
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18

Racetrack

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4
42" x 84"	6
42" x 96"	8
48" x 96"	8
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18

Oval

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4-6
42" x 84"	6
42" x 96"	8
48" x 84"	6
48" x 96"	8
48" x 120"	10
48" x 144"	10
60" x 120"	10-12
60" x 144"	10-12

Breaker

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 54"	1

Boatshape

SIZE OFFERING	SEATING ACCOMMODATIONS
30" x 42" x 84"	6
30" x 42" x 96"	8
36" x 48" x 96"	8
36" x 48" x 120"	8-10
36" x 48" x 144"	10

Boatshape (continued)

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18

Arc Boatshape

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18

Video Conference

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18

Arc Video Conference

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18

Split Ellipse

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 60"	1
36" x 72"	1

Split Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48"	1
36" x 60"	2
36" x 72"	2

Corner

SIZE OFFERING	SEATING ACCOMMODATION
24" x 42"	1
30" x 48"	1

Video Wedge

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2
30" x 60"	2
36" x 72"	2

Seating Accommodations (continued)

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.



Openface

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2
30" x 60"	2
36" x 72"	2



Stern Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 30"	2
48" x 35"	2



Stern Arc

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 26"	2
48" x 30"	2



SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 30"	1
30" x 30"	1
36" x 30"	1



SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 30"	1
30" x 30"	1
36" x 30"	1



Trapezoid

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	4-5
24" x 72"	4-5
30" x 60"	4-5
36" x 72"	4-5



Crescent

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 75"	4-5
24" x 94"	4-6
30" x 94"	5-7
36" x 113"	7-8



Teardrop

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 24"	4
52" x 30"	4-5



Half Round

Hall Houllu	
SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2-4
30" x 60"	2-4
36" x 72"	2-4



Crossover

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2



Vibe

SIZE OFFERING	SEATING ACCOMMODATIONS
30" x 60"	3



* Linking top,	24"	1*
ot recommended for seating if top is not	30"	1
supported by a base.	36"	1



18° Wedge

•	SIZE OFFERING
* Linking top,	18° 24"
not recommended for seating if top is not	18° 30"
supported by a base.	18° 36"

ot	10	J
e.	18°	31

SEATING ACCOMMODATIONS

SEATING ACCOMMODATIONS

LINKING TOP*	
LINKING TOP*	
LINKING TOP*	



30° Wedge

_	SIZE OFFERING	SEATING ACCOMMODATIONS
* Linking top, not recommended for seating if top is not supported by a base.	30° 24"	LINKING TOP*
	30° 30"	LINKING TOP*
	30° 36"	LINKING TOP*



45° Wedge

	SIZE OFFERING	SEATING ACCOMMODATIONS
* Linking top,	45° 24"	LINKING TOP*
not recommended for seating if top is not	45° 30"	LINKING TOP*
supported by a base.	45° 36"	LINKING TOP*



60° Wedge

V	•	
	SIZE OFFERING	SEATING ACCOMMODATIONS
* Linking top, not recommended for seating if top is not supported by a base.	60° 24"	LINKING TOP*
	60° 30"	LINKING TOP*
	60° 36"	LINKING TOP*



90° Wedge

	SIZE OFFERING	SEATING ACCOMMODATIONS
* Linking top,	90° 24"	LINKING TOP*
not recommended for seating if top is not	90° 30"	LINKING TOP*
supported by a base.	90° 36"	LINKING TOP*



Fin

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	1
30"	1
36"	1


SEATING ACCOMMODATIONS




SIZE OFFERING


Curl

30"	2
36"	2





TIM Tilted & Nested




TIM on Table Transport






49 ³/8" high


TOD 20" x 60"



TOD 24" x 60"



TOD 30" x 72"



Fixed Configuration Conference Tops

Conference tops may use fixed configurations to achieve larger than normal sizing and seating accommodations, but there are some specific items that must be considered. These large conference tops are generally greater than 60" wide and 240" long.

By contacting Versteel with your vision we can help you engineer and produce your table. Below is a list of important points we will address.

MATERIAL YIELD

Most laminate is available in a maximum sheet size of 60" x 144". Versteel can design shapes and linking configurations that will maximize material yield.


LAMINATE PATTERNS

Versteel can minimize seam lines by designing and positioning the linking configuration to take full advantage of your laminate pattern.

BASES AND JOINTS

Larger sections can be produced to limit the number of bases and joints required.

At right is a typical Versteel drawing of a large, fixed configuration conference table. The extremely large size (504" x 132") required nine (9) sections and twenty-seven (27) bases. Power and data options have been incorporated into the drawing.



Configuration Guidelines

Often we receive requests to assemble room configurations that one would assume are very easy. But without the proper input, it is not so simple. Below are some common questions that will help to define your needs as well as enable us to help you specify your tables.

Define Your Space

Start by asking yourself what you really want to accomplish in your room.

How will your room be used? Will you need breakout groups, is it a classroom with rows, or a boardroom? Do you need a T-shape, U-shape, or hollow square table group? Are there any special modifications that are specific to your application?

Besides the size of your room, here are some other items that you should take into consideration:

- ¬ instructor or speaker area
- ¬ wall with boards and/or audiovisual equipment
- ¬ door and window locations
- anything else which may interfere (columns, steps, ramps, HVAC, etc,)

Define Your Needs

Your table considerations should begin by thinking about the need for the following items:

- ¬ modesty panels
- ¬ linking
- ¬ power and data
- ¬ wire management and grommets
- ¬ keyboard trays
- ¬ fixed, folding or tilt bases
- ¬ special needs (alternate or adjustable height)

Your seating considerations should begin by thinking about the need for the following items:

- ¬ assume a 30" width per person
- ¬ mobility (casters)
- ¬ stacking or storage issues
- ¬ usage and wear (upholstery or wood)
- ¬ adjustable height
- ¬ function (task specific or multiple)

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Common Room Layout Guidelines

By using the guidelines below and the information that you supply (from answering the previous questions), Versteel can help you specify the tables and seating you need to make your space function at its maximum potential.

Between Rows Allow Four Feet (4')

If rows are used, four feet (4') between rows is considered adequate in order to provide space for movement

Instructor Allowance of Eight - Ten Feet (8'-10')

A minimum of eight to ten feet (8' -10') should be allowed for the instructor's space, from the wall to the approach side of the first table row.

Back Wall Allowance of Seven Feet (7')

Space consideration for the back wall is necessary. A minimum of seven feet (7') from the back wall to the user's side of the last table is suggested.


Side Wall Allowance of Four Feet (4')

A minimum of four feet (4') from a side wall to the edge of a table should be incorporated into your configuration. Increase the distance for larger rooms.

Aisle Allowance of Four Feet (4')

If an aisle is needed, allow a minimum of four feet (4'). This dimension should increase with your room size.

The drawing below illustrates the guidelines above.



The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Reference information here originally appeared in Architectural Graphic Standards, published by John Wiley and Sons: and in US Government publications for compliance with the ADA (Americans with Disabilities Act).

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).


Common Seating Dimension Requirements

General spacing of thirty inches (30") of lateral space per chair at a table is standard. A minimum of twentyfour inches (24") may work, but will depend upon your chair style and table dimensions. Allow a minimum of thirty to thirty-six inches (30"-36") for wheelchair space at a table.

Most wheelchairs are designed to fit beneath a standard table with a twenty-nine inch (29") table top height. However, some wheelchairs require tables with tops at thirty-two inches (32") in height. Allow an additional twelve to eighteen inches (12"-18") in aisles where wheelchairs may be situated back to back.

A rule of thumb for cafeteria style seating is to allow a minimum of twelve square feet (12 ft²) for each seat.

- A Wheelchair, Double Passage
- **B** Wheelchair, Single Passage
- **C** Wheelchair, Turning Diameter






Table Seating Capacities by Size and Shape

Rectangular Tables

SIZE	CHAIRS	WHEELCHAIRS
24" x 48"	4	Not Recommended
30" x 48"	4	2
30" x 60"	4-6	4
36" x 72"	4-6	4-6
42" x 96"	6-8	8

Square Tables


SIZE	CHAIRS	WHEELCHAIRS
30" x 30"	2	Not Recommended
36" x 36"	2-4	Not Recommended
42" x 42"	4	2 (tight)
48" x 48"	4-8	2
54" x 54"	4-8	4
60" x 60"	4-8	4


NOTE

A round table with a column base is often preferred for wheelchair disabled

Round Tables

SIZE	CHAIRS	WHEELCHAIRS
30" DIAMETER	2	Not Recommended
36" DIAMETER	2-4	Not Recommended
42" DIAMETER	4-5	Not Recommended
48" DIAMETER	5-6	2
54" DIAMETER	6-7	4






The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Also, be sure to check
US Government
publications for
compliance with the
ADA (Americans
with Disabilities Act).

Minimum Table and Chair Space Allotments

Below

- A 36" minimum, 44" preferred
 - 54" minimum handicapped, 60" preferred
- **B** 24" minimum
- C 24" minimum per chair, 30" preferred
- **D** 14" minimum




Dining Room Plan

Below

- A 6" minimum (with no passage)
- **B** 2'6" to 3' minimum (for passage)
- C 1'6" minimum (for limited passage)
- **D** 3' minimum

If using square tables and seating, there should be a minimum of sixty-six inches (66") between tables. This allows for a thirty inch (30") aisle and two (2) chairs. Diagonal seating requires a thirty-six inch (36") minimum between table corners.




Sample Space Use

Below

- A Conference Room
- **B** Small Team Planning
- C Large Team Planning
- **D** Round Table Discussion
- E Individual Work Areas
- **F** Breakout Areas

Since every space has its own unique size and function, it is important that you consider the aforementioned guidelines when planning your space. Be sure to allow adequate space for aisles and plan your rooms around walls and other permanent fixtures such as doors or windows. Anticipate the type of activity that will be going on and plan enough space at the table for easy movement of personnel when seated.

Don't forget to consider power and data needs also. For help planning and selecting the power and data options that are right for your space, see pages 55-70.



To Order, Specify...


- Model Number, Include top and edge style
- 7 Top Material
 - a. Laminate
 - Laminate manufacturer and color
 - b. Veneer
 - Veneer species and finish color
 - c. Corian®
 - 1. Corian® color
- 3 Edge color or finish
- 4 Base color
- 6 Additional options



A VTTC 2460REFD FM LP2R is a Vela series
24" x 60" rectangle training table with folding
TC bases, a folding modesty and a laminate
1 ¼" thick top with a PVC edge and radius corners.

The codes **TN S 6001-T / CEBO / PALY** specify a Nevamar S 6001-T laminate, Ebony PVC edge and an Alloy base.

BMV/TLL/PHE/WML PALY adds a mix of Vela wheel casters and glides, a lightweight laminate core, 2 Henris installed in location E and a pair of wire mesh legways in Alloy finish.



Sample Order Form

Quantit	y Model # & Description	List Each	Extended List
21	VTTC 2460REFD FM LP2R /TN S 6001-T / CEBO / PALY / BMV / TLL / WML PALY Vela series 24" x 60" rectangle training table, folding cantilevered bases, folding modesty panel, laminate top with flat PVC edge, 1 ¼" thick and radius corners / Nevamar S 6001-T laminate top / Ebony PVC edge / Alloy bases / mix of casters and glides / lightweight core / Alloy wire mesh legways	\$2,464	\$51,744

Orders may be sent via:

CONTACT VERSTEEL

MAILING ADDRESS	EMAIL	contact@versteel.com
Versteel	TELEPHONE	800 876 2120
2332 Cathy Lane		812 634 2120
Jasper, IN 47546	FACSIMILE	812 482 9318

Studio Steel®

Versteel's "urban fabrication" process leaves the telltale signs of welding and assembly on the surface, highlighting a manufacturing aesthetic. Choosing a clear or transparent powder coat is recommended, allowing tonal striations (created as a result of extreme heat), natural textures, and the inherent qualities of raw steel to show through.

Studio Steel Process.....\$147

Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

Powder Coat - Standard	. n/	C
Powder Coat - Premium	147	*

Powder Coat Colors

AlloyPALY	NavyPNAV
AmethystPAME	NimbusPNIM
Anthracite PANT	NutmegPNUT
Black Anodized PBLA	♦ ObsidianPOBS
BronzePBRO	PacificPPAC
CalypsoPCAL	PearlPPEA
Carbon PCAR	PebblePPEB
Champagne PCHA	PlatinumPPLA
Coconut PCOC	Poppy
♦ Copper PCOP	♦ Raven
Crimson PCRI	RoyalPROY
♦ Crystal PCRY	SatinPSAT
Daffodil PDAF	SeasidePSEA
Ebony PEBO	ShipyardPSHI
ForestPFOR	Silver
FossilPFOS	SnowPSNO
♦ Garnet PGAR	Stone
♦ Gold PGOL	StormPSTM
GraphitePGRA	Terra CottaPTEC
● HopePHOP	WhisperPWHI
Kelly GreenPKEG	White Linen PWHL
♦ MattePMAT	Powder Coat
MicaPMIC	AlternativeOPA
Mint PMNT	

^{*}Platinum Powder Coat is available, see individual series for upcharge

Transparent Powder Coats (indicated by •)

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible. Not available for application on flat sheet metal surfaces found on Elements Conference, Entourage, Interplay, Platform, Form Modesty products or on Brattice disc bases and TOD.

Premium Powder Coats (indicated by (2))

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Powder Coat Alternatives

You must forward a color sample or an RAL number for each alternate powder coat color with order placement. Call Versteel Customer Service for pricing and availability.

NOTE ALTERNATIVE POWDER COAT COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Chrome

Versteel applies a deep luster nickel chrome plated finish available on most products. Chrome is the most durable finish available.

Chrome. ECHR

For Chrome, an upcharge applies (see product price list for upcharge).

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, THE MAKER PROJECT AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME

Nicke

for upcharge). **NOTE** DISC BASES, INTERPLAY, ODIS, PLATFORM, THE MAKER PROJECT, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL

Edges

Versteel table edges are available in a variety of standard materials, from PVC, Urethane, and T-mold, to wood.

- \neg PVC provides hot melt applied in a continuous band around the surface.
- ¬ Reverse bevel acrylic edge banding is hot melt banded to MDF core.
- ¬ Urethane is a molded on material encapsulating the surface edge.
- ¬ Convex T-mold is a bumper edge driven into the surface grooved edge.
- ¬ Wood banding is a multi-ply wood band or miter-cornered solid in cherry, maple or walnut.
- ABS is an available alternate edge similar to PVC.
 Call Versteel Customer Service for pricing and availability.

Edge Colors, Codes & Availability

Color	PVC	Urethane	T-mold
Absolute Acajou	. CABA		
Alloy	. CALY		
Carbon	. CCAR		
Champagne	. CCHA		
Chicory		UCHI	
${\sf Coconut} \ldots \ldots$. CCOC		
Ebony	. CEBO	UEBO	TEB0
${\sf Florence\ Walnut\ .\ .}$. CFLW		
Fossil	. CFOS		
Graphite	. CGRA.	UGRA	TGRA
Grey	. CGRE		
$Kensington\ Maple.$. CKEM		
Nimbus	. CNIM.	UNIM	TNIM
Pearl	. CPEA		
Platinum	. CPLA		
Pralines & Cream	. CPRC		
Shadow	. CSHA		
Snow	. CSNO		
Stone	. CSTO		
Storm	. CSTM	USTM	TSTM
Whisper	. CWHI		
White Linen	. CWHL		

Custom PVC Color Match

You must forward a sample for each PVC color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM PVC COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Custom T-Mold Color Match

You must forward a sample for each t-mold color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM T-MOLD COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Resin Edge Material Alternatives

For resin edge material alternatives contact Versteel Customer Service with the specifications of the materials you would like to specify. Resin edges are available in gloss, satin or satin soft materials and are quoted per project.

NOTE RESIN EDGE MATERIAL ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL

Custom Urethane

You must forward a sample for each Urethane color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM URETHANE COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer & Wood Species

Versteel tables are available with standard Ash, Cherry, Maple and Walnut veneers and solid edges.

Veneer and Wood Finishes

Ash	Veneer Edge	Wood Edge
Beach	VBEA	WBEA
Chestnut	VCHE	WCHE
Drift	VDRI	WDRI
Fawn	VFAW	WFAW
Fog	VF0G	WFOG
Pebble		
Whisper	VWHI	WWHI
Cherry		
Blossom Cherry	VBLC	WBLC
Cordovan Cherry	VCNC	WCNC
Golden Cherry	VGNC	WGNC
Java Cherry	VJAC	WJAC
Millwork Cherry	VMWC	WMWC
Maple		
Caramel Maple	VCMM	WCMM
Solar Maple	VSLM	WSLM
Sugar Maple	VSUM	WSUM
Walnut		
Brighton Walnut	VBRW	WBRW
Espresso Walnut	VESW	WESW
Natural Walnut		
Stain Finish Match .		OSM

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match

You must forward two 4" x 4" samples for each custom stain finish color match with order placement. Upcharge of \$894 list will apply for each stain color match.

NOTE STAIN FINISH MATCH COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels (Oak veneer's natural pore grain does not allow the application of a full-fill finish). Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Standard Laminates

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite. Eight (8) of these have been selected as

Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

NOTE NEVAMAR AND PIONITE LAMINATE NOT AVAILABLE ON ODIS

Glass Top Table Alternatives

For glass top table alternatives contact Versteel Customer Service with the specifications of the top you would like to order.

NOTE GLASS TOP TABLE ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL

Finish Reference & Samples

For finish color reference, please refer to Versteel's finish card. Contact Versteel to receive actual color samples for color matches and final color approval.

3form® Material

Available on Entourage lectern, cabinet and wall board. Standard 3form patterns are Solo (a grainless frost finish) and Aero (a random directional material also with a frost finish). The material is 1/46" thick and incorporates raw materials made of renewable material from natural landscapes all over the globe. The manufacturing process produces no VOC's or other harmful gases. 3form material is GREENGUARD Certified.

Tack Panel

VERSTEFI

Upho	Istery	Grad	es
------	--------	------	----

Grade 2 Grade 3 Grade 4 Grade 5 Grade 6 Fedora Faux Mo Fabric Grade-In Fabric Grade-In Cover Cloth Fabric Grade-In Faux Felt Oath Fabric Grade-In Customer's Own Material Flock Hobnob Keynote Kit Odessa Polygon Solitaire Sport Synergy Fabric Grade-In

Upholstery Details

Width 54" Content: 100% Polyester

Plum Aegean Eucalyptus Aquamarine Fawn Purple Bitumen Indigo Rubv Cactus Light Grey Tangelo Charcoal Midnight Tomato Citron Mink Topaz Dapper Opal Winter Persimmon Dew Espresso Pewter

Fabric Grade-In FG2__ Grade 2

Fabric Customer's Own Material FCM Grade 2

Cover Cloth (Momentum)..... FCL__ Grade 3

Width: 59" Content: 100% Polyester Antique Graphite

Savor Bouquet Heirloom Shire Coffee Hickory Sorrel Cyan Indigo Taiga Delft Jet Taupe Electric Navel Vesper Flame 0at Vessel Fuchsia Platinum Zest

Faux Felt (Momentum)..... FFF_ Grade 3

Width 54" Content: 62% Repreve® Post-Consumer Recycled Polyester, 38% Polyester

BarkGraphiteQuailBerryLagoonSproutCamelPathStoneCharcoalPebbleVibrant

Coral Pool Flannel Pumice

Flock (Momentum) FFL_ Grade 3

Width 56" Content: 53% Recycled Polyester, 47% Polyester

Agave Flint Nickel Amber Harbor Paprika Baltic Harp Ruby Cayman Hearth Surf Crocus Twine Heather Demure Walnut lvy Dusk Lapis Wheat Fern Nautical Flannel Nettle

Hobnob (Momentum) FHO_ Grade 3

Width 56" Content: 51% Recycled Polyester, 49% Polyester

Shale Adobe Deck Alarm Depth Smith Armor Dew Tangelo Teal Ash Forest Bay Ginger Tide Beyond Henna Timber Cannon Iris Zebra Limon Carbon

Carob Maple

Keynote (Momentum)..... FKE__ Grade 3

Width 54" Content: 100% Repreve® Post Consumer Recycled Polyester

Aquarian Linen Sangria
Chai Menthe Simmer
Chicory Mesa Wicker
Curry Palmetto
Granite Reflect

Kit (Momentum)..... FKI_ Grade 3

Width 54" Content: 57% Recycled Polyester, 43% Polyester

Aqua Ebony Paradise
Blazer Fiesta Pebble
Dover Mocha Quartz
Dune Moonstone

Earth Pacific

Odessa (Mayer) FOD_ Grade 3

Width 54" Content: 64% Acrylic, 36% Polyester

Bark Mandarin Ruby
Grass Marigold Sea
Gravel Oyster Turquoise
Indigo

Polygon (Mayer) FPO_ Grade 3

Width 54" Content: 60% Post-Consumer Recycled Polyester, 40% Rayon

 Citron
 Navy
 Sable

 Grass
 Ocean
 Smoke

 Jute
 Onyx
 Stone

 Mulberry
 Stone

Solitaire (Momentum) FSL_ Grade 3

Width 57" Content: 50% Repreve® Post Consumer Recycled Polyester, 50% Polyester

Aztec Galena Onyx Cadet Garnet Peel Currant Graphite Poppy Cyan Griffin **Pumice** Derby Jubilee Smith Dove Lapis Tinsel Emerald Midnight Tobacco Flax Mist Violet

Sport (Momentum) FSP__ Grade 3

Width 56" Content: 98% Post Consumer Recycled Polyester, 2% Polyester

Alarm Curry Pewter Aloe Dayglow Port Apple Downpour Pumice Brick Flax Sage Cadet Koi Spa Cobalt Mercury Turquoise Cocoa Onyx

Synergy (Momentum)..... FSN_ Grade 3

Width 53" Content: 71% Repreve® Post Consumer Recycled Polyester, 29% Polyester

Aegean Denim Sandstone
Balsamic Lichen Seaglass
Barley Meadow Tango
Bedrock Otter
Carbon Pecan

Fabric Grade-In FG3__ Grade 3

Faux Mo (Momentum) FFM_Grade 4

Width 55" Content: 58% Repreve® Post Consumer Recycled Polyester, 42% Polyester

Bark Moss Rust Black Nickel Sapphire Charcoal 0at Shadow Crimson Ochre Shale Delta Path Shell Persimmon Sienna Grass Lapis Pine Sky Limon Poppy Spa Marine Putty Stone Ruby Wheat Merlot

Oath (Momentum) FOA_Grade 4

Width 55" Content: 50% Repreve® Post Consumer Recycled Polyester, 50% Polyester

Anise Chocolate Lodestone Azure Cordovan Madder Balsam Crocus Mineral Burlwood Driftwood Nectar Cane Sandbar Ecru Carnelian Fieldstone Tango Celadon Foothill Taupe Charcoal Juniper Verbena

Fabric Grade-In FG5_ Grade 5

Fabric Grade-In FG6_ Grade 6

Swatch cards for all Versteel upholstery are available upon request.

Fabric Reference & Samples

For fabric reference, please refer to Versteel's fabric cards.

MOMENTUM TEXTILES



Study Carrel Tack Panel COM Yardage Requirements

COM yardage requirement of one yard of fabric for each Study Carrel tack panel is based on a material width of 54" with no consideration for repeat. For material other than 54" wide, contact Versteel for yardage requirements.

NOTE ALL FABRICS ARE CUT UP THE ROLL TO MAXIMIZE YIELD AND WEAR PERFORMANCE.

CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS IF RAILROADED FABRIC

OR SAME CENTER POINT IS REQUIRED.



Height

Adjustable Height - Motorized \$2161 / table

AVAILABLE ON PERFORMANCE VELA

Specify code **BAM** (Adjustable Height - Motorized), add \$2161.00 list per table

Motorized tables adjust electrically from 26 ¾" to 42" table height by operating the keypad control. Motorized height adjustment is available for tables with regular T1 or cantilevered TC bases.

Top shapes include: rectangle, split rectangle, oval, split ellipse, boatshape or racetrack up to 36" x 96". (Shown with split ellipse.)

Motorized bases include stretcher rails.

NOTE CABLE COIL AND CABLE HOOKS ARE THE ONLY TWO LEGWAY OPTIONS AVAILABLE

ADJUSTABILITY WITH FOUR PROGRAMMABLE HEIGHT SETTINGS

(Travel time between lowest and highest position: 18 secs.)

NOTE REQUIRES STANDARD 110/120V AC ELECTRICAL OUTLET

Adjustable Height - Pin \$198 / table

AVAILABLE ON PERFORMANCE TIM WAVELINK Specify code **BAP** (Adjustable Height - Pin), add \$198.00 list per table or \$101.00 per base

Pin Adjustable height bases adjust from 27" to 32" table height in 1" increments by depressing the spring loaded pins in each column. Available on Performance T1 and TC fixed or tilt bases and Wavelink WA fixed bases.

Adjustable Height - Counter Balance Pneumatic T Base, Cantilever Base and H Base

AVAILABLE ON

See pages 556-559 for detailed availability and pricing

Counter balance pneumatic adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.




Adjustment Range: 19.5" Table Height: 27 1/4"-46 3/4"

Adjustable Height - Crank T Base

AVAILABLE ON

See pages 554-555 for detailed availability and pricing

Crank adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.





Adjustable Height - Pneumatic T1 or TC Bases \$1102 / table

AVAILABLE ON BRATTICE PERFORMANCE TUSCANY Specify code **BAT** (Adjustable Height - Pneumatic T1 or TC), add \$1102.00 list per table

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 ½", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on T1 or TC fixed or tilt bases.



ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS

TYPING HEIGHT 26 ¾"
STANDARD HEIGHT 29"
WHEELCHAIR HEIGHT 32"

NOTE FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY **ALSO** VELA WIRE MESH LEGWAY MANAGERS ARE NOT AVAILABLE

Adjustable Height - Pneumatic X1 or D1 Bases \$662 / table

AVAILABLE ON BRATTICE PERFORMANCE TUSCANY UNO² VFI A Specify code BAX (Adjustable Height - Pneumatic X1 or D1), add \$662.00 list per table or base

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 ¾", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on X1 or D1 fixed or tilt



ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS

TYPING HEIGHT 26 ¾"
STANDARD HEIGHT 29"
WHEELCHAIR HEIGHT 32"

NOTE FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY

Alternate Table Height 32" and under \$89 / table

AVAILABLE ON
BRATTICE
INTERPLAY
PERFORMANCE
PLATFORM
TUSCANY
UNO²
VELA
WAVELINK

Specify code **BAH** (Alternate Height 32" and under), indicate desired table height (32" or less), add \$89.00 list per table

Suggested typing height table is 26 ¾" Suggested wheelchair height table is 32" Suggested stand up height table is 42"

NOTE FOR ALTERNATE HEIGHTS OVER 32", CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY.

NOTE ELIGA \$159 LIST (T BASE TABLES)

No Charge

Alternate Black Caster

AVAILABLE ON ENTOURAGE EQUIP

VFRSTFFI

Specify code **CAS44** (Alternate Black Caster) no additional charge

Available on all Entourage units that have casters (carts, lecterns, 48" and 60" cabinets) where the standard soft wheel two-tone silver/black caster is replaced with an all black caster. This 3" diameter caster is standard locking and does not change the overall height of the unit.



Base Glides Subtract \$30

AVAILABLE ON

Specify code GLD02 (Glides), subtract \$30.00 list per table

Base Glides replace standard casters. This option reduces the overall table cost and keeps the tables in position without the need to lock the casters. Base glides reduce the overall table height by 1/16".



Casters - Dual Wheel

Dual Wheel, black, 2" diameter, standard locking casters are available for most base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table. See individual product pages for availability and ordering code.



NOTE NOT AVAILABLE ON D1 BASES

Casters - Vela Wheel \$153 / set of 4

AVAILABLE ON

Specify code CAS29 (Casters - Vela Wheel), add \$153.00 list per table

Unique, Vela-profile 3" diameter, standard locking casters are available on most Interplay and Vela base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table.



Mix - Dual Wheel Casters & Glides \$145 / table

AVAILABLE ON BRATTICE PERFORMANCE TUSCANY UNO² Specify code **BMD** (Mix - Dual Wheel Casters & Glides), add \$145.00 list per table

Tables can be specified with dual wheel, black, 2" diameter, standard locking casters on half of the table, with glides on the other half. Each caster is fitted into a reinforced receiver and must be specified at time of order. Mix option does not change the overall height of the table.

NOTE NOT AVAILABLE ON X1, X4 OR D1 BASES

Mix - Vela Wheel Casters & Glides \$145 / table

AVAILABLE ON VELA

Specify code **BMV** (Mix - Vela Wheel Casters & Glides), add \$145.00 list per table

Tables can be specified with the unique, Vela-profile 3" diameter, standard locking casters on half of the table, with glides on the other half. Each is fitted into a reinforced caster receiver and must be specified at time of order. Mix option does not change the overall height of the table.

NOTE NOT AVAILABLE ON X1, X4 OR Y3 BASES

Self-Leveling Glides \$43 / table

Specify code **GLD04** (Self-Leveling Glides), add \$43.00 list per table

Self-Leveling Glides replace standard glides. This option allows the table to automatically compensate up to ½" for floors that are not level. Self-leveling glides increase overall table height by ¾". See individual product pages for availability.



Table Floor Mount \$50 / table

AVAILABLE ON BRATTICE PERFORMANCE TUSCANY UNO² VELA WAVELINK Specify code ${\it BFB}$ (Table Floor Mount Bracket Set), add \$50.00 list per table

Bracket to slip over the standard table glide and fasten to the floor with fasteners supplied by the installer. Set of four (4) brackets will securely mount the table to the floor to prevent movement



NOTE NOT AVAILABLE ON BASES WITH CASTERS OR SELF-LEVELING GLIDES

Finishes & Function VERSTEEL

Chrome Finish

AVAILABLE ON
BRATTICE
PACES
PERFORMANCE
TIM
TOD
TUSCANY
TY
WAVELINK

See individual series for availability and pricing.

Pricing for all tables includes standard powder coat colors.

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME

Nickel Finish \$200 / table

AVAILABLE ON
BRATTICE
PACES
PERFORMANCE
TIM
TUSCANY
WAVELINK

Specify Nickel Finish, add \$200.00 list per table

Pricing for all tables includes standard powder coat colors.

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL

Premium Powder Coats \$147 / table

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ENTOURAGE
INTERPLAY
PACES
PERFORMANCE
TIM
TOD
TUSCANY
L UNDO
WAMPE INK

When a premium powder coat is specified, add \$147.00 list per table

Pricing for all tables includes standard powder coat colors.

NOTE PLATINUM UPCHARGE VARIES, SEE INDIVIDUAL PRODUCT PAGES.

Coloration No Charge

AVAILABLE ON

Specify code **BCO** (Coloration), required finish selection for: (Tuscany Two-Tone) the column ____ / the base rail ____

The unique construction and assembly of the Tuscany bases allows different colors to be applied to different base components at no additional charge.



NOTE REFER TO THE DRAWING ABOVE FOR LABELING REFERENCES

Assembled Folding Table \$69 / table

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO²
VELA
WAVFLINK

Specify code **BAF** (Assembled Folding Table), add \$69.00 list per table

Folding bases can be attached to tops at the factory.

NOTE RECTANGLE TABLES WITH FOLDING BASE AND FOLDING MODESTY PANELS ARE SHIPPED ASSEMBLED WITHOUT ADDITIONAL CHARGE



Bullet End Caps \$115 / table

AVAILABLE ON

Specify code BBE (Bullet End Caps), add \$115.00 list per table

Bullet End Caps are welded in place of the standard welded rail blunt ends.



Height Adjustment Lock Out Kit \$43 / kit

AVAILABLE ON

Specify code **BHL** (Height Adjustment Lock Out Kit), add \$43.00 list per table

All TIM tables have the height adjustment feature but can be locked into the desired height position easily. The Height Adjustment Lock Out Kit provides a stop and screw for each table leg. The stop fits into the round height position hole above or below the push-button and secures with the screw. The screw and stop can easily be removed to allow resetting table height as needed.



Stretcher Rail \$217

AVAILABLE ON BRATTICE PERFORMANCE TUSCANY Specify code **BSR** (Stretcher Rail), required finish selection __, add \$217.00 list per table

Available for T1, TC and T2 style, fixed and tilt bases to increase table rigidity. Necessary tools are provided to install the stretcher.



NOTE A STRETCHER IS NOT A RETROFIT ITEM, IT MUST BE SPECIFIED AT TIME OF ORDER

Lightweight Laminate Core to 96" Length \$214 / table

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
PACES
PERFORMANCE
TY
UNO²
VELA
WAYELINK

Specify code **TLL** (Lightweight Laminate Core to 96" Length), add \$214.00 list per table

Lightweight Laminate Core is available for 1 $\frac{1}{4}$ " tops that are of a dimension no larger than 48" x 96". The core is made of a multi-ply material that will allow the mounting of bases or other accessories at any location under the top.

NOTE TOPS WITH LENGTHS LONGER THAN 96" REQUIRE A SPECIAL QUOTE. CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

NOTE NOT AVAILABLE ON VENEER TOPS

Special Laminate Call for Quote

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
ENTOURAGE
INTERPLAY
ODIS
PACES
PERFORMANCE
PLATFORM
TOD
TY
UN09

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Versteel products. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE, AND WILSONART ARE STANDARD

CAUTION Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause

Two-Piece Top (120") \$564/ table

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA PACES CONFERENCE PERFORMANCE VELA Specify code T2P (Two-Piece Top), add \$564.00 list per table
Standard Versteel tables in lengths up to 120" are a seamless,
single piece top. When the two-piece top option is specified,
the splice joint edge is unfinished, table shipped with necessary
hardware. Any table over 120" long will be produced as a twopiece top.

Ergo Wood Profile - One Side No Charge

AVAILABLE ON VELA

Specify code **TEO** (Ergo Wood Profile - One Side), no additional charge

The Ergo Edge Profile is applied to the user's side of the table only, with flat banding on all additional sides.



Ergo Wood Profile - Two Sides No Charge

AVAILABLE ON VELA

Specify code **TET** (Ergo Wood Profile - Two Sides), no additional charge

The Ergo Edge Profile is applied to the user's and the opposite side of the table only, with flat banding on all additional sides.



Ergo Wood Profile - All Sides No Charge

AVAILABLE ON

Specify code **TEA** (Ergo Wood Profile - All Sides), no additional charge

The Ergo Edge Profile is applied to all sides of the table.







Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

Top Custom Cutout \$107 / cutout

AVAILABLE ON ALL SERIES Specify code TCC (Top Custom Cutout), add \$107.00 list per cutout

Top Custom Cutout requires a drawing for production and is subject to approvals.

Sail Modesty \$255 / each

transport.

AVAILABLE ON

Specify code MS__ (Sail Modesty), add \$255.00 list per table.

Lycra® fabric Sail Modesty is stretched and hooked on screw pegs under table top and slotted holes in the table approach side legs. All TIM tables are pre-drilled for field installation of the Sail Modesty. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost. Can be stored on table when tilted, nested or folded on table

Panel Modesty, Laminate \$370 / each

AVAILABLE ON PACES TIM

Specify code MPL (Panel Modesty, Laminate), add \$370.00 list per table.

Panel Modesty, Laminate is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



Panel Modesty, Veneer \$917 / each

AVAILABLE ON PACES

Specify code MPV (Panel Modesty, Veneer), add \$917.00 list per table.

Panel Modesty, Veneer is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



Function & Linking VERSTEEL

Laptop Locker \$1235 / locker

AVAILABLE ON BRATTICE PERFORMANCE TY UNO² VELA

*Fixed tables only (not available on tilt, slim-tilt or folding tables)

Specify code **TLA1** (One Laptop Locker) or code **TLA2** (Two Laptop Lockers) add \$1235.00 list per Laptop Locker.

Indicate Manual Locking Keyed Individually TMKI, Manual Locking Keyed Alike TMKA or Electronic Locking TLEL. Add \$322 list per Laptop Locker when Electronic Locking is specified AND TLPU (Laptop Locker power unit) which is required for the electronic locking option, add \$509 list (Power unit sequences up to 10 lockers, includes 1 key).

The minimum table width available with Laptop Locker is 24"

The minimum table length available with Laptop Locker is 36". The maximum table length available is 96".



 $2\,Laptop\,Lockers\,can$ be installed starting at a table length of 60" or greater (table subject to additional base and/or support base when more than one unit is installed in top greater than or equal to 72").

All lockers to have urethane edge on locker door and top opening.

NOTE LAPTOP LOCKER IS NOT AVAILABLE ON VENEER TOP SURFACES,
WOODGRAIN OR DIRECTIONAL PATTERN LAMINATES OR TABLES WITH
LIGHTWEIGHT LAMINATE CORE

For additional questions contact Versteel Customer Service at 800 876 2120

Table Link \$225 / table

AVAILABLE ON
BRATTICE
ELIGA
PACES
PERFORMANCE
TIM
TOD
TY
UNO²
VELA

Specify code TLK (Table Link), add \$225.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Table link will prevent the accidental disconnection of power supply to adjacent tables. Available on tables with PVC. 3mm Wood.

Wood Square, Wood Fluted and Ergo user side edge details.

Closed end link brackets are provided for the following applications:

- $\circ\,$ Tops without bases.
- Tables with a base that does not allow the table to stand alone.



Table Link - Ends Only \$120 / table

AVAILABLE ON
BRATTICE
ELIGA
PACES
PERFORMANCE
TIM
TOD
TY
UNO²

Specify code **TLE** (Table Link - Ends Only), add \$120.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Specify Table Link - Ends Only when your configuration requires linking on the table ends only. Available on tables with PVC, 3mm Wood, Wood Square, Wood Fluted and Ergo user side edge details. Table Link - Ends Only is included with electrical package options. This will prevent the accidental disconnection of power supply to adjacent tables.

Leash - TIM Table Link \$85/table

AVAILABLE ON

Specify code TLS (TIM Table Leash), add \$85.00 list per table

The Leash table link is available on all TIM tables as a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the underside of the table top, rotating from under the top to latch into the adiacent table Leash.



Leash - Wavelink Table Link \$118 / table

AVAILABLE ON WAVELINK

Specify code TWL (Wavelink Table Leash), add \$118.00 list per table

The Leash table link is a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the W2 bases, rotating from under the table top to latch into the adjacent table leg Leash. Available on all linkable Wavelink tables.



NOTE CANNOT BE FIELD INSTALLED

Privacy Screen

AVAILABLE ON

Specify code **PSCR1S**, **PSCR1L**, **PSCR2S** or **PSCR2L** depending on material choice and size.

Privacy screens are available as an option to the Eliga Benching product and consists of ½" thick nominal panel running horizontal in the center of the table. The panel is 18" tall and sits 15.5" above the worksurface with a laser edge all around. Order privacy panel 12" shorter than the length of the table. One privacy panel per table.

Dry Erase Markerboard

36" - 48" (each)PSCR1S	\$ 471
60" - 84" (each)	\$ 890

Available in all Formica solid laminate colors

Rauvisio Crystal Markerboard

36" - 48" (each)	\$1838
60" - 84" (each)	\$3417

Available in color Bianca.

These products can be written on with dry erase markers.

Form Modesty Panel End Cap Trim Kit \$46 / set of 2

AVAILABLE ON

Specify code **AFE2EB** (Form Modesty Panel End Cap Trim Kit), add \$46.00 list for set of 2

SPECIFICATIONS

- · Metal plate attached with screws
- Black powder coat finish
- Attached to back panel to close end of channels
- Set of 2 will cover both ends of a single or run of Form Modesty Panels



Metal Modesty Panel End Cap Trim Kit \$46 / set of 2

AVAILABLE ON FORM MODESTY SQUARE METAL MODESTY

Specify code **APE2EBSQ** for square powered modesty

Specify code **AFE2EBS 0** for square non-powered modesty

Specify code **APE2EB** for form powered modesty

Specify code **AFE2EB** for form non-powered modesty



Storage Pouch - ODIS \$133 / pouch

AVAILABLE ON ODIS

Specify code AOPAY (Storage Pouch, Alloy) or AOPEB (Storage Pouch, Ebony), add \$133.00 list per pouch

Accessory Pouches are available on the 29" tall ODIS tables. The pouch which is made of a durable gray or black mesh material has a 2" opening, is 12" long and 6" deep. Files, folders, laptops and books can all be stored in the pouch. The \mathcal{W}_{let} solid wire frame is held in place by a solid aluminum extrusion. The frame and extrusion colors match the color of pouch specified. Since no tools are required for installation this item can be ordered with the table or may be ordered for field installation.

Acrylic Tray - Entourage Cabinet 48" Cabinet

AVAILABLE ON

Specify code **AAT480** (Acrylic Outer Tray - 48" Entourage Cabinet), add \$135.00 list each.

Specify code **AAT48C** (Acrylic Center Tray - 48" Entourage Cabinet), add \$150.00 list each.

60"/72" Cabinet

AVAILABLE ON

Specify code **AAT60** (Acrylic Tray - 60" Entourage Cabinet), add \$135.00 list each.

Specify code AAT72 (Acrylic Tray - 72" Entourage Cabinet), add \$150.00 list each.

NOTE CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 60° AND 72° CABINETS

84" Cabinet

AVAILABLE ON

Specify code **AAT840** (Acrylic Outer Tray - 84" Entourage Cabinet), add \$150.00 list each.

Specify code **AAT84C** (Acrylic Center Tray - 84" Entourage Cabinet), add \$206.00 list each.

NOTE CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 84" CABINETS

Acrylic Trays may be added to Entourage Cabinet Models.

Acrylic Tray - Entourage Cart 16" Wide Cart.

AVAILABLE ON

Specify code **AAT16** (Acrylic Tray - 16" Entourage Cart), add \$189.00 list each.

20" Wide Cart.

Specify code **AAT20** (Acrylic Tray - 20" Entourage Cart), add \$200.00 list each.

Acrylic Trays may be added to Entourage Carts.



Table Transport \$1666 / each

AVAILABLE ON BRATTICE PERFORMANCE WAVELINK

Specify code ATT3054 (Table Transport), add \$1666.00 list each

The transport saves time and labor. Its 31" width can move tables of any length through doorways with ease.



SPECIFICATIONS

- Weight: 61 lbs.
- o 31" x 54" overall footprint
- · Black powder coat finish
- $\circ~$ Two (2) swivel and two (2) non-swivel casters
- o 5" casters are non-marking wheel material

TRANSPORT CAPACITY

FOLDED TABLES WITHOUT MODESTY PANEL 6 ON EDGE 8 STACKED FLAT FOLDED TABLES WITH MODESTY 5 STACKED FLAT 4 ON EDGE OVERLAPPING FOLDED TABLES

NOTE MAXIMUM LOAD WEIGHT: 1.000 LBS

NOTE TABLES GREATER THAN 27" IN WIDTH DO NOT STACK HORIZONTALLY ON

Table Transport - TIM \$1666 / each

AVAILABLE ON

Specify code ATT3020 (Table Transport) for 42"- 72" length tables, add \$1666.00 list each

The transport saves time and labor. Its 30" width can move tables of specified lengths through doorways with ease.

SPECIFICATIONS

- · Weight: 37 lbs.
- o 30" overall depth
- Alloy powder coat finish
- o Two (2) locking and two (2) non-locking casters
- · Casters are non-marking wheel material

TRANSPORT CAPACITY

5 ON FDGE

FOLDED TABLES WITHOUT PANEL MODESTY OR FOLDED TABLES WITH SAIL MODESTY

NOTE MAXIMUM LOAD WEIGHT: 1,000 LBS

NOTE TABLE LEGS EXTENDED HIGHER THAN 29" STANDARD HEIGHT WILL NOT STORE ON THE TRANSPORT. THE LEGS WILL EXCEED THE TRANSPORT HEIGHT AND DRAG ON THE FLOOR WHEN ROLLING THE CART

Table Transport - ODIS \$596 / each

AVAILABLE ON

Specify code ATT2824 (Table Transport - ODIS), add \$596.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 28" w x 24" d x 50" h.

SPECIFICATIONS

- o Weight: 21 lbs.
- o 28" x 24" overall footprint
- · Alloy powder coat finish
- o Two (2) swivel, two (2) non-swivel casters
- o 5" casters are non-marking wheel material

Table Transport Handle & Strap - ODIS \$432 / each

AVAILABLE ON

Specify code AOTTHS (Table Transport Handle & Strap -ODIS), add \$432 list each

SPECIFICATIONS

o Table Transport Handle and Strap may be added to the Table Transport for ODIS to secure tables when using the cart on rough or incline surfaces.

Table Transport Tray - ODIS \$174 / each

AVAILABLE ON

Specify code AOTTT1718 (Table Transport Tray - ODIS), add \$174.00 list each

Table Transport Tray may be added to the Table Transport for ODIS for the storage of the accessory pouch.



SPECIFICATIONS

- · Weight: 13 lbs.
- o 18" w x 20" l x 4" d
- · Alloy powder coat finish

Table Transport - ODIS ADA \$849 / each

AVAILABLE ON

Specify code ATT3058 (Table Transport - ODIS ADA), add \$849.00 list each

Stacks 10 ODIS ADA tables high. Cart with 10 tables measures approximately $32\frac{1}{2}$ " w x 58" d x 42" h

SPECIFICATIONS

- o Weight: 35 lbs.
- o 30" x 58" overall footprint (with handle)
- · Alloy powder coat finish
- o Two (2) swivel, two (2) non-swivel casters
- o 5" casters are non-marking wheel material

Table Transport - ODIS Youth \$596 / each

AVAILABLE ON

Specify code ATT2321 (Table Transport - ODIS Youth), add \$596.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 23" w x 21" d x 44" h



SPECIFICATIONS

- o Weight: 19 lbs.
- o 23" x 21" overall footprint
- Alloy powder coat finish
- ° Two (2) swivel, two (2) non-swivel casters
- o 5" casters are non-marking wheel material



Custom PVC Color Match Call for quotation / one time charge per color, per order

Specify code OCP (Custom PVC Color Match), add cost from Versteel auotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Custom T-Mold Color Match Call for quotation / one time charge per color, per order

Specify code OCT (Custom T-Mold Color Match), add cost from Versteel auotation

T-Mold Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost

For T-Mold Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Powder Coat Alternative Call for quotation

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match \$894 / one time charge per finish, per order

Specify code **OSM** (Stain Finish Match), add \$894.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply a 4" x 4" finish color and grain reference sample. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer and Wood Solids Alternative Call for quotation

For veneer and wood requirements other than the standard cherry, maple and walnut, contact Versteel Customer Service. Versteel is adept at working with a host of domestic and exotic materials. From inlays, figures, pie cuts and special edge profiles, to custom fill levels and sheens, each top is created using the best of technology and old world craftsmanship. The items you only imagined or expected to only be available from a millwork shop are now just another part of your Versteel order. Call Versteel Customer Service for availability and quotation.

Wood Finish Alternative Call for quotation

When veneer tables are required to have a finish other than the standard natural grain fill level finish appearance, semi-filled or full-filled finishes are available by requesting a quote from Versteel. Call Versteel Customer Service for availability and quotation.

Resin Edge Material Alternative Call for quotation

GLOSS

Seamless, rigid, blended resin edge with a hand polished high gloss finish.

SATIN

Seamless, semi-rigid, blended resin edge with a hand sanded satin finish. Scuffs, scratches and surface damage to the edge are field repairable.

SATIN-SOFT

Seamless, pliable, blended resin edge with a hand sanded finish. The features are memory and pliability. Scuffs, scratches and surface damage to the edge are field repairable.

Call Versteel Customer Service for availability and quotation.

Glass Top Table Alternative Call for quotation

Versteel glass top tables meet or exceed government specification DDG-451d, which regulates the quality standards of all glass manufacturing. This specification takes into consideration certain imperfections inherent in glass production. Call Versteel Customer Service for availability and quotation on series not priced with glass tops.

Henri (Custom) VFRSTFFI

Henri - \$308 / unit

Specify code PH_ (Henri - Location_), add \$308.00 list per Henri

The pop-up Henri electrical unit(s) is factory installed in the specified location. Perfect for single table applications.

SPECIFICATIONS

- o One 9' cord, one 15 amp circuit, standard grounded plug
- · Surge protection
- · Two electrical outlets per unit



NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 55-70

NOTE FOR HENRI VOICE AND DATA JACK OPTIONS SEE PAGE 50



1 Henri - Location A \$308 / table

Specify code PHA (1 Henri - Location A), add \$308.00 list per table

One pop-up Henri electrical unit is factory installed in the front center







1 Henri - Location F \$308 / table

1 Henri - Location K

Specify code PHF (1 Henri - Location F), add \$308.00 list per table

One pop-up Henri electrical unit is factory installed in the center of the top.



\$308 / table

Specify code PHK (1 Henri - Location K), add \$308.00 list per table

One pop-up Henri electrical unit is factory installed lengthwise in the center of the top.





1 Henri - Location R \$308 / table

Specify code PHR (1 Henri - Location R), add \$308.00 list per table

One pop-up Henri electrical unit is factory installed in a predetermined position in the top.





2 Henris - Location D \$616 / table

Specify code PHD (2 Henris - Location D), add \$616.00 list per table

Two pop-up Henri electrical units are factory installed in the front corner

locations of the top. **NOTE** LOCATION D HENRI UNITS NOT AVAILABLE





2 Henris - Location E \$616 / table

Specify code PHE (2 Henris - Location E), add \$616.00 list per table

Two pop-up Henri electrical units are factory installed in the front outer corner locations of the top.





2 Henris - Location H \$616 / table

Specify code PHH (2 Henris - Location H), add \$616.00 list per table

Two pop-up Henri electrical units are factory installed in predetermined positions in the top.



Henri Now linking systems require an HNPU power supply unit per each sequence. Specify code HNPU, \$403.00 list each.

- o 120" cord length
- 15 amp circuit
- o standard grounded plug
- o surge protection



Henri Now - \$298 / unit

Specify code PHN_ (Henri Now - Location_), add \$298.00 list per Henri Now.

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables The pop-up Henri Now electrical unit(s) is factory installed in the specified location. Recommended for multiple table applications. May be sequenced in any order.

SPECIFICATIONS

- o One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- o Two electrical outlets per unit



NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 55-70 **NOTE** FOR HENRI NOW VOICE AND DATA JACK OPTIONS SEE PAGE 50

NOTE HENRI NOW SOFT WIRED LINKED SYSTEMS DO NOT WORK WITH GFCI RECEPTACLES. CONTACT VERSTEEL FOR ADDITIONAL INFORMATION.



1 Henri Now - Location A \$298 / table

Specify code PHNA (1 Henri Now - Location A), add \$298.00 list per table

One pop-up Henri Now electrical unit is factory installed in the front center location of the top.





1 Henri Now - Location F \$298 / table

Specify code PHNF (1 Henri Now - Location F), add \$298.00 list per table

One pop-up Henri Now electrical unit is factory installed in the center of the top.



1 Henri Now - Location K \$298 / table

Specify code PHNK (1 Henri Now - Location K),

add \$298.00 list per table

One pop-up Henri Now electrical unit is factory installed lengthwise in the center of the top.





1 Henri Now - Location R \$298 / table

Specify code PHNR (1 Henri Now - Location R), add \$298.00 list per table

One pop-up Henri Now electrical unit is factory installed in a predetermined position in the top.





2 Henri Nows - Location D

Specify code PHND (2 Henri Nows - Location D), add \$596.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front corner locations of the top.





2 Henri Nows - Location N \$596 / table

Location N

Specify code PHNN (2 Henri Nows - Location N), add \$596.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front outer corner locations of the top.





2 Henri Nows - Location H \$596 / table

Specify code PHNH (2 Henri Nows - Location H), add \$596.00 list per table

Two pop-up Henri Now electrical units are factory installed in predetermined positions in the top.

Power Access

The flush mount Power Access unit(s) is factory installed in the worksurface. Indicate specified location on your purchase order.



SPECIFICATIONS

Power Access

- ° Completely flush mounted in work surface
- o Two (2) power outlets per unit
- o Two (2) USB-A charging ports per unit
- o Two (2) open ports for data/AV jacks per unit
- o 6" x 4" bezel
- o Body and interior of unit black

NOTE FOR POWER ACCESS VOICE AND DATA JACKS REFER TO DATA JACK **OPTIONS**

Bezel and Door Color

Standard Powder Coat n/c Premium Powder Coat \$147

NOTE TRANSPARENT POWDER COATS AND PLATINUM ARE NOT AVAILABLE

Individually Powered Unit

Model	Description	
EPA-IP	Individually powered (corded system)	\$491 list
Cord Length		
72	72" cord length	n/c
144	144" cord length	\$36 list
180	180" cord length	\$48 list

UL/CSA Listed

Model Example: EPA-IP-144

Soft-Wired Linking Unit

Model	Description	
EPA-SL	Soft-wired linking system	\$595 list

SPECIFICATIONS

- o Single circuit, 15 AMP
- No sequencing of units required
- · Up to eight (8) units per circuit
- o Requires HNPU power supply per circuit

HNPU Power supply unit \$404 list

Cord Lenath

	•	
120	120" cord length	n/c
144	144" cord length	\$17 list
180	180" cord length	\$27 list



ETL Listed to the UL962 Standard

Model Example: EPA-SL-120

Hard-Wired System

Model	Description	
EPA-HW	Hard-wired system	Cal

SPECIFICATIONS

- o Multi-circuit (4 wire, 2 circuit, 20 AMP circuits)
- No sequencing of units required
- Up to 20 units linked per circuit
- o System priced per project, call for quote

NOTE UP TO 20 UNITS LINKED PER SYSTEM (10 CIRCUIT 1 AND 10 CIRCUIT 2). MUST SPECIFY WHICH UNITS ARE TO BE ON WHICH CIRCUIT

UL/CSA Listed

Model Example: EPA-HW-DA-HD

Power Access Data Plate Guidelines

The Power Access Data Plate has (4) available slots for data jacks. Listed below are specification codes, number of slots each jack will occupy, and pricing.

Jack Type	Specify Code	Number of Slots	List Price per Jack Type
Data	DA	1	\$40
Voice	V0	1	\$16
HDMI	HD	2	\$93
Data Coupler	DD	1	\$128
Voice Coupler	VV	1	\$37

Power Bay - \$1164 / unit

Specify code EPB_ (Power Bay - Location_), add \$1164.00 list per Power Bay for first unit per table and \$1164.00 for each additional unit.

For clear anodized aluminum finish, add \$126 list per unit

The flush mount Power Bay electrical unit(s) is factory installed in the specified location. Choose any standard powder coat, or Clear Anodized Aluminum, for bezel and door.

SPECIFICATIONS

- o One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- · Four electrical outlets per unit
- o Data plate with 9 slots



NOTE USE POWER BAY DATA PLATE GUIDELINES TO SPECIFY DATA JACKS



1 Power Bay - Provide Location Print \$1164 / table

Specify code EPB1 (1 Power Bay - Provide Location Print), add \$1164.00 list per table

One flush mount Power Bay electrical unit is factory installed in the top location indicated by specifier's print.



2 Power Bays - Provide Location Print \$2328 / table

Specify code EPB2 (2 Power Bays - Provide Location Print), add \$2328.00 list per table

Two flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.



3 Power Bays - Provide Location Print \$3492 / table

Specify code EPB3 (3 Power Bays - Provide Location Print), add \$3492.00 list per table

Three flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.



4 Power Bays - Provide Location Print \$4656 / table

Specify code EPB4 (4 Power Bays - Provide Location Print), add \$4656.00 list per table

Four flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.



The Power Bay Data Plate has (9) available slots for data jacks. Listed below are specification codes, number of slots each jack will occupy, and pricing.

Jack Type	Specify Code	Number of Slots	List Price per Jack Type
Data	DA	1	\$40
Voice	V0	1	\$16
Mini Stereo	MS	1	\$19
VGA	VG	2	\$28
HDMI	HD	2	\$93
USB	US	2	\$42
Data Coupler	DD	1	\$128
Voice Coupler	VV	1	\$37

V Charge VERSTEEL

V Charge Wireless Charging

Wireless charging pads for phones and tablets with built-in Qi wireless charging. Pads are surface mounted into the table top.



Option Code

VWC1 \$275 list

SPECIFICATIONS

- 10 Watt fast charge wireless charging unit embedded in table top
- Soft touch cover plate with V Charge logo
- Surface mounted
- ° 6' power supply included

Unit Color

BLK Black n/c WHT White n/c

Option Code

VWC2 \$353 list

SPECIFICATIONS

- 15 watt fast charge wireless charging unit embedded in table ton
- o Soft touch cover plate with V Charge logo
- Surface mounted
- ° 5' power supply included

Unit Color

BLK Black n/c WHT White n/c **VERSTEEL**

V Power™ (Kwikboost EdgePower)

V Power™ supports diversity and flexibility in a fluid environment. Utilizing cordless, batterypowered charging, the V Power attaches to the edge of each worksurface, giving individuals and teams the freedom to work or learn anywhere. For a more discreet appearance, mount unit under the worksurface with an optional bracket, sold separately.

CHARGING UNIT SPECIFICATIONS

- Adjustable, attaches to 0.7" to 1.5" tops
- o Includes 110V AC outlet, USB-A port and USB-C PD port
- · Charges laptops, tables, phones, etc
- · Operating temperatures: 32 to 113°F (0 to 45°C) while in use 14 to 131°F (-10 to 55°C) when not in use
- $\circ~$ Dimensions (with battery): 10.3"L x 4.9"W x 5.2" to 6"H

RECHARGEABLE BATTERY SPECIFICATIONS

- Easily Interchangeable
- · Rechargeable using base charging station
- o Includes LED charge indicator lights
- o 146.52 battery capacity
- o 18650 Li-ion battery
- · Up to 500 life cycles
- · Recharge time: 2 hours
- o Dimensions: 9.1"L x 3"W x 2.1"H

CHARGER / CHARGING STATION SPECIFICATIONS

- o Single charger, 3-bay charging station, or 9-bay charging station
- Fully recharges batteries in 2 hours
- o 3-bay station is stackable and expandable
- o Dimensions (with battery): Single 3.25"L x 0.75"W x 2.25"H 3-bay 15"L x 12"W x 6"H 9-bay 15"L x 12"W x 13.5"H







Personal Use Bundle

Model Description

VPPUB Two (2) Rechargeable Batteries \$1097 list One (1) Clamp-on Desktop Charging Unit One (1) Single Battery Charger

Light Use Bundle

Model	Description	
VPLUB	Three (3) Rechargeable Batteries Three (3) Clamp-on Desktop Charging	\$2157 list
	Units	
	One (1) 3-Bay Base Charging Station	

Medium Use Bundle

Model	Description	
VPMUB	Six (6) Rechargeable Batteries Three (3) Clamp-on Desktop Charging Units (1) 3-Bay Base Charging Station	\$3158 list

Heavy Use Bundle

Model	Description	
VPHUB	Nine (9) Rechargeable Batteries	\$5284 list
	Six (6) Clamp-on Desktop Charging Units	
	One (1) 9-Bay Base Charging Station	

Constant Use Bundle

Model	Description	
VPCUB	Twelve (12) Rechargeable Batteries Six (6) Clamp-on Desktop Charging Units One (1) 9-Bay Base Charging Station	\$6263 list

Under Surface Mounting Bracket

Model	Description	
VPUSMB		\$ 34 list

Single Circuit Powerlink Package \$1062 or \$1390 / table Specify code PPTL1 (Powerlink Package

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adiacent tables

Specify code **PPTL1** (Powerlink Package 72" or less), add \$1062.00 list per table

Specify code **PPTG1** (Powerlink Package greater than 72"), add \$1390.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- · Single Circuit, Soft-wired, linking system
- o 9' cord, standard grounded plug (custom lengths available)
- o 15 Amp circuit w/breaker and Surge Protector
- One duplex outlet (2 simplex outlets) on Powerlinks up to 48" in length, and two duplex outlets on units longer than 48" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length;
 Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 55-70

Multiple Circuit Powerlink Package – System 2 \$1062 or \$1390 / table

Specify code **PPTL2** (Powerlink Package 72" or less), add \$1062.00 list per table

Specify code **PPTG2** (Powerlink Package greater than 72"), add \$1390.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- · Multi-circuit, hard-wired, linking system
- o 6' hard-wired in-feed (custom lengths available)
- o Two 20 Amp Circuits (4-wire, 2-circuit)
- Two duplex outlets (Circuits 1 & 2) on Powerlinks up to 60" in length, and four duplex outlets (2 on each circuit) on units longer than 60" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length;
 Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 55-70

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the

accidental disconnection

of power supply to

adiacent tables

Multiple Circuit Powerlink Package – System 3 \$1500 or \$1809 / table

Specify code **PPTL3** (Powerlink Package 48" or less), add \$1500.00 list per table

Specify code **PPTG3** (Powerlink Package greater than 48"), add \$1809.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- o Multi-circuit, hard-wired, linking system
- o 6' hard-wired in-feed (custom lengths available)
- o Three 20 Amp Circuits (8-wire, 3-circuit)
- Three simplex outlets (circuits 1, 2 & 3) on Powerlinks up to 48" in length, and two sets of three simplexes on Powerlinks greater than 48" in length (outlet configurations are customizable)
- One voice, one data jack on Powerlinks up to 48" in length;
 Two voice, two data jacks on units longer than 48" (custom data configurations available)
- Circuit 3 has a shielded, independent ground wire for computers and peripherals
- No shared neutrals on the 3 circuits

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 55-70

Power Source Outlets \$175 / power source

Specify code **PPS** (Power Source Outlets), add \$175.00 list per table

Power Source Outlets supply individual tables surge protected electrical connections. Unit is field installed and controlled by an illuminated On/Off switch.



SPECIFICATIONS

- o 10' 14 AWGx3C power cord
- o Illuminated On/Off and Reset switch
- o 1,000 Joules surge protection
- ° Six (6) grounded power outlets per unit
- o Aluminum housing mounts to underside of top
- Black

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 55-70

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

Eclipse

Model

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.

Description

SPECIFICATIONS

o Hole mount is 4.5" diameter



ECL-IP3X ECL-IP2U	Three (3) power Two (2) power and one (1) dual port USB charger	392 list 162 list
Unit Color		
STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
ST0	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c
Cord Length		
72	72" cord length, black	n/c
120	120" cord length black	\$ 18 list

Model Example: ECL-IP2U-STB-72

Hemisphere

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.

Description

Three (3) power

SPECIFICATIONS

Model

HEM-IP3X

° Hole mount is 3" diameter



\$282 list

\$ 18 list

HEM-IP2U	Two (2) power and one (1) dual port USB charger	\$350 lis
Unit Color		
STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
ST0	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c
Cord Length		
72	72" cord length, black	n/c

Model Example: HEM-IP2U-STB-72

120" cord length, black

Mini-Tap

120

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the worksurface. Mini-Tap is black.



n/c

\$ 18 list

SPECIFICATIONS

72

120

- o Two (2) Simplexes
- o Available with spill-proof Simplexes

Model	Description	
MTP-IP2X MTP-IP2U	Two (2) power One (1) power and one (1) dual port USB charger	\$133 list \$343 list
Cord Length		

72" cord length, black

120" cord length, black

Node

Flush mount design complements a wide range of aesthetics. Plated or powder coat finishes bely a robust, die-cast construction.



Model	Description	/
NOD-IP2X	Two (2) power	\$252 list
NOD-IP2U	One (1) power and one (1) dual port	\$347 list
	USB charger	
NOD-IP20	One (1) power and one (1) open	\$238 list
	data port	

Unit Color (Additional finishes available upon request)

DBP	Dark Bronze Plated	\$122 list
MPC	Midnight Powder Coat	n/c
PPC	Parchment Powder Coat	n/c
SNP	Satin Nickel Plated	\$122 list
SPC	Silver Powder Coat	n/c

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

Data Option (Only available with NOD-IP20)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
US	USB passive jack	\$ 63 list
V0	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 40 list

Model Example: NOD-IP2U-SPC-72

Salt or Pepper

Individual dual USB charger or power outlet for easy, quick access applications.

SPECIFICATIONS

- Salt or Pepper hole mount is 1 ¾" diameter
- Smooth seamless designSpill-proof power simplex
- 72" power cord, black



Model	Description	
SLT1	One (1) dual port USB A charger	\$185 list
SLT3	One (1) single port USB C 60 watt	\$390 list
	charger	
SLT4	One (1) 10 watt USB A + 10 watt	\$234 list
	USB C charger	
PPR	One (1) power outlet w/72" black cord	\$102 list

Unit Color (Additional finishes available upon request)

BERP	Berry
BLKP	Black
BLUP	Blue
DSKP	Dusk
FOGP	Fog
HNYP	Honey
NVYP	Navy
ORGP	Orange
PCKP	Peacock
PPYP	Poppy
SGRP	Spring Green
SRMP	Storm
WHTP	White

Model Example: SLT4-BLKP

Versteel Power

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

Axil Z IP (Individually Powered)

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- o Requires cutout in worksurface
- o Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops ¾" to 1 ¾" thick

Model	Description	
AXZ-IP-2-0	Two (2) power and no data	\$373 list
AXZ-IP-2-2	Two (2) power and two (2) open ports	\$382 list
AXZ-IP-2-4	Two (2) power and four (4) open ports	\$390 list
AXZ-IP-2-6	Two (2) power and six (6) open ports	\$399 list
AXZ-IP-3-1	Three (3) power and one (1) open port	\$396 list
AXZ-IP-3-3	Three (3) power and three (3) open ports	\$403 list
AXZ-IP-3-5	Three (3) power and five (5) open ports	\$412 list
AXZ-IP-4-0	Four (4) power and no open ports	\$491 list
AXZ-IP-4-2	Four (4) power and two (2) open ports	\$499 list
AXZ-IP-4-4	Four (4) power and four (4) open ports	\$505 list
Unit Color		
MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA SVCA	Gloss Black Faceplate, Clear Al Trim Silver Faceplate, Clear Al Trim	n/c n/c
MWBA	Matte White Faceplate, Black Trim	\$128 list
MBBA	Matte Black Faceplate, Black Trim	\$128 list
MSBA	Matte Storm Faceplate, Black Trim	\$128 list
MFBA	Matte Fog Faceplate, Black Trim	\$128 list
GWBA	Gloss White Faceplate, Black Trim	\$128 list
GBBA	Gloss Black Faceplate, Black Trim	\$128 list
SVBA	Silver Faceplate, Black Trim	\$128 list
Cord Length		
72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list
USB Chargin	ng Options (Total cannot exceed 80 watts	s)
UA	One (1) 20 watt dual port USB A	\$136 list
	charging module (requires 1 open port)	
UA2	Two (2) 20 watt dual port USB A	\$268 list
UAC	charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C	\$136 list
UAU	charging module (requires 1 open port)	ψ100 1131
UAC2	Two (2) 10 watt USB A + 10 watt USB C	\$272 list
	charging modules (requires 2 open ports)	
UC	One (1) 60 watt USB C charging module	\$290 list
	(requires 2 open ports)	
Data Option	(Each data jack requires 1 open port)	
DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
MS	3.5mm mini-stereo audio jack	\$ 28 list
US	USB passive jack	\$ 63 list
VG	VGA jack, 15 pin	\$122 list
V0	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 40 list

Model Example: AXZ-IP-4-2-GWCA-72-DA-DA

Tables specified with linked units require table

link. The table link will

prevent the accidental

disconnection of power

supply to adjacent tables.

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

Axil Z SL2 (Soft-Wired, Linked)



- Mounts flat, sitting just above worksurface
- o Requires cutout in worksurface
- $\circ~$ Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops ¾" to 1 ¾" thick

• Fits in tops %" to 1 %" thick				
Maximum of 8 units in sequence				
 Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19) 				
Model	Description			
AXZ-SL2-2-0	Two (2) power and no data	\$384 list		
AXZ-SL2-2-2	Two (2) power and two (2) open ports	\$394 list		
AXZ-SL2-2-4	Two (2) power and four (4) open ports	\$402 list		
AXZ-SL2-2-6	Two (2) power and six (6) open ports	\$410 list		
AXZ-SL2-3-1	Three (3) power and one (1) open port	\$407 list		
AXZ-SL2-3-3	Three (3) power and three (3) open ports	\$416 list		
AXZ-SL2-3-5	Three (3) power and five (5) open ports	\$424 list		
	BED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POL DUAL PORT USB CHARGING MODULE PER UNIT.	IVER		
OUTLETS AND TE	JUAL FUNT USB CHANGING MUDULE FEN UNIT.			
Unit Color				
MWCA	Matte White Faceplate, Clear Al Trim	n/c		
MBCA	Matte Black Faceplate, Clear Al Trim	n/c		
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c		
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c		
GWCA	Gloss White Faceplate, Clear Al Trim	n/c		
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c		
	·			
SVCA	Silver Faceplate, Clear Al Trim	n/c		
MWBA	Matte White Faceplate, Black Trim	\$128 list		
MBBA	Matte Black Faceplate, Black Trim	\$128 list		
MSBA	Matte Storm Faceplate, Black Trim	\$128 list		
MFBA	Matte Fog Faceplate, Black Trim	\$128 list		
GWBA	Gloss White Faceplate, Black Trim	\$128 list		
GBBA	Gloss Black Faceplate, Black Trim	\$128 list		
SVBA	Silver Faceplate, Black Trim	\$128 list		
Power Infee	d			
		ΦΕΩΩ I:-+		
BPS2-72	72" cord length, black	\$509 list		
BPS2-120	120" cord length, black	\$526 list		
BPS2-180	180" cord length, black	\$556 list		
NOTE 8 UNITS F	PER 1 BPS.			
Jumper				
BEJ2	Standard jumper included with tables	\$134 list		
	up to and including 60". BEJ2 jumper			
	required for tables greater than 60".			
HCD Ob	Q	-1		
-	ng Options (Total cannot exceed 80 watts			
UA	One (1) 20 watt dual port USB A	\$136 list		
1140	charging module (requires 1 open port)	фосо I:		
UA2	Two (2) 20 watt dual port USB A	\$268 list		
1140	charging modules (requires 2 open ports)	0400 ! ' :		
UAC	One (1) 10 watt USB A + 10 watt USB C	\$136 list		
	charging module (requires 1 open port)	4070		
UAC2	Two (2) 10 watt USB A + 10 watt USB C	\$272 list		
	charging modules (requires 2 open ports)			
UC	One (1) 60 watt USB C charging module	\$290 list		
	(requires 2 open ports)			

Model Example: AXZ-SL2-2-0-GWCA

USB passive jack

VGA jack, 15 pin

HDMI jack

Data Option (Each data jack requires 1 open port)

3.5mm mini-stereo audio jack

DA HD

MS

US

VG

V0

Cat6 RJ45 data jack w/ 10' patch cord \$ 86 list

Cat3 RJ11 voice jack w/ 7' patch cord \$ 40 list

\$ 98 list

\$ 28 list

\$ 63 list \$122 list

Ellora IP (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.



SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops ¾" to 1 ¾" thick
- · Requires cutout in worksurface

Model	Description	
ELL-IP-2-0	Two (2) power and no data	\$585 list
ELL-IP-2-2	Two (2) power and two (2) open ports	\$597 list
ELL-IP-2-4	Two (2) power and four (4) open ports	\$606 list
ELL-IP-2-6	Two (2) power and six (6) open ports	\$617 list
ELL-IP-3-1	Three (3) power and one (1) open port	\$612 list
ELL-IP-3-3	Three (3) power and three (3) open ports	\$623 list
ELL-IP-3-5	Three (3) power and five (5) open ports	\$632 list
ELL-IP-4-0	Four (4) power and no open ports	\$761 list
ELL-IP-4-2	Four (4) power and two (2) open ports	\$771 list
ELL-IP-4-4	Four (4) power and four (4) open ports	\$782 list
Unit Color		
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with	n/c
BAABT	Black Trim Black Anodized Aluminum with	\$184 list
DAADI	Black Trim	\$104 IISL
Cord Length		
72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list
USB Chargi	ng Options (Total cannot exceed 80 watts	;)
UA	One (1) 20 watt dual port USB A	Φ100 I:-+
		\$136 list
1140	charging module (requires 1 open port)	,
UA2	Two (2) 20 watt dual port USB A	\$136 list \$268 list
UA2 UAC		,
UAC	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$268 list \$136 list
	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C	\$268 list
UAC UAC2	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$268 list \$136 list \$272 list
UAC	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C	\$268 list \$136 list
UAC2 UC	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module	\$268 list \$136 list \$272 list
UAC2 UC	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports)	\$268 list \$136 list \$272 list
UAC2 UC Data Option	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port)	\$268 list \$136 list \$272 list \$290 list
UAC2 UC Data Option DA HD MS	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord	\$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list
UAC2 UC Data Option DA HD MS US	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack USB passive jack	\$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list \$ 63 list
UAC2 UC Data Option DA HD MS	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack	\$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list

Model Example: ELL-IP-4-4-SAABT-72-U1-DA-DA-HD

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Ellora SL2 (Soft-Wired, Linked)

Smart design keeps cable clutter out of sight by allowing use while the lid is shut.

SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- $\circ\,$ Fits in tops $3\!4\!''$ to 1 $3\!4\!''$ thick
- · Requires cutout in worksurface
- Maximum of 8 units in sequence
- $\circ~$ Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	
ELL-SL2-2-0 ELL-SL2-2-2 ELL-SL2-2-4	Two (2) power and no data Two (2) power and two (2) open ports Two (2) power and four (4) open ports	\$597 list \$612 list \$638 list
ELL-SL2-2-6	Two (2) power and six (6) open ports	\$664 list
ELL-SL2-3-1 ELL-SL2-3-3	Three (3) power and one (1) open port Three (3) power and three (3) open ports	\$608 list \$633 list
ELL-SL2-3-5	Three (3) power and five (5) open ports	\$661 list
	RED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POV DUAL PORT USB CHARGING MODULE PER UNIT.	VER
Unit Color		
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$184 list
Power Infee	ed	
BPS2-72	72" cord length, black	\$509 list
BPS2-120	120" cord length, black	\$526 list
NOTE 8 UNITS I	180" cord length, black PER 1 BPS.	\$556 list
Jumper		
BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$134 list
USB Chargi	ng Options (Total cannot exceed 80 watts	s)
UA	One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$136 list
UA2	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list
UAC	One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$136 list
UAC2	Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$272 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$290 list
Data Option	(Each data jack requires 1 open port)	
DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
MS	3.5mm mini-stereo audio jack	\$ 28 list
US	USB passive jack	\$ 63 list
VG VO	VGA jack, 15 pin Cat3 RJ11 voice jack w/ 7' patch cord	\$122 list \$ 40 list
• •	oato no il voice jack W/ / pateri tora	ψ τυ ποι

Model Example: ELL-SL2-2-0-SAABT

Versteel Power **VERSTEEL**

linked units require table

link. The table link will

prevent the accidental

disconnection of power

supply to adjacent tables.

Mho IP (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

- Fluid, one touch accessibility
- o Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model	Description	
MH0-IP-2-0	Two (2) power and no data	\$501 list
MH0-IP-2-2	Two (2) power and two (2) open ports	\$510 list
MH0-IP-2-4	Two (2) power and four (4) open ports	\$522 list
MH0-IP-2-6	Two (2) power and six (6) open ports \$53°	
MHO-IP-3-1	Three (3) power and one (1) open port	\$585 list
MH0-IP-3-3	Three (3) power and three (3) open ports	\$598 list
MH0-IP-3-5	Three (3) power and five (5) open ports	\$608 list
MH0-IP-4-0	Four (4) power and no open ports	\$653 list
MH0-IP-4-2	Four (4) power and two (2) open ports	\$662 list
MH0-IP-4-4	Four (4) power and four (4) open ports	\$672 list
Unit Color		
SAABT	Silver Anodized Aluminum with	n/c
	Black Trim	
SAAWT	Silver Anodized Aluminum with	n/c
	White Trim	
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$184 list
Cord Length		
72	72" cord length, black	n/c
72 120	72" cord length, black 120" cord length, black	n/c \$ 18 list
120	120" cord length, black	\$ 18 list
120 USB Chargin	120" cord length, black ng Options (Total cannot exceed 80 watts	\$ 18 list
120	120" cord length, black ng Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A	\$ 18 list
120 USB Chargin UA	120" cord length, black Ing Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A Charging module (requires 1 open port)	\$ 18 list s) \$136 list
120 USB Chargin	120" cord length, black ng Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A	\$ 18 list
USB Chargin UA UA2	120" cord length, black ng Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$ 18 list s) \$136 list \$268 list
120 USB Chargin UA	120" cord length, black ng Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C	\$ 18 list s) \$136 list
USB Chargin UA UA2 UAC	120" cord length, black In Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$ 18 list \$) \$136 list \$268 list \$136 list
USB Chargin UA UA2	120" cord length, black In Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C	\$ 18 list s) \$136 list \$268 list
USB Chargin UA UA2 UAC UAC2	120" cord length, black one (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$ 18 list s) \$136 list \$268 list \$136 list \$272 list
USB Chargin UA UA2 UAC	120" cord length, black one (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module	\$ 18 list \$) \$136 list \$268 list \$136 list
USB Chargin UA UA2 UAC UAC2	120" cord length, black one (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$ 18 list s) \$136 list \$268 list \$136 list \$272 list
USB Chargin UA UA2 UAC UAC2 UC	120" cord length, black Ing Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports)	\$ 18 list s) \$136 list \$268 list \$136 list \$272 list
USB Chargin UA UA2 UAC UAC2 UC	120" cord length, black Ing Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port)	\$ 18 list \$) \$136 list \$268 list \$136 list \$272 list \$290 list
120 USB Chargin UA UA2 UAC UAC2 UC Data Option DA	120" cord length, black Ing Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord	\$ 18 list (s) \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list
120 USB Chargin UA UA2 UAC UAC2 UC Data Option DA HD	120" cord length, black 120" cord length, bla	\$ 18 list \$) \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list
120 USB Chargin UA UA2 UAC UAC2 UC Data Option DA HD MS	120" cord length, black Ing Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack	\$ 18 list \$) \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list
120 USB Chargin UA UA2 UAC UAC2 UC Data Option DA HD MS US	120" cord length, black Ing Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack USB passive jack	\$ 18 list \$) \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list \$ 63 list
120 USB Chargin UA UA2 UAC UAC2 UC Data Option DA HD MS	120" cord length, black Ing Options (Total cannot exceed 80 watts One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 60 watt USB C charging module (requires 2 open ports) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack	\$ 18 list \$) \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list

Model Example: MHO-IP-3-3-SAABT-72-U1-DA-DA

Tables specified with

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

· Fluid, one touch accessibility

Mho SL2 (Soft-Wired, Linked)

- o Includes a voice/data adapter kit to accept couplers and jacks when required
- $\circ~$ Fits in tops $\mbox{\em 34}\mbox{\em "}$ to 1 $\mbox{\em 34}\mbox{\em "}$ thick
- Maximum of 8 units in sequence
- atible with unite cold prior to

o Interlink (Q 2 2/1/19)	2.0 (not compatible with units sold prior	to
Model	Description	
MH0-SL2-2-0	Two (2) power and no data	\$520 list
MH0-SL2-2-2	Two (2) power and two (2) open ports	\$529 list
MH0-SL2-2-4	Two (2) power and four (4) open ports	\$542 list
MH0-SL2-2-6	Two (2) power and six (6) open ports	\$550 list
MH0-SL2-3-1	Three (3) power and one (1) open port	\$608 list
MH0-SL2-3-3	Three (3) power and three (3) open ports	\$618 list
MH0-SL2-3-5	Three (3) power and five (5) open ports	\$629 list
	ED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POW	/ER
OUTLETS AND 1 D	UAL PORT USB CHARGING MODULE PER UNIT.	
Unit Color		
SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$184 list
Power Infeed	I	
BPS2-72	72" cord length, black	\$509 list

BPS2-72	72" cord length, black	\$509 list
BPS2-120	120" cord length, black	\$526 list
BPS2-180	180" cord length, black	\$556 list

NOTE 8 UNITS PER 1 BPS.

Jumper

BEJ2	Standard jumper included with tables	\$134 list
	up to and including 60". BEJ2 jumper	
	required for tables greater than 60"	

USB Charging Options (Total cannot exceed 80 watts)

UA	One (1) 20 watt dual port USB A	\$136 list
	charging module (requires 1 open port)	
UA2	Two (2) 20 watt dual port USB A	\$268 list
	charging modules (requires 2 open ports)	
UAC	One (1) 10 watt USB A + 10 watt USB C	\$136 list
	charging module (requires 1 open port)	
UAC2	Two (2) 10 watt USB A + 10 watt USB C	\$272 list
	charging modules (requires 2 open ports)	
UC	One (1) 60 watt USB C charging module	\$290 list
	(requires 2 open ports)	

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
MS	3.5mm mini-stereo audio jack	\$ 28 list
US	USB passive jack	\$ 63 list
VG	VGA jack, 15 pin	\$122 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 40 list

Model Example: MHO-SL2-2-0-SAAWT

All Ashley soft-wired linking systems require an HNPU power supply unit per each sequence. Specify code HNPU, \$403.00 list each.

- o 120" cord length
- o 15 amp circuit
- o standard grounded plug
- o surge protection



Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power

supply to adjacent tables.

Ashley Duo Over

Model

ADO-IP

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.

Description



\$483 list

	soft-wired	
ADO-HW	Two (2) power, one (1) dual port USB charging, individually powered, hard-wired	\$546 list
ADO-SL	Two (2) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$679 list
Unit Color		
BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c
Cord Length	(Individually powered units only)	
72	72" cord length	n/c

120" cord length

Two (2) power, one (1) dual port USB

charging, individually powered,

Ashley Trio Over

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.

120



\$ 18 list

Model	Description	
ATO-IP	Three (3) power, one (1) dual port USB charging, individually powered, soft-wired	\$542 list
ATO-HW	Three (3) power, one (1) dual port USB charging, individually powered, hard-wired	\$576 list
ATO-SL	Three (3) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$679 list
Unit Color		
BB WS WW	Black with Black Mounting Bracket White with Silver Mounting Bracket White with White Mounting Bracket	n/c n/c n/c
Cord Length	(Individually powered units only)	
72	72" cord length	n/c
120	120" cord length	\$ 18 list

Ashley Duo Under

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ADU-IP	Two (2) power, one (1) dual port USB charging, individually powered, soft-wired	\$425 list
ADU-HW	Two (2) power, one (1) dual port USB charging, individually powered, hard-wired	\$483 list
ADU-SL	Two (2) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$618 list
Unit Color		
BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c
Cord Length	(Individually powered units only)	
72	72" cord length	n/c
120	120" cord length	\$ 18 list

Ashley Trio Under

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables. Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ATU-IP	Three (3) power, one (1) dual port USB charging, individually powered, soft-wired	\$503 list
ATU-HW	Three (3) power, one (1) dual port USB charging, individually powered, hard-wired	\$542 list
ATU-SL	Three (3) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$618 list
Unit Color		
BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c
Cord Leng	th (Individually powered units only)	
72	72" cord length	n/c
120	120" cord length	\$ 18 list

Power & Data

CPU Holder \$212 / each

AVAILABLE ON
BRATTICE
INTERPLAY
PERFORMANCE
UNO²
VELA
WAVELINK

Specify code ACPU3-9F (CPU Holder), add \$212.00 list each

SPECIFICATIONS

- Width adjustment from 2 ½" to 9"
- Height adjustment from 10" to 21 ½"

NOTE TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION



CPU Holder \$139 / each

AVAILABLE ON BRATTICE INTERPLAY PERFORMANCE UNO² VELA WAVELINK Specify code ACPU5-8F (CPU Holder), add \$139.00 list each

SPECIFICATIONS

· Adjusts from 5" to 8"



CPU Holder (Slim Line) \$139 / each

Specify code ACPU3F (CPU Holder), add \$139.00 list each

BRATTICE INTERPLAY PERFORMANCE UNO² VELA WAVELINK

AVAILABLE ON

SPECIFICATIONS

Adjusts from 3" to 5"



Keyboard Platform with Mouse Surface \$682 / each

Specify code **AKP27M** (Keyboard Platform with Mouse Surface), add \$682.00 list each



- · Low profile design
- 7" height adjustment with single lever control for height and tilt features
- ° 25° adjustable tilt feature
- $^{\circ}~360^{\circ}$ rotation
- · Ergonomic wrist rest
- ° 8" mouse surface with pad installs right or left of keyboard
- $\circ \ \ \text{Meets BIFMA standards}$

NOTE TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION

Data Jacks \$81 / set of 2

Specify code **AHDDJ** (Two Data Jacks), add \$81.00 list for set of 2



SPECIFICATIONS

- o Data/data access plate with two jacks
- o Two (2) CAT6 data jacks
- $\circ\,$ The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Voice and Data Jacks \$70 / set of 2

Specify code **AHVDJ** (Voice and Data Jacks), add \$70.00 list for set of 2

SPECIFICATIONS

- ° Voice/data access plate with two jacks
- o One (1) CAT3 voice jack
- o One (1) CAT6 data jack
- · The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Quick Connect \$174 / each

Specify code **AHOCVDJ** (Quick Connect System), add \$174.00 per unit

This option provides a pre-wired, quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT3 voice jacks



and two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing voice/data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.

SPECIFICATIONS

- Voice/data access plate with two (2) jacks
- o The mounting plate snaps in to the Henri unit
- o Surface-mount box with two jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Quick Connect \$199 / each

Specify code **AHQCDDJ** (Quick Connect System), add \$199.00 per unit

This option provides pre-wired quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surfacemount box. To connect the table to existing data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.

SPECIFICATIONS

- o Data access plate with two (2) jacks
- $\circ\,$ The mounting plate snaps into the Henri unit
- $\circ~$ Surface-mount box with two (2) jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Couplers

Data Couplers - Specify code DD, add \$107.00 list each

Voice Couplers - Specify code VV, add \$81.00 list each

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.

Available on all power/data units, excluding Henri and Henri Now (Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now).

VFRSTFFI

Round Grommet - \$68 / each

Specify code WR_ (Round Grommet - Location_), add \$68.00 list per grommet

SPECIFICATIONS

- 3" diameter
- o 2 1/4" inside dimension
- · 2-piece black insert
- o factory installed in specified location



AVAILABLE ON ELIGA PACES TIM TOD TY

WAVELINK

1 Grommet - Location A

Round Grommet - Specify code WRA, add \$68.00 list per table

Oval Brush Grommet - Specify code WOA,

add \$86.00 list per table

1 grommet is factory installed in the front center location of

AVAILABLE ON FLIGA PERFORMANCE VELA WAVELINK

1 Grommet - Location B

add \$86.00 list per table

Round Grommet - Specify code WRB, add \$68.00 list per table

Oval Brush Grommet - Specify code WOB,

1 grommet is factory installed in the front left corner location of the top.

AVAILABLE ON FLIGA VELA WAVELINK

1 Grommet - Location C

Round Grommet - Specify code WRC, add \$68.00 list per table



1 grommet is factory installed in the front right corner

AVAILABLE ON

PERFORMANCE TIM

> VELA WAVELINK

2 Grommets - Location D

location of the top.

Round Grommet - Specify code WRD, add \$136.00 list per table

Oval Brush Grommet - Specify code WOD,

add \$172.00 list per table

2 grommets are factory installed in the front center locations of the top.

AVAILABLE ON PERFORMANCE WAVELINK

2 Grommets - Location E

Round Grommet - Specify code WRE, add \$136.00 list per table

Oval Brush Grommet - Specify code WOE, add \$172.00 list per table

2 grommets are factory installed in the front corner locations of the top.



AVAILABLE ON 1 Grommet - Location F BRATTICE

Round Grommet - Specify code WRF. add \$68.00 list per table

Oval Brush Grommet - Specify code WOF, add \$86.00 list per table

1 oval brush grommet is factory installed running widthwise in the center location of the top.

AVAILABLE ON BRATTICE PERFORMANCE VELA WAVELINK

PERFORMANCE VELA

WAVELINK

2 Grommets - Location H

Round Grommet - Specify code WRH, add \$136.00 list per table

Oval Brush Grommet - Specify code WOH,

add \$172.00 list per table

2 grommets are factory installed in a predetermined centerline location of the top

AVAILABLE ON BRATTICE VELA WAVELINE

1 Grommet - Location K

Round Grommet - Specify code WRK, add \$68.00 list per table

Oval Brush Grommet - Specify code WOK, add \$86.00 list per table

1 grommet is factory installed running lengthwise in the center location of the top.

AVAILABLE ON INTERPLAY ROVER
COMPUTER INTERPLAY ROVER DADDY

1 Grommet - Location R

Round Grommet - Specify code WRR, add \$68.00 list per table

Oval Brush Grommet - Specify code WOR, add \$86.00 list per table

1 grommet is factory installed in a predetermined position in the top.



AVAILABLE ON BRATTICE PERFORMANCE VELA WAVELINE

1 Grommet - Provide Location Print

Round Grommet - Specify code WRG, add \$68.00 list per table

Oval Brush Grommet - Specify code WOG, add \$86.00 list per table

1 oval brush grommet is factory installed in the top location based on specifier's print.



Oval Brush Grommet - \$86 / each

add \$86.00 list per grommet **SPECIFICATIONS**

o black brush insert cord access o 1 ½" x 4" inside dimension

3" x 7 ½" oval

Specify code WO_ (Oval Brush Grommet - Location _),







Legways

Cable Coil™ Standard / No Charge

AVAILABLE ON

Specify code not applicable, standard / no charge per coil

The Cable Coil conducts wires from the underside of the top to the power and data source. It is attached to the undersurface of the top and hooks under the base ring. Finish is the same as the frame or base finish.

Cable Hook Legway \$106 / set of 2

AVAILABLE ON BRATTICE PERFORMANCE WAVELINK Specify code **WCK** (Cable Hook Legway), add \$106.00 list per table

Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.

NOTE CABLE HOOK LEGWAY (WCK) MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

Cable Hook Legway \$106 / set of 2

AVAILABLE ON

Specify code **WCH** (Cable Hook Legway), add \$106.00 list per table

Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



NOTE CABLE HOOK LEGWAY (WCH) MAY BE SPECIFIED WITH ANY BASE USING A 1 ½* DIAMETER ROUND COLUMN

Canvas Legway \$89 / legway

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO²
VELA
WAVELINK

Specify code **WCL** (Canvas Legway), add \$89.00 list per legway

Canvas Legways conduct wires from the underside of the top to the power and data source near the floor.

SPECIFICATIONS

- Black cloth material
- o 1" inside diameter
- · Self-adhesive backing
- Upper and lower dual lock closure safety straps secure multiple wire bundles

NOTE CANVAS LEGWAY CAN BE INSTALLED ON ALL TABLE TYPES, INCLUDING FOLDING BASE TABLES

Plastic Legway \$70 / legway

AVAILABLE ON BRATTICE PERFORMANCE TUSCANY VELA WAVELINK Specify code WRL (Plastic Legway), add \$70.00 list per legway

Plastic Legways conduct wires from the underside of the top to the power and data source near the floor.

SPECIFICATIONS

- Black extruded rigid PVC plastic
- %" x 1" inside dimension on each of two (2) raceways
- · Snaps on and off for storage

NOTE PLASTIC LEGWAY MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

Wire Mesh Legway \$184 / pair

AVAILABLE ON

Specify code **WML** (Wire Mesh Legway), required finish selection __ , add \$184.00 list per pair

Plastic channel with wire mesh insert routes cords and cables from underside of top to a power and data source near the floor. Legway snaps into T1 and TC bases and is shipped installed.



SPECIFICATIONS

- ° Black ⅓6" thick extruded rigid PVC plastic
- ° 2 channels, 1/8" x 1 3/4" inside diameter
- · Snaps on and off for storage

Wire Mesh X4 Insert

AVAILABLE ON VELA

Specify code **WMX** (Wire Mesh X4 Insert), required finish selection __ , add \$110.00 list each

Wire Mesh X4 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on X4 bases and is shipped installed.



SPECIFICATIONS

- o 22 gauge wire mesh
- o 3 1/8" inside diameter
- o Insert can only be removed by separating base and top

Wire Mesh Y3 Insert \$184 / pair

AVAILABLE ON VELA

Specify code **WMY** (Wire Mesh Y3 Insert), required finish selection __ , add \$184.00 list per pair

Wire Mesh Y3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on Y3 bases and is shipped installed.



SPECIFICATIONS

- o 22 gauge wire mesh
- \circ 3 $\frac{1}{8}$ " inside diameter
- · Insert can only be removed by separating base and top

Wire Mesh T3 Insert \$110 / each

Specify code **WMT** (Wire Mesh T3 Insert), required finish selection ___ , add \$110.00 list each

Wire Mesh T3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert is riveted into position on T3 bases and is shipped installed.

SPECIFICATIONS

- · 22 gauge wire mesh
- o 3 1/8" inside diameter
- Insert is riveted to the column and cannot be easily removed





Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

Basket - Modesty Mount \$86 / basket

AVAILABLE ON BRATTICE PERFORMANCE VELA Specify code WBM (Basket - Modesty Mount), add \$86.00 list per basket

The modesty mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are $2\ k''' \times 2\ k'''.$ Other options specified on the table dictate the length of the basket. Maximum length is 18". The wire basket can be located on the backside of the modesty panel.



Basket - Under Top Mount \$86 / basket

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
PERFORMANCE
VELA
WAVELINK

Specify code **WBT** (Basket - Under Top Mount), add \$86.00 list per basket

The under top mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ ". Other options specified on the table dictate the length of the basket. Maximum length is 18".



Canvas - Under Top Mount \$204 / manager

AVAILABLE ON

Specify code **WCT** (Canvas - Under Top Mount), add \$204.00 list per table

The Under Top Mount Canvas wire manager is made of black canvas, with snap attachment to the underside of the table. The snap studs are installed to the underside of the table top on the approach side, when specified as a table option. The table tops are pre-drilled for field installation of the snap studs if the option is selected at a later date. The canvas wire manager runs the length of the table to channel wires from end to end. Excess cords from table top can be dropped into the front edge of the wire manager.

Plastic Runner - Under Top Mount \$147 / runner

AVAILABLE ON BRATTICE PERFORMANCE VELA WAVELINK Specify code **WRT** (Plastic Runner - Under Top Mount), add \$147.00 list per runner

The under top mount plastic runner is a J-shaped channel made of black PVC. Inside dimension is 1 %". Lengths coordinate with tables up to 96". The plastic runner mounts under the top, at the front edge (approach side) of the table.



Base Wire Access \$28 / access

AVAILABLE ON BRATTICE PERFORMANCE Specify code **BWA** (Base Wire Access), add \$28.00 list per access

The wire management access is available on fixed and tilting tables, 36 x 72 or smaller. Any table over 72" long must have 3 bases (either the two outer bases or only the middle base can be specified with the wire management access. T1 and X1 bases only.

NOTE NOT AVAILABLE ON TABLES WITH ADJUSTABLE PIN HEIGHT, PNEUMATIC ADJUSTABLE HEIGHT, OR MOTORIZED ADJUSTABLE HEIGHT BASES.

Eliga Power VERSTEEL

Henri Now linking systems require an HNPU power supply unit per each sequence. Specify code HNPU, \$403.00 list each.

- o 120" cord length
- 15 amp circuit
- o standard grounded plug
- o surge protection



Eliga Power - \$438 / unit

Specify code **EG_** (Eliga Power - Location_), add \$438.00 list per Eliga Power unit

The Eliga Power unit is factory installed and mounted in the frame of the Eliga sliding table and not in the table top.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit, standard grounded plug
- · Surge protection
- · Two electrical outlets per unit



1 Eliga Power \$438 / table

Specify code **EG1** (1 Eliga Power unit), add \$438.00 list per table

One Eliga Power electrical unit is factory installed.

2 Eliga Power \$876 / table

Specify code **EG2** (2 Eliga Power unit), add \$876.00 list per table

Two Eliga Power electrical units are factory installed.

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Essential Information

Like space planning with room configurations, we often receive requests to create power and data needs that one would assume are very easy. Below are some common questions that will help to define your needs and in turn will enable us to help you specify your tables.

Which Solution Best Fits Your Needs

Ask yourself some basic questions to help define your specific needs.

Is storage an issue? Some tables may be folded or tilted with certain power and data sources in position, while others may require that the power and data source be removed for these functions. Make sure you consider the space that you will need to store all the parts of your configurations.

Will you be moving your tables? If your tables are going to be utilized in varied locations, you will want to ensure that you can easily disconnect and reconnect your power and data. Table Link - Ends Only is included with Henri and Powerlink electrical package options to prevent the accidental disconnection of power supply to adjacent tables.

How will your tables be used? Power and data choice may depend upon whether your tables will be task-specific or multipurpose. A single use may have different requirements than a multi-use configuration. Remember to consider the need for wire management and modesty panels also.

Will your needs be changing? You don't always know what your specific needs will be in the future, but you may want the ability to add power and data at a later date.

Where is the power and data source for the room? Before any power and data is specified for a table, it is important to know where the power will be coming from in your room. If you are plugging into existing outlets then the power feed for the table must be within six feet (6') of the outlet.

Have you calculated the power load? Power loads are measured in amps (abbreviated form of amperes). Your circuits will only handle so many amps so you need to know what you can safely plug in without causing an overload situation. Use the worksheet on the next page for a general idea.

Selecting Your Power and Data Options

Select the best power and data option based on your particular need and application.



Henri

- ¬ pop-up feature is cool
- ¬ when not in use, there is nothing to obstruct the use of the table surface
- ¬ when popped-up, provides immediate access for laptop computers
- ¬ surface access for conference tables
- ¬ safe and easy to operate
- ¬ easy to set up and take down with tables
- ¬ voice and data connections built in
- ¬ plugs into a standard 15 amp grounded outlet plug



Powerlink Single Circuit

- ¬ choice of locations
 - · above surface, great for laptops
 - below surface facing out for semi-permanent computer applications (not available on some models)
 - below surface facing user with grommets for permanent computer applications (not available on some models)
- ¬ all the above can be changed without tools
- ¬ move power and data from table to table in different locations
- ¬ remove Powerlink and seat people on both sides of the table without interference
- ¬ integrated cable storage eliminates need for wire baskets or managers
- $\neg\;$ add Powerlink to Versteel tables in the future
- electrical sequencing direction can be changed by flipping internal power bars
- ¬ safe and easy to operate
- ¬ voice and data connections built in
- ¬ plugs into standard 15 amp grounded outlet plug

Alternate Power & Data Units

Alternate UL listed power and data units from other companies can be installed in Versteel tables. To ensure a proper fit in the top, supplier name, exact model number and cut-out template information must be provided with purchase order. When using power and data units from alternate sources, the table will not be UL listed.

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Amp Load Worksheet

Use this worksheet to get an approximate value of the amps you will be using. If there is any risk that the circuits may not be able to carry the load, contact a qualified electrician. Also, always consult any local codes or restrictions concerning power.

Worksheet EQUIPMENT QUANTITY AMP LOAD TOTAL

(National Electrical Code recommends less than or equal to 12 amps per power infeed)





Wiring of voice and data jacks is the sole responsibility of

the customer





Technical Specifications

Henri provides pop-up power and voice and data access. A built-in opening is provided for cables to be routed below the surface while up. Henri for linked table groups are powered from a single 9' cord, 15 amp standard grounded outlet plug with a circuit breaker and power surge protector. Voice and data plates can be ordered with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. LED light indicates when power is on. Optional data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

UL Listing requires the limitation of eight (8) Henri units (two plugs per Henri) on a single plug power entry.

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See chart with amp load worksheet on page 56.

Each Henri is shipped installed in the table top and includes all necessary cables and cord mounting clips in order to complete the electrical installation. Henri is not retrofittable. However

, if a brush grommet has been previously installed in your table, then it is possible to insert a Henri at a future date.

Henri Planning and Locations

CONSIDER How many Henri units in each table?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?

What are the expected table configurations of the room? Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will verify or help you specify the power/data solution that will best suit your needs.


Common table configurations with standard power and data locations may be found in the electrical planning section on pages 55-70.

Linking Examples

Location A H60A4R16 (4) 60" Tables, Linked, (1) Henri per table, Right Power

Location D H60D3R16 (3) 60" Tables, Linked, (2) Henri per table, Right Power

Location E H60D3R16 (3) 60" Tables, Linked, (2) Henri per table, Right Power



Location	Description	Model #
	T	
Locations A	(1) 42" Table, Right Power	H42A1R16
	(2) 42" Tables, Linked, Right Power	H42A2R16
	(3) 42" Tables, Linked, Right Power	H42A3R16
	(4) 42" Tables, Linked, Right Power	H42A4R16
	(5) 42" Tables, Linked, Right Power	H42A5R16
	(6) 42" Tables, Linked, Right Power	H42A6R16
	(7) 42" Tables, Linked, Right Power	H42A7R16
	(8) 42" Tables, Linked, Right Power	H42A8R16
Locations A	(1) 42" Table, Left Power	H42A1L16
	(2) 42" Tables, Linked, Left Power	H42A2L16
	(3) 42" Tables, Linked, Left Power	H42A3L16
	(4) 42" Tables, Linked, Left Power	H42A4L16
	(5) 42" Tables, Linked, Left Power	H42A5L16
	(6) 42" Tables, Linked, Left Power	H42A6L16
	(7) 42" Tables, Linked, Left Power	H42A7L16
	(8) 42" Tables, Linked, Left Power	H42A8L16
Locations A	(1) 48" Table, Right Power	H48A1R16
	(2) 48" Tables, Linked, Right Power	H48A2R16
	(3) 48" Tables, Linked, Right Power	H48A3R16
	(4) 48" Tables, Linked, Right Power	H48A4R16
	(5) 48" Tables, Linked, Right Power	H48A5R16
	(6) 48" Tables, Linked, Right Power	H48A6R16
	(7) 48" Tables, Linked, Right Power	H48A7R16
	(8) 48" Tables, Linked, Right Power	H48A8R16
Locations A	(1) 48" Table, Left Power	H48A1L16
	(2) 48" Tables, Linked, Left Power	H48A2L16
	(3) 48" Tables, Linked, Left Power	H48A3L16
	(4) 48" Tables, Linked, Left Power	H48A4L16
	(5) 48" Tables, Linked, Left Power	H48A5L16
	(6) 48" Tables, Linked, Left Power	H48A6L16
	(7) 48" Tables, Linked, Left Power	H48A7L16
	(8) 48" Tables, Linked, Left Power	H48A8L16
Locations A	(1) 60" Table, Right Power	H60A1R16
	(2) 60" Tables, Linked, Right Power	H60A2R16
	(3) 60" Tables, Linked, Right Power	H60A3R16
	(4) 60" Tables, Linked, Right Power	H60A4R16
	(5) 60" Tables, Linked, Right Power	H60A5R16
	(6) 60" Tables, Linked, Right Power	H60A6R16
	(7) 60" Tables, Linked, Right Power	H60A7R16
	(8) 60" Tables, Linked, Right Power	H60A8R16



Location A H60A4L16, (4) 60" Tables, Linked, Left Power



A **H60A4L16** is a Henri sequence with four (4) 60" tables and the Henri units in Position A. Power enters from the user's left

Henri VERSTEEL

Location	Description	Model #
Locations A	(1) 60" Table, Left Power	H60A1L16
	(2) 60" Tables, Linked, Left Power	H60A2L16
	(3) 60" Tables, Linked, Left Power	H60A3L16
	(4) 60" Tables, Linked, Left Power	H60A4L16
	(5) 60" Tables, Linked, Left Power	H60A5L16
	(6) 60" Tables, Linked, Left Power	H60A6L16
	(7) 60" Tables, Linked, Left Power	H60A7L16
	(8) 60" Tables, Linked, Left Power	H60A8L16
Locations D	(1) 60" Table, Right Power	H60D1R16
	(2) 60" Tables, Linked, Right Power	H60D2R16
	(3) 60" Tables, Linked, Right Power	H60D3R16
	(4) 60" Tables, Linked, Right Power	H60D4R16
Locations D	(1) 60" Table, Left Power	H60D1L16
	(2) 60" Tables, Linked, Left Power	H60D2L16
	(3) 60" Tables, Linked, Left Power	H60D3L16
	(4) 60" Tables, Linked, Left Power	H60D4L16
Locations D	(1) 72" Table, Right Power	H72D1R16
	(2) 72" Tables, Linked, Right Power	H72D2R16
	(3) 72" Tables, Linked, Right Power	H72D3R16
	(4) 72" Tables, Linked, Right Power	H72D4R16
Locations D	(1) 72" Table, Left Power	H72D1L16
	(2) 72" Tables, Linked, Left Power	H72D2L16
	(3) 72" Tables, Linked, Left Power	H72D3L16
	(4) 72" Tables, Linked, Left Power	H72D4L16
Locations E	(1) 60" Table, Right Power	H60E1R16
	(2) 60" Tables, Linked, Right Power	H60E2R16
	(3) 60" Tables, Linked, Right Power	H60E3R16
	(4) 60" Tables, Linked, Right Power	H60E4R16
Locations E	(1) 60" Table, Left Power	H60E1L16
	(2) 60" Tables, Linked, Left Power	H60E2L16
	(3) 60" Tables, Linked, Left Power	H60E3L16
	(4) 60" Tables, Linked, Left Power	H60E4L16
Locations E	(1) 72" Table, Right Power	H72E1R16
	(2) 72" Tables, Linked, Right Power	H72E2R16
	(3) 72" Tables, Linked, Right Power	H72E3R16
	(4) 72" Tables, Linked, Right Power	H72E4R16

Location	Description	Model #
	T	
Locations E	(1) 72" Table, Left Power	H72E1L16
	(2) 72" Tables, Linked, Left Power	H72E2L16
	(3) 72" Tables, Linked, Left Power	H72E3L16
	(4) 72" Tables, Linked, Left Power	H72E4L16
ocations E	(1) 84" Table, Right Power	H84E1R16
	(2) 84" Tables, Linked, Right Power	H84E2R16
	(3) 84" Tables, Linked, Right Power	H84E3R16
	(4) 84" Tables, Linked, Right Power	H84E4R16
ocations E	(1) 84" Table, Left Power	H84E1L16
	(2) 84" Tables, Linked, Left Power	H84E2L16
	(3) 84" Tables, Linked, Left Power	H84E3L16
	(4) 84" Tables, Linked, Left Power	H84E4L16
ocations E	(1) 96" Table, Right Power	H96E1R16
	(2) 96" Tables, Linked, Right Power	H96E2R16
	(3) 96" Tables, Linked, Right Power	H96E3R16
	(4) 96" Tables, Linked, Right Power	H96E4R16
ocations E	(1) 96" Table, Left Power	H96E1L16
	(2) 96" Tables, Linked, Left Power	H96E2L16
	(3) 96" Tables, Linked, Left Power	H96E3L16
	(4) 96" Tables, Linked, Left Power	H96E4L16
	For TIM Meeting Only	
ocations F	(1) 72" Table, Right Power	H72F1R16
	(1) 84" Table, Right Power	H84F1R16
	(1) 96" Table, Right Power	H96F1R16
Locations F	(1) 72" Table, Left Power	H72F1L16
	(1) 84" Table, Left Power	H84F1L16
	(1) 96" Table, Left Power	H96F1L16
Locations H	(1) 72" Table, Right Power	H72H1R16
Locations II	(1) 84" Table, Right Power	H84H1R16
	(1) 96" Table, Right Power	H96H1R16
		H72H1L16
Locations H	(1) 72" Table, Left Power (1) 84" Table, Left Power	H84H1L16
	(1) 96" Table, Left Power	H96H1L16
	(1) 30 Table, Lett Towel	HOUTTETO



Location D H60D3L16, (3) 60" Tables, Linked, Left Power

H	60	D	3	L16
Henri	Table Length	Locations in Table	Number of Tables in Sequence	Direction of Power Entry

A **H60D3L16** is a Henri sequence with three (3) 60" tables and the Henri units in Position D. Power enters from the user's left.





A ${\it H60E3L16}$ is a Henri sequence with three (3) 60" tables and the Henri units in Position E. Power enters from the user's left.

Custom Location Print

Below are three easy steps for supplying a print that places Power & Data units in a custom location.

Sten 1

Indicate where you want your Power & Data units located in the top. Use center lines for marking positions. Versteel will review your location requests to make sure that they do not interfere with base locations and their attachment.

Step 2


Indicate the face of all Power & Data units to determine which way the power outlets, voice jacks and data jacks will be accessed.

Step 3

Indicate where the Power & Data sources are located within the space. The orientation of the table(s) within the space will also help to determine the best possible access point.

It's that simple. Call Versteel Customer Service if you have any questions regarding Power & Data Custom Locations.

Boatshape conference table with four units. Power is located in the center of the table and the units alternate sides facing the users.



Square table with four units. Power is located to the side of the table and the units each face a user.




Two (2) square tables linked with two (2) units each. Power is located to the side of the table and the units face outwards.



Sample Print

Special Electrical four (4) units located in one (1) table on the center line of the table with 30" between units.



Wiring of voice and data jacks is the sole responsibility of the customer

Single Circuit Powerlink Technical Specifications

Powerlink provides horizontal power, voice and data access as well as cable management.

Powerlink Single Circuit system allows several tables to be powered from a single 15 amp standard grounded outlet plug which will power up to eight (8) duplex outlets per sequence. Circuit breakers and power surge protectors for single or sequenced Powerlinks are at the infeed.

UL Listing requires the limitation of eight (8)
Powerlink 42" and 48" length (two plugs per
Powerlink) or four (4) Powerlink 60", 72", 84" and
96" length (4 plugs per Powerlink) on a single plug
power entry.

Single Circuit and Powerlink Technical Specifications

Voice and data plates are installed in the Powerlink cover with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. Data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

Mounting lever locks are factory installed in the bottom front edge of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

Each Powerlink unit includes all necessary hardwire connection or flex conduit jumpers, covers and hardware to complete the electrical installation.

Powerlink may be retrofitted to Versteel Class E tables only. Check your Versteel table product label located on the underside of the table top to determine if your table is Class E.

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See amp load worksheet on page 56.

Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.

Common table configurations with standard power and data locations may be found in the electrical planning section on pages 55-70. Powerlink will always be top mounted facing user unless specified differently.

Powerlink Single Circuit with power infeed. Face drops to allow easy access to wire management channels and linking connections.



Powerlink with sequencing connection mounted above table top, facing user.



Powerlink mounted below table top, facing out.




Powerlink with sequencing connection mounted below table top, facing user.



Powerlink can be repositioned in any of the above positions by using the Powerlink lever lock. No tools are required





CONSIDER

Where are the power and data sources located in the room?

What are the expected table configurations of the room?

	Model #	Circuit	Description	Model #
(1) (2" Table Right Power	D1 //2D1D16	Cinala	/1) 60" Table Left Power	P1-60P1L16
, ,		Single		
				P1-60P2L16
				P1-60P3L16
			(4) 60 Tables, Linked, Left Power	P1-60P4L16
		Single	(1) 72" Table, Right Power	P1-72P1R16
			(2) 72" Tables, Linked, Right Power	P1-72P2R16
			(3) 72" Tables, Linked, Right Power	P1-72P3R16
(8) 42 Tables, Linked, Right Power	PI-42P8KI6		(4) 72" Tables, Linked, Right Power	P1-72P4R16
(1) 42" Table, Left Power	P1-42P1L16	Single	(1) 72" Table, Left Power	P1-72P1L16
(2) 42" Tables, Linked, Left Power	P1-42P2L16	g	, ,	P1-72P2L16
(3) 42" Tables, Linked, Left Power	P1-42P3L16			P1-72P3L16
(4) 42" Tables, Linked, Left Power	P1-42P4L16			P1-72P4L16
(5) 42" Tables, Linked, Left Power	P1-42P5L16			
(6) 42" Tables, Linked, Left Power	P1-42P6L16	Single		P1-84P1R16
(7) 42" Tables, Linked, Left Power	P1-42P7L16			P1-84P2R16
(8) 42" Tables, Linked, Left Power	P1-42P8L16			P1-84P3R16
(1) 48" Table Right Power	P1-48P1R16		(4) 84" Tables, Linked, Right Power	P1-84P4R16
The second secon		Single	(1) 84" Table, Left Power	P1-84P1L16
			(2) 84" Tables, Linked, Left Power	P1-84P2L16
, ,			(3) 84" Tables, Linked, Left Power	P1-84P3L16
=			(4) 84" Tables, Linked, Left Power	P1-84P4L16
		Single	(1) 96" Table Right Power	P1-96P1R16
		Unigio		P1-96P2R16
				P1-96P3R16
				P1-96P4R16
		Single		P1-96P1L16
				P1-96P2L16
				P1-96P3L16
			(4) 96" Tables, Linked, Left Power	P1-96P4L16
(7) 48" Tables, Linked, Left Power	P1-48P7L16			
(8) 48" Tables, Linked, Left Power	P1-48P8L16			
(1) 60" Table, Right Power	P1-60P1R16			
(2) 60" Tables, Linked, Right Power	P1-60P2R16			
(3) 60" Tables, Linked, Right Power	P1-60P3R16			
(4) 60" Tables, Linked, Right Power	P1-60P4R16			
	(2) 42" Tables, Linked, Left Power (3) 42" Tables, Linked, Left Power (4) 42" Tables, Linked, Left Power (5) 42" Tables, Linked, Left Power (6) 42" Tables, Linked, Left Power (7) 42" Tables, Linked, Left Power (8) 42" Tables, Linked, Left Power (8) 42" Tables, Linked, Left Power (1) 48" Tables, Linked, Right Power (2) 48" Tables, Linked, Right Power (3) 48" Tables, Linked, Right Power (4) 48" Tables, Linked, Right Power (5) 48" Tables, Linked, Right Power (6) 48" Tables, Linked, Right Power (7) 48" Tables, Linked, Right Power (8) 48" Tables, Linked, Right Power (1) 48" Tables, Linked, Left Power (3) 48" Tables, Linked, Left Power (4) 48" Tables, Linked, Left Power (5) 48" Tables, Linked, Left Power (6) 48" Tables, Linked, Left Power (7) 48" Tables, Linked, Left Power (8) 48" Tables, Linked, Left Power (9) 48" Tables, Linked, Left Power (1) 60" Tables, Linked, Right Power (2) 60" Tables, Linked, Right Power (3) 60" Tables, Linked, Right Power	(2) 42" Tables, Linked, Right Power (3) 42" Tables, Linked, Right Power (4) 42" Tables, Linked, Right Power (5) 42" Tables, Linked, Right Power (6) 42" Tables, Linked, Right Power (7) 42" Tables, Linked, Right Power (8) 42" Tables, Linked, Right Power (9) 42" Tables, Linked, Right Power (1) 42" Tables, Linked, Right Power (1) 42" Tables, Linked, Right Power (2) 42" Tables, Linked, Left Power (2) 42" Tables, Linked, Left Power (3) 42" Tables, Linked, Left Power (4) 42" Tables, Linked, Left Power (5) 42" Tables, Linked, Left Power (6) 42" Tables, Linked, Left Power (7) 42" Tables, Linked, Left Power (8) 42" Tables, Linked, Left Power (9) 42" Tables, Linked, Left Power (1) 42" Tables, Linked, Left Power (1) 42" Tables, Linked, Left Power (2) 42" Tables, Linked, Left Power (1) 42" Tables, Linked, Right Power (2) 48" Tables, Linked, Right Power (2) 48" Tables, Linked, Right Power (3) 48" Tables, Linked, Right Power (4) 48" Tables, Linked, Right Power (5) 48" Tables, Linked, Right Power (6) 48" Tables, Linked, Right Power (7) 48" Tables, Linked, Right Power (8) 48" Tables, Linked, Right Power (9) 48" Tables, Linked, Right Power (1) 48" Tables, Linked, Right Power (1) 48" Tables, Linked, Left Power (1) 48" Tables, Linked, Left Power (2) 48" Tables, Linked, Left Power (3) 48" Tables, Linked, Left Power (4) 48" Tables, Linked, Left Power (5) 48" Tables, Linked, Left Power (1) 48" Tables, Linked, Left Power (2) 48" Tables, Linked, Left Power (3) 48" Tables, Linked, Left Power (4) 48" Tables, Linked, Left Power (5) 48" Tables, Linked, Left Power (6) 48" Tables, Linked, Left Power (7) 48" Tables, Linked, Left Power (8) 48" Tables, Linked, Left Power (9) 48PAL16 (1) 48" Tables, Linked, Left Power (2) 60" Tables, Linked, Right Power (3) 60" Tables, Linked, Right Power (4) 60" Tables, Linked, Right Power (5) 60" Tables, Linked, Right Power (6) 60" Tables, Linked, Right Power (7) 48" Tables, Linked, Right Power (8) 60" Tabl	(2) 42" Tables, Linked, Right Power (3) 42" Tables, Linked, Right Power (4) 42" Tables, Linked, Right Power (5) 42" Tables, Linked, Right Power (6) 42" Tables, Linked, Right Power (7) 42" Tables, Linked, Left Power (8) 42" Tables, Linked, Left Power (9) 42" Tables, Linked, Left Power (1) 42" Tables, Linked, Left Power (1) 42" Tables, Linked, Right Power (1) 42" Tables, Linked, Right Power (2) 48" Tables, Linked, Right Power (2) 48" Tables, Linked, Right Power (3) 48" Tables, Linked, Right Power (4) 48" Tables, Linked, Right Power (5) 48" Tables, Linked, Right Power (6) 48" Tables, Linked, Right Power (7) 48" Tables, Linked, Right Power (8) 48" Tables, Linked, Right Power (9) 48" Tables, Linked, Right Power (1) 48" Tables, Linked, Right Power (1) 48" Tables, Linked, Left Power (2) 48" Tables, Linked, Left Power (3) 48" Tables, Linked, Left Power (4) 48" Tables, Linked, Left Power (5) 48" Tables, Linked, Left Power (6) 48" Tables, Linked, Left Power (7) 48" Tables, Linked, Left Power (9) 48" Tables, Linked, Left Power (1) 48" Tables, Linked, Left Power (2) 48" Tables, Linked, Left Power (3) 48" Tables, Linked, Left Power (4) 48" Tables, Linked, Left Power (5) 48" Tables, Linked, Left Power (6) 48" Tables, Linked, Left Power (7) 48" Tables, Linked, Left Power (9) 48" Tables, Linked, Left Power (9) 48" Tables, Linked, Left Power (1) 60" Tables, Linked, Left Power (1) 60" Tables, Linked, Right Power (2) 60" Tables, Linked, Right Power (2) 60" Tables, Linked, Right Power (2) 60" Tables, Linked, Right Power (3) 60" Tables, Linked, Right Power (4) 60" Tables, Linked, Right Power (5) 60" Tables, Linked, Right Power (6) 60" Tables, Linked, Right Power (7) 60" Tables, Linked, Right Power (8) 60" Tables, Linked, R	(2) 42" Tables, Linked, Right Power (3) 42" Tables, Linked, Right Power (4) 42" Tables, Linked, Right Power (4) 42" Tables, Linked, Right Power (5) 42" Tables, Linked, Right Power (6) 42" Tables, Linked, Right Power (7) 42" Tables, Linked, Right Power (6) 42" Tables, Linked, Right Power (7) 42" Tables, Linked, Right Power (8) 42" Tables, Linked, Right Power (9) 1-42P8R16 (7) 42" Tables, Linked, Left Power (9) 1-42P8R16 (7) 42" Tables, Linked, Right Power (9) 1-42P8R16 (7) 42" Tables, Linked, Right Power (9) 43" Tables, Linked, Left Power



Powerlink Sequence P1-42P4L16

A P1-42P4L16 is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left.



Powerlink Sequence P1-60P3L16

P1- 60P 3 L16
Single Circuit Table Length Powerlink Powerlink Powere Sequenced Entry

A **P1-60P3L16** is a Sequenced Powerlink unit using a single circuit on a sequence of three (3) 60" tables. Power enters from the user's left.

Powerlink Single Circuit for Arc Rectangle

VERSTEEL

Circuit	Description	Model #
Single	(1) 42" Table, Right Power	P1-42P1R16-AR
	(2) 42" Tables, Linked, Right Power	P1-42P2R16-AR
	(3) 42" Tables, Linked, Right Power	P1-42P3R16-AR
	(4) 42" Tables, Linked, Right Power	P1-42P4R16-AR
	(5) 42" Tables, Linked, Right Power	P1-42P5R16-AR
	(6) 42" Tables, Linked, Right Power	P1-42P6R16-AR
	(7) 42" Tables, Linked, Right Power	P1-42P7R16-AR
	(8) 42" Tables, Linked, Right Power	P1-42P8R16-AR
Single	(1) 42" Table, Left Power	P1-42P1L16-AR
	(2) 42" Tables, Linked, Left Power	P1-42P2L16-AR
	(3) 42" Tables, Linked, Left Power	P1-42P3L16-AR
	(4) 42" Tables, Linked, Left Power	P1-42P4L16-AR
	(5) 42" Tables, Linked, Left Power	P1-42P5L16-AR
	(6) 42" Tables, Linked, Left Power	P1-42P6L16-AR
	(7) 42" Tables, Linked, Left Power	P1-42P7L16-AR
	(8) 42" Tables, Linked, Left Power	P1-42P8L16-AR
Single	(1) 48" Table, Right Power	P1-48P1R16-AR
	(2) 48" Tables, Linked, Right Power	P1-48P2R16-AR
	(3) 48" Tables, Linked, Right Power	P1-48P3R16-AR
	(4) 48" Tables, Linked, Right Power	P1-48P4R16-AR
	(5) 48" Tables, Linked, Right Power	P1-48P5R16-AR
	(6) 48" Tables, Linked, Right Power	P1-48P6R16-AR
	(7) 48" Tables, Linked, Right Power	P1-48P7R16-AR
	(8) 48" Tables, Linked, Right Power	P1-48P8R16-AR
Single	(1) 48" Table, Left Power	P1-48P1L16-AR
	(2) 48" Tables, Linked, Left Power	P1-48P2L16-AR
	(3) 48" Tables, Linked, Left Power	P1-48P3L16-AR
	(4) 48" Tables, Linked, Left Power	P1-48P4L16-AR
	(5) 48" Tables, Linked, Left Power	P1-48P5L16-AR
	(6) 48" Tables, Linked, Left Power	P1-48P6L16-AR
	(7) 48" Tables, Linked, Left Power	P1-48P7L16-AR
	(8) 48" Tables, Linked, Left Power	P1-48P8L16-AR

Circuit	Description	Model #
Single	(1) 60" Table, Right Power	P1-60P1R16-AR
	(2) 60" Tables, Linked, Right Power	P1-60P2R16-AR
	(3) 60" Tables, Linked, Right Power	P1-60P3R16-AR
	(4) 60" Tables, Linked, Right Power	P1-60P4R16-AR
Single	(1) 60" Table, Left Power	P1-60P1L16-AR
	(2) 60" Tables, Linked, Left Power	P1-60P2L16-AR
	(3) 60" Tables, Linked, Left Power	P1-60P3L16-AR
	(4) 60" Tables, Linked, Left Power	P1-60P4L16-AR
Single	(1) 72" Table, Right Power	P1-72P1R16-AR
	(2) 72" Tables, Linked, Right Power	P1-72P2R16-AR
	(3) 72" Tables, Linked, Right Power	P1-72P3R16-AR
	(4) 72" Tables, Linked, Right Power	P1-72P4R16-AR
Single	(1) 72" Table, Left Power	P1-72P1L16-AR
	(2) 72" Tables, Linked, Left Power	P1-72P2L16-AR
	(3) 72" Tables, Linked, Left Power	P1-72P3L16-AR
	(4) 72" Tables, Linked, Left Power	P1-72P4L16-AR



Powerlink Sequence P1-42P4L16-AR

P1- 42P 4 L16 AR
Single Circuit Table Length Number Direction Arc Rectangle Powerlink Powered of Tables of Power Sequenced Fitter

A P1-42P4L16AR is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left, for use with the arc rectangle top shape



Powerlink Sequence P1-60P3L16AR

P1- 60P 3 L16 AR
Single Circuit Table Length Powerlink Powerlink Powered Sequenced Entry

Single Circuit Table Length Number of Tables of Power Top Shape

A **P1-60P4L16AR** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42* tables. Power enters from the user's left, for use with the arc rectangle top shape



Power Source Outlet

Power Source Outlets provide power access to individual tables through a single circuit with one (1) 10' cord and a standard grounded plug. Power Source Outlets have six (6) grounded electrical outlets per unit with surge protection and are controlled by an illuminated On/Off switch. Unit is field installed and retrofittable.

Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.

Configurations **VERSTEEL**

Configuration 1

The configurations illustrated on these pages are meant to show possible options using similar power sources.

Henri Location E or Powerlink Single Circuit

A classroom or training room with double aisles consisting of two (2) groups (outer) and an instructor's table, each with an individual power supply. Each set of linked tables in the center section has its own power supply.

FURNITURE QUANTITY Tables (24" x 60") 22 Chairs 42

Location A

Location **D**

Location **E**

Henri Power and Data, Location E Option

(3) 60" tables, linked, left power

	DESCRIPTION	QUANTITY
Α	H60E1R16	2
	Henri Location E	
	(1) 60" table, right power	
В	H60E1L16	3
	Henri Location E	
	(1) 60" table, left power	
C	H60E3L16	2
	Henri Location E	

Powerlink Power and Data, Single Circuit Option

	DESCRIPTION	QUANTITY
Α	P1-60P1R16	2
	Powerlink Single Circuit	
	(1) 60" table, right power	
В	P1-60P1L16	3
	Powerlink Single Circuit	
	(1) 60" table, left power	
C	P1-60P3L16	2
	Powerlink Single Circuit	
	(3) 60" tables, linked, left power	





POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.







SCALE


Approximate scale for measuring is 3/32.


CONSIDER

What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of





Configuration 2

The configurations illustrated on these pages are meant to show possible options using similar power sources.

Henri Location E

A U-shaped linking configuration for conferencing or training. Three linked table groups are powered from floor monuments.

Henri Power and Data, Location E Option


(2) 60" tables, linked, right power

Location A



	DESCRIPTION	QUANTITY
Α	H60E2L16	1
	Henri Location E	
	(2) 60" tables, linked, left power	
В	H60E2R16	3
	Henri Location E	

QUANTITY **FURNITURE** Tables (24" x 60") 6 Chairs 12



Configuration 3

Powerlink Single Circuit

A classroom or training room created from a long narrow room. All the power is located on a side wall of the room, with the exception of the instructor's table which has its own power monument in the floor.

Powerlink Power and Data, Single Circuit Option

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE

Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?

1


DESCRIPTION QUANTITY P1-60P2R16 3 Powerlink Single Circuit (2) 60" tables, linked, right power

P1-60P1R16 Powerlink Single Circuit (1) 60" table, right power

FURNITURE

Tables (24" x 60") Chairs

QUANTITY 14



Configurations VERSTEEL

Configuration 4

The configurations illustrated on these pages are meant to show possible options using similar power sources.

Henri Location A or Henri Location E

A classroom or training room occupying a large center section of linked tables with two (2) possible power supplies. The instructor's table has an individual power supply.

FURNITURE QUANTITY Tables (24" x 60") 21 Chairs 41

Location A

Location **D**

Location E

Are the tables within a six foot (6') radius of


В


Henri Power and Data, Location A Option

DESCRIPTION	QUANTITY
H60A5L16	4
Henri Location A	
(5) 60" tables, linked, left power	
H60A1L16	1
Henri Location A	
(1) 60" table, left power	

Henri Power and Data, Location E Option

	DESCRIPTION	QUANTITY
C	H60E3L16	4
	Henri Location E	
	(3) 60" tables, linked, left power	
D	H60E2L16	4
	Henri Location E	
	(2) 60" tables, linked, left power	
E	H60E1L16	1
	Henri Location E	
	(1) 60" table, left power	





Configuration 5

Henri Location A or Henri Location E

A large conference or meeting area formed by linked tables and wedge tops. Two (2) power sources feed the four (4) power and data sequences.

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.

Henri Power and Data, Location A Option

DESCRIPTION	QUANTITY
Special Flootrical Package	2

2

Special Electrical Package Henri Location A (5) 60" tables, linked, right power



SCALE


measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power sources in the room?


Are the tables within a six foot (6') radius of the power sources?



FURNITURE	QUANTITY
Tables (24" x 60")	10
Tables (45° 24" wedge)	8
Chairs	20

Henri Power and Data, Location E Option

	DESCRIPTION	QUANTITY
В	Special Electrical Package	2
	Henri Location E	
	(3) 60" tables, linked, right power	
C	Special Electrical Package	2
	Henri Location E	
	(2) 60" tables linked left nower	



Configurations **VERSTEEL**

QUANTITY

6

6

Configuration 6

The configurations illustrated on these pages are meant to show possible options using similar power sources.

Henri Location E

DESCRIPTION

H60E2L16

A large classroom or training room with side aisles. The room consists of six (6) rows of tables. Power and data is supplied from a floor grid.

Henri Power and Data Option (Location E)

(2) 60" tables, linked, left power

Location A

Location **D** Location **E**

H60E2R16 (2) 60" tables, linked, right power

FURNITURE	QUANTITY
Tables (24" x 60")	24
Tables (24" quarter round)	4
Chairs	48

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE


Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of



Configuration 7

The configurations illustrated on these pages are meant to show possible options using similar power sources.

Powerlink Single Circuit (for arc rectangle top shape)

An amphitheater style classroom or training room with a single aisle. Power sources are located along the aisle and service linked tables with hardwired multicircuit power. Instructor table has its own single circuit outlet power supply.

Powerlink Power and Data, Single Circuit Option

	DESCRIPTION	QUANTITY
Α	P1-60P3R-AR16	4
	Powerlink Single Circuit for	
	Arc Rectangle top shape	
	(3) 60" Tables, Linked, Right Power	

- B P1-60P3L-AR16
 Powerlink Single Circuit for
 Arc Rectangle top shape
 (3) 60" Tables, Linked, Left Power
 - P1-60P2R-AR16
 Powerlink Single Circuit for
 Arc Rectangle top shape
 (2) 60" Tables, Linked, Right Power

FURNITURE	QUANTITY
Tables (24" x 60")	26
Chairs	52

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE


Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?



4

1

Connecting Data/Voice Systems To Your Network Grid

Connecting Data/Voice Systems To Your Network Grid

Multiple options are available when specifying data/voice connections for power/data systems in Versteel tables. The appropriate option is dependent upon your specific application.



UNWIRED CONNECTIONS

Unwired data/voice connections need to be wired by the customer's IT department, or an outside IT provider. Unwired connections are "standard" for the following products:

- ¬ Henri/Henri Now
- ¬ Powerlink
- ¬ Power Bay
- ¬ Powered Form Modesty

(Unwired connections are optional for all other power/data systems offered by Versteel.)



PREWIRED CONNECTIONS

Prewired data/voice connections terminate with a "male" patch cable connector on the end. This enables the unit to be plugged directly into a data wall plate. A 10' cable is standard for data connections, and a 7' cable is standard for voice connections. Prewired connections are "standard" for the following products:

- ¬ Axil Z
- ¬ Ellora
- \neg Mho
- ¬ Node



DATA COUPLERS

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.

Data Couplers are available on all power/data units, excluding Henri and Henri Now (Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now).

Round



VERSTEEL


Questions? 1.800.876.2120 Black = Fixed Bases ■QS = Quickship Program Product		edge >				Laminate T-Mold Convex		Laminate Wood Flat		Laminate Soft PVC Bumper		Laminate Wood Square		Laminate Wood Bullnose	
		edge ordering code > top thickness >		> LP1R LP2R LT1 LT2		LW1R LW2R		LB1R	LB2R	LWS1	LWS2	LWB1	LWB2		
				7/8"	1 1/4"	7/8" 1 1/4"		½" 1 ½"		½" 1 ½"		7⁄8" 1 1⁄4"		½" 1 ½'	
				Fluted				Fluted		Reverse Bevel Acrylic		ic Fluted			
		e	edge ordering code >	LPF1R	LPF2R			LWF1R LWF2R		R LMRA2R					
			top thickness >	7/8"	1 1/4"			7/8"	1 1/4"	1	1/4"	LWF1 %"	LWF2 1 1/4"		
Base Style	Table Description	Model#	top thickness price >	7/	/s"	1	1/4"	7,	8"	1	1/4"	7/1	8	1 1	1/4"
	2 30 Apex	PA2 30RDFX		_	36	13	342	1634		16	350	1897		19	09
	36 Apex	PA2 36RDFX			396		119	17	70		791	21			27
PA2	42 Apex	PA2 42RDFX	K ≟OS 69)		15	96			22	211			26	21

To Order, Specify...

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options

VERSTEEL








VERSTEEL

Questions? 1.800.876.2120		edge > PVC T-Mold				W	inate ood	Laminate Soft PVC		Laminate Wood		Laminate Wood			
1.000.070.2120				FI	at	Convex		Flat		Bumper		Square		Bull	nose
Black = Fixed Bases		edge ordering co	de (radius corner) >	LP1R	LP2R	LT1	LT2	LW1R	LW2R	LB1R	LB2R			LWB1	LWB2
₫0S = Quickship Program	n Product	edge ordering cod	le (square corner) >	LP1S	LP2S	7/8	4.171	LW1S	LW2S	7./11	4.178	LWS1	LWS2	7./8	4.178
			top thickness >	½" 	1 1/4"	7/8" 1 1/4"		7%"	1 1/4"	1/8"	1 1/4"			7/8"	1 1/4"
				Flu	ted			Flu	ited	Reverse B	evel Acrylic	rylic Fluted			
			de (radius corner) > or		LPF2R			ı or	LWF2R		RA2R				
	edge ordering code (square corn top thickn		le (square corner) > top thickness >	LPF1S LPF2S 7/8" 1 1/4"				LWF1S LWF2S 1 1 1/4"			RA2S 1/4"	LWF1 %"	LWF2 1 1/4"		
top thickness price			7/		1 1/4"			78"		1/4"	7/		1	1/4"	
Base Style	Style Table Description Model # Product Wt														
PA2	30 Apex	PA2 30SQFX			23		32		321		32	18			159
// \\	36 Apex	PA2 36SQFX = QS 65			65		85	1/	62		783	20	34		156
PA2	42 Apex 48 Apex	PA2 42SQFX ∃QS 81 PA2 48SQFX ∃QS 99					577)61 156				189
	Тоткрох	FA2 403UFA =U3 99				1644				2156				2.	

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options





356 Paces

Rectangle VERSTEEL

Questions?			top>	Laminate	Laminate	Laminate	Laminate	Laminate	Laminate	
1.800.876.2120			edge >	PVC	T-Mold	Wood	Soft PVC	Wood	Wood	
1.000.070.2120				Flat	Convex	Flat	Bumper	Square	Bullnose	
Black = Fixed Bases	S	edge ordering code (radius co	nrner) >	LP1R	LT1	LW1R LB1R		***	LWB1	
Blue = Tilt-Nest Ba		edge ordering code (square co		LP1S		LW1S		LWS1		
■QS = Quickship Pro	=	top thic		7/8" 7/8"		7/8"	7/8"	7/8"	7/8"	
■QS = Quickship Pro	ogram Product			Fluted		Fluted		Fluted		
		edge ordering code (radius co	LPF1R		LWF1R	-				
		edge ordering code (square co	orner) >	LPF1S		LWF1S		LWF1		
		top thic		7∕8"		7∕8"		7/8"		
Base Style	Table Description	top thickness Model # Produ	price >	7	/" 8	7,	% "	3	% "	
	20 x 42 Fix	PA1 2042REFX =QS	11	20	14	102	15	590		
X	20 x 42 Tilt - Nest	PA1 2042RETN ≡QS	42 46	1478			757		149	
/\	20 x 48 Fix	PA1 2048REFX =QS	45		70		149		38	
PA1	20 x 48 Fix w/FixMod	PA1 2048REFX XM ≡QS		14	40	19	912			
	20 x 48 Fix w/RemMod	PA1 2048REFX RM ≡QS			49	1940				
	20 x 48 Fix w/FixLightweightFormMod	PA1 2048REFX XL	57	14	49	17	755			
	20 x 48 Fix	DA4 0040DEEV DI		4.4	1440					
	w/RemLightweightFormMod	PA1 2048REFX RL	57 57	1449 1567 1513			755			
	20 x 48 Fix w/FixFormMod	PA1 2048REFX XF	57				384	1981		
	20 x 48 Tilt - Nest	PA1 2048RETN = QS	49 58				792		332	
	20 x 60 Fix 20 x 60 Fix w/FixMod	PA1 2060REFX = QS PA1 2060REFX XM = QS	73		04		595 038	10	032	
	20 x 60 Fix w/RemMod				42					
	20 x 60 Fix w/FixLightweightFormMod	PA1 2060REFX RM 			42	2054 1913				
	20 x 60 Fix									
	w/RemLightweightFormMod	PA1 2060REFX RL	72	15	42	19	913			
	20 x 60 Fix w/FixFormMod	PA1 2060REFX XF	85		53	20)27			
	20 x 60 Tilt - Nest	PA1 2060RETN =QS	59		24		975		212	
	20 x 72 Fix	PA1 2072REFX = QS	60		318		699	19	956	
	20 x 72 Fix w/FixMod	PA1 2072REFX XM =QS	78		33		310			
	20 x 72 Fix w/RemMod	PA1 2072REFX RM =QS	78	16	33	23	325			
	20 x 72 Fix w/FixLightweightFormMod	PA1 2072REFX XL	79	16	33	20	056			
	20 x 72 Fix w/RemLightweightFormMod	PA1 2072REFX RL	79	16	33	20)56			
	20 x 72 Fix w/FixFormMod	PA1 2072REFX XF	98		37		139			
	20 x 72 Tilt - Nest PA1 2072RETN 30S		65		37		115	23	375	
	20 x /2 1110 1030									

To Order, Specify...

Model Number

Top Material

Edge Style and Thickness

Edge Color

Base Color

Additional Options

VERSTEEL Rectangle

Laminate Wood (user side only)	Veneer Wood	Veneer Wood	Veneer Wood	Veneer Wood (user side only)	Base Options Code Price Casters O - Dual Wheel Black Hard Wheel CAS66 \$ 153
Ergo	Flat	Square	Bullnose	Ergo	Casters ⊙ - Dual Wheel Black Soft Wheel CAS42 \$ 153 Casters ⊙ - Dual Wheel Two-Tone
					Soft Wheel
	VW1R	•	VWB1		Finish Options Chrome\$ 147
LWE1	VW1S	VWS1	7/8	VWE1	Nickel\$ 200
7/8"	7/8"	7/8"	7/8"	7/8"	Powder Coat - Standard
Reverse Bevel	Fluted	Fluted			Platinum\$ 438
					Top Options
LWR1	VIAVEAD				Table Link (ends only)
LVVKI	VWF1R VWF1S	VWF1			Special LaminateTSP call
7/8"	7/8"	7∕8"			Custom Cutout (per cutout)
7/8"	7/8"	7,	/8"	7/8"	Modesty Options
10.40	1010	20	141	2200	Panel, Laminate (tilt/nest only) MPL \$ 370 Panel, Veneer (tilt/nest only) MPV \$ 917
1846 2205	1912 2273)41 397	2290 2648	rand, venesi (tityriest only)
1896	1964		190	2343	Power & Data Options
1030	1304	20	130	2040	Please reference the Power & Data section (page 38) or the Power & Data Price List
					Wire Management Options Plastic Legway
					1 Oval Brush Grommet - Location A
					2 Oval Brush Grommets - Location D
					1 Oval Brush Grommet - Provide Location Print
2240	2306	2/	130	2681	1 Round Grommet - Location A
2105	2145		290	2557	2 Round Grommets - Location D
2100	2110		-00	2007	1 Round Grommet - Provide Location PrintWRG \$ 68
2488	2526	26	672	2935	
2285	2244		105	2702	
2702	2665	28	324	3122	

358 Paces

Rectangle VERSTEEL

		top	> Laminate	Laminate	Laminate	Laminate	Laminate	Laminate
Questions?		edge	> PVC	T-Mold	Wood	Soft PVC	Wood	Wood
1.800.876.2120			Flat	Convex	Flat	Bumper	Square	Bullnose
Black = Fixed Bases		edge ordering code (radius corner)	l or	LT1	LW1R or	LB1R		LWB1
Blue = Tilt-Nest Bas		edge ordering code (square corner)		7∕8"	LW1S %"	7/8"	LWS1	7/8"
30S = Quickship Prog		top thickness		78		78		78
			Fluted		Fluted		Fluted	
		edge ordering code (radius corner)	> LPF1R		LWF1R			
		edge ordering code (square corner)	or		LWF1S		LWF1	
		top thickness			7/8"		7/8"	
l n	THE RESERVE	top thickness price		V8"	7/	/8"	7	/8"
Base Style	Table Description	Model # Product V PA1 2084REFX = QS 6		392	10	262	2.	179
/∕\	20 x 84 Fix 20 x 84 Fix w/FixMod			753		362 547	2	173
/\	20 x 84 Fix w/Fixiviou 20 x 84 Fix w/RemMod			780		567		
PA1 20 x 84 Tilt - Nest)88		554	28	369
770	20 x 90 Fix			1467		007		371
20 x 90 Fix w/FixMod						728		
	20 x 90 Fix w/RemMod			363		⁷ 50		
	20 x 90 Tilt - Nest			135		675	30)39
20 x 96 Fix				547)88	24	150
	20 x 96 Fix w/FixMod	PA1 2096REFX XM ≡QS S	19	932	28	316		
	20 x 96 Fix w/RemMod	PA1 2096REFX RM ∃QS 9	19	950	28	338		
	20 x 96 Tilt - Nest	PA1 2096RETN 	2	2168		2707)72
	Order Specify							

To Order, Specify...

Model Number

Top Material

Edge Style and Thickness

Edge Color

Base Color

Additional Options

Laminate	Veneer	Veneer	Veneer	Veneer
Wood				
(user side only)	Wood	Wood	Wood	Wood (user side only)
Ergo	Flat	Square	Bullnose	Ergo
2.90		- Coquaro		2.90
		***	<u> </u>	
	VW1R		VWB1	
LWE1	VW1S	VWS1		VWE1
7/8"	7/8"	7/8"	7/8"	7/8"
	·			
Reverse Bevel	Fluted	Fluted		
LWR1	VWF1R			
	VWF1S	VWF1		
7/8"	½"	½"		
7/8"	7/8"	7/	8"	7/8"
2634	2446	26	26	2940
3393	3137	22	22	3633
2730	2611	28	121	3157
3398	3278	34	90	3825
2809	2692	20	101	3234
3821	3310	31	519	3855
0021	0010		710	0000
Í				

VERSTEEL

Base Options Code	P	rice
Casters • - Dual Wheel Black Hard Wheel CAS66	\$	153
Casters • - Dual Wheel Black Soft Wheel CAS42	\$	153
Casters 4 - Dual Wheel Two-Tone		
Soft Wheel	\$	153
Finish Options		
Chrome		147
Nickel	\$	200
Powder Coat - Standard		n/c
Powder Coat - Premium		147
Platinum	\$	438
Top Options	_	
Table Link (ends only)	\$	
Special LaminateTSP		cal
Custom Cutout (per cutout)TCC	\$	107
Modesty Options		
Panel, Laminate (tilt/nest only) MPL	\$	370
Panel, Veneer (tilt/nest only)MPV		
Tanoi, voncoi (arc/nost omy)	Ψ	017
Power & Data Options		
Please reference the Power & Data section (page 38) o	r tl	ne
Power & Data Price List		
Wire Management Options		
Plastic Legway		70
1 Oval Brush Grommet - Location A		86
2 Oval Brush Grommets - Location D	\$	172
2 Oval Brush Grommets - Location EWOE	\$	172
1 Oval Brush Grommet - Provide Location Print WOG	\$	86
1 Round Grommet - Location A		68
2 Round Grommets - Location DWRD	\$	136
2 Round Grommets - Location E	\$	136
1 Round Grommet - Provide Location PrintWRG	\$	68




Questions?			top >	Laminate PVC	Laminate T-Mold	Laminate Wood	Laminate Soft PVC	Laminate Wood	Laminate Wood	
1.800.876.2120			Ü	Flat	Convex	Flat	Bumper	Square	Bullnose	
					SSINGK			oquano -		
Black = Fixed Bases		edge ordering code (radius cor	ner) >	LP1R	LT1	LW1R LB1R			LWB1	
Blue = Tilt-Nest Base		or edge ordering code (square cor	ner) >	LP1S		LW1S		LWS1		
■ QS = Quickship Prog	gram Product	top thickn	iess>	7/8"	7∕8"	7/8" 7/8"		7/8"	7/8"	
				Fluted		Fluted		Fluted		
		edge ordering code (radius cor	ner) >	LPF1R		LWF1R				
		or edge ordering code (square cor		LPF1S		LWF1S		LWF1		
		top thickn		7/8"		7/8"		7/8"		
1	1	top thickness p		7/	/ II B	7/	8 "	7/	/s"	
Base Style	Table Description	Model # Produc	46	11	20	1./	01	10	100	
/K	24 x 42 Fix	PA1 2442REFX = QS		39		21		108		
/\	24 x 42 Tilt - Nest	PA1 2442RETN 	49 49		78		57		149	
W 1	U U				90		70	I b	59	
PA1	,	PA1 2448REFX XM =QS	64		2181 2184 2218					
	24 x 48 Fix w/RemMod 24 x 48 Fix	PA1 2448REFX RM = QS	64	15	84	Ζ.	(18			
	w/FixLightweightFormMod	PA1 2448REFX XL	64	15	1863					
	v/RemLightweightFormMod PA1 2448R		64	15	84	18	63			
	24 x 48 Fix w/FixFormMod	PA1 2448REFX XF	64	18	10	20	89			
	24 x 48 Tilt - Nest	PA1 2448RETN =QS	53	15	513	17	92	1981		
	24 x 60 Fix	PA1 2460REFX =QS	58	12	65	16	315	18	48	
	24 x 60 Fix w/FixMod	PA1 2460REFX XM =QS	A1 2460REFX XM 		1620		31			
	24 x 60 Fix w/RemMod	PA1 2460REFX RM =QS	73	16	59	22	.72			
	24 x 60 Fix w/FixLightweightFormMod	PA1 2460REFX XL	72	16	59	20	06			
	24 x 60 Fix w/RemLightweightFormMod	PA1 2460REFX RL	72	16	59	2006				
	24 x 60 Fix w/FixFormMod	PA1 2460REFX XF	85		84		33			
	24 x 60 Tilt - Nest	PA1 2460RETN =QS	64		24		175	22	212	
	24 x 72 Fix	PA1 2472REFX =QS	65		38		718		176	
	24 x 72 Fix w/FixMod	PA1 2472REFX XM =QS	84		57		'18	10		
	24 x 72 Fix w/RemMod	PA1 2472REFX RM =QS	84		94		58			
	24 x 72 Fix w/FixLightweightFormMod	PA1 2472REFX XL	84		94		77			
	24 x 72 Fix	D44 0430DF=**-			0.4					
	w/RemLightweightFormMod	PA1 2472REFX RL	84	17			77			
	24 x 72 Fix w/FixFormMod	PA1 2472REFX XF		99 1957 71 1737			38			
	24 x 72 Tilt - Nest PA1 247		71	17	37	2	115	23	175	

- 1 Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options

VFRSTFFI








Questions? 1.800.876.2120		е	top> edge>	Laminate PVC Flat	Laminate T-Mold Convex	Laminate Wood Flat	Laminate Soft PVC Bumper	Laminate Wood Square	Laminate Wood Bullnose	
Black = Fixed Bases		edge ordering code (radius cor	ner) >	LP1R	LT1	LW1R	LB1R		LWB1	
Blue = Tilt-Nest Bas		edge ordering code (square cor	ner) >	LP1S		LW1S		LWS1		
■ QS = Quickship Pro	gram Product	top thickr	ness>	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"	
				Fluted		Fluted		Fluted		
		edge ordering code (radius cor	edge ordering code (radius corner) >			LWF1R				
		or edge ordering code (square cor	ner) >	LPF1S		LWF1S		LWF1		
		top thickr	7/8"		7/8"		7/8"			
D 0.1	THE STATE	top thickness p		7/	/ II B	7/	/s"	7,	8"	
Base Style	Table Description 24 x 84 Fix	Model # Product PA1 2484REFX	73	1./	15	10	381	21	97	
∭ PAI	24 x 84 Fix w/FixMod PA1 2484REFX XM = QS		73 95		25)37	2	31	
/\			95 95		25 57		13 <i>7</i> 170			
<i>II</i>	24 x 84 Fix w/RemMod PA1 2484REFX RM = US 98 24 x 84 Tilt - Nest PA1 2484RETN = 0S 80							200	100	
PA1	24 x 90 Fix PA1 2490REFX = 0S 77				88		554		169	
	24 x 90 Fix w/FixMod PA1 2490REFX = uS //				89 98)29	2392		
	The state of the s						183			
	24 x 90 Fix w/RemMod			2029 2135			216	3039 2470		
	24 x 90 Tilt - Nest	PA1 2490RETN = QS	84			2675 2107				
	24 x 96 Fix	PA1 2496REFX = QS	81	15				24	170	
	24 x 96 Fix w/FixMod	PA1 2496REFX XM =QS	107	20			263			
	24 x 96 Fix w/RemMod	PA1 2496REFX RM =QS	107		06	3297 2707		200	170	
	24 x 96 Tilt - Nest	PA1 2496RETN = QS	88	ZI	68		/0/	31	172	

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options

VFRSTFFI







Questions? 1.800.876.2120		6	top> edge>	Laminate PVC	Laminate T-Mold	Laminate Wood	Laminate Soft PVC	Laminate Wood	Laminate Wood	
1.000.070.2120				Flat	Convex	Flat	Bumper	Square	Bullnose	
Black = Fixed Bases		edge ordering code (radius cor	ner) >	LP1R	LT1	LB1R		LWB1		
Blue = Tilt-Nest Base		edge ordering code (square co		LP1S	7/11	LW1S	7/11	LWS1	7/11	
₹QS = Quickship Prog	gram Product	top thick	ness>	7/8"	7⁄8"	7/8"	7/8"	7/8"	7/8"	
				Fluted		Fluted		Fluted		
		edge ordering code (radius cor or		LPF1R		LWF1R				
		edge ordering code (square con top thick		LPF1S ½"		LWF1S ½"		LWF1 ¾"		
		top thickness p		78	/ II		\{ \(\)		/ II	
Base Style	Table Description	Model # Produc		/	8	/	8	/	8	
PA1	30 x 42 Fix	PA1 3042REFX ∃QS	50	11	70	14	808	15	66	
	30 x 42 Tilt - Nest	PA1 3042RETN ■QS	55	15	78	18	317	19	76	
/ \	30 x 48 Fix	PA1 3048REFX ■QS	54	12	44	15	i36	17	34	
PA1	30 x 48 Fix w/FixMod	PA1 3048REFX XM ■QS	70	15	98	22	264			
	30 x 48 Fix w/RemMod	PA1 3048REFX RM ■QS	70	16	36	23	801			
	30 x 48 Fix w/FixLightweightFormMod	PA1 3048REFX XL	70	1636 1930						
	30 x 48 Fix w/RemLightweightFormMod	PA1 3048REFX RL	70	16	36	19	030			
	30 x 48 Fix w/FixFormMod	PA1 3048REFX XF	70	18	64	21	56			
	30 x 48 Tilt - Nest	PA1 3048RETN ■QS	59	16	13	19	103	21	02	
	30 x 60 Fix	PA1 3060REFX =QS	64	1318 1695				19	49	
	30 x 60 Fix w/FixMod	PA1 3060REFX XM	79	16	73	23	312			
	30 x 60 Fix w/RemMod	PA1 3060REFX RM =QS	79	17	09	23	350			
	30 x 60 Fix w/FixLightweightFormMod	PA1 3060REFX XL 79		17	09	20	184			
	30 x 60 Fix w/RemLightweightFormMod	PA1 3060REFX RL	79		09		184			
	30 x 60 Fix w/FixFormMod	PA1 3060REFX XF	91		36		314			
	30 x 60 Tilt - Nest	PA1 3060RETN SQS	72		55		228		83	
	30 x 72 Fix	PA1 3072REFX ©S	73		92		335	21	31	
	30 x 72 Fix w/FixMod	PA1 3072REFX XM =QS	92		311		335			
	30 x 72 Fix w/RemMod 30 x 72 Fix	PA1 3072REFX RM =QS	92		48		375			
	w/FixLightweightFormMod 30 x 72 Fix w/RemLightweightFormMod	PA1 3072REFX XL	92		48	22				
	30 x 72 Fix w/FixFormMod	PA1 3072REFX RL PA1 3072REFX XF	92 106		48 10		.91 155			
	30 x 72 Fix W/FIXFOITIIVIOU	PA1 3072RETN =QS	81		65		105	27	02	
	SUX 72 THE - Nest	PATSUZNETN SUS	01	13	00	24		21	UZ	

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options



Laminate Wood (user side only)	Laminate Urethane (user side only)	Laminate Urethane/PVC (user side only)	Veneer Wood	Veneer Wood	Veneer Wood	Veneer Wood (user side only)	Base Options Code Pri Casters © - Dual Wheel Black Hard Wheel CAS66 \$
Ergo	Ergo	Ergo	Flat	Square	Bullnose	Ergo	Casters • - Dual Wheel Black Soft Wheel CAS42 \$ ′Casters • - Dual Wheel Two-Tone Soft Wheel
•	Ť	LUPE1R or	VW1R		VWB1	·	Finish Options Chrome\$
LWE1 %"	LUE1 %"	LUPE1S %"	VW1S %"	VWS1 %"	7/8"	VWE1 ⁷ / ₈ "	Nickel\$ 2 Powder Coat - Standard
Reverse Bevel			Fluted	Fluted			Powder Coat - Premium
LWR1			VWF1R	~			Table Link (ends only)
7/8"	¼" urethane on remaining sides	PVC on remaining sides	VWF1S	VWF1 %"			Custom Cutout (per cutout)
7/8"	7/8"	7/8"	7/8"	7/	/8"	7/8"	Modesty Options
1820	1499	2029	1924	20)48	2285	Panel, Laminate (tilt/nest only) MPL \$ 3 Panel, Veneer (tilt/nest only) MPV \$ 9
2230	1902	2437	2330	24	157	2695	Power & Data Options
2048	1563	2106 2605 2642	2115	22	261	2524	Please reference the Power & Data section (page 38) or the Power & Data Price List
		2642					Wire Management Options WPL \$ Plastic Legway
		2642 2737					2 Oval Brush Grommets - Location D
2417	1982	2473	2488	26	329	2892	1 Round Grommet - Location A
2261	1690	2346 2818 2932	2319	24	183	2783	2 Round Grommets - Location E
		2932					
		2932 3075					
2799	2160	2879	2854)16	3317	
2543	1789	2591 3203 3251	2537	27	723	2975	
		3251					
		3251 3320					
3118	2251	3164	3108	32	295	3546	


VERSTEEL



Questions?			top > edge >	Laminate PVC	Laminate T-Mold	Laminate Wood	Laminate Soft PVC	Laminate Wood	Laminate Wood	
1.800.876.2120				Flat	Convex	Flat	Bumper	Square	Bullnose	
Black = Fixed Base	S	edge ordering code (radius cor	norl >	LP1R	LT1	LW1R	LB1R	***	LWB1	
Blue = Tilt-Nest Ba		edge ordering code (square cor		LP1S		LW1S	LDIII	LWS1	LWDI	
■QS = Quickship Pr	ogram Product	top thickr		7/8"	7/8"	7/8"	7/8"	7/8"	1∕%"	
				Fluted		Fluted		Fluted		
		edge ordering code (radius cor	ner) >	LPF1R		LWF1R				
		or edge ordering code (square cor	ner) >	LPF1S		LWF1S		LWF1		
		top thickr	7/8"		7/8"		7∕8"			
Base Style	Table Description	top thickness p Model # Produc		7	8"	7,	8"	7)	8"	
			82	14	67	20)24	23	195	
X	30 x 84 Fix w/FixMod PA1 3084REFX XM 				177		179	20	.00	
/\	30 x 84 Fix w/RemMod PA1 3084REFX RM €0\$ 108 30 x 84 Tilt - Nest PA1 3084REFX E0\$ 90 30 x 90 Fix PA1 3090REFX €0\$ 86 30 x 90 Fix w/FixMod PA1 3090REFX XM €0\$ 110				109		213			
PA1					150		106	30	.77	
TAI					43		203	2643		
					152		158	2043		
			110		182		190			
	30 x 90 Tilt - Nest	PA1 3090RETN =QS	95	2397			154	34	.97	
	30 x 96 Fix	PA1 3096REFX ∃QS	91		321	2279			20	
	30 x 96 Fix w/FixMod	PA1 3096REFX XM =QS	117		131		36	2,		
	30 x 96 Fix w/RemMod	PA1 3096REFX RM = QS	117		61		68			
	30 x 96 Tilt - Nest	PA1 3096RETN =QS	100		29		189	35	32	

- 1 Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options





VFRSTFFI



Large Rectangle

Questions?	top > edge >			nate /C		inate Iold	Laminate Wood	Laminate Soft PVC	Laminate Wood		Laminate Wood		
1.800.876.2120			FI	at	Con	nvex	Flat	Bumper	Squ	are	Bullnose		
					W. W.								
Black = Fixed Bases	edge ordering code (radius corne	er) >	LP2R	LP3R	LT2	LT3	LW2R	LB2R			LWB2	LWB3	
• = Indicates Number of Legs	or edge ordering code (square corne	er) >	LP2S	LP3S			LW2S		LWS2	LWS3			
₫0S = Quickship Program Product	top thicknes	ss>	1 1/4"	1 3/4"	1 1/4"	1 ¾"	1 1/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"	1 3/4"	
			Flu	ted			Fluted Reverse Bevel Acrylic		Fluted		Revers	e Bevel	
								<i></i>					
	edge ordering code (radius corne or		LPF2R LPF3R				LWF2R	LMRA2R					
	edge ordering code (square corne top thicknes		LPF2S LPF3S 1 1/4" 1 3/4"				LWF2S 1 1/4"	LMRA2S 1 ¼"	LWF2 1 1/4"	LWF3 1 3/4"		/R2 only	
	top thickness pric		1 1/4 1 74 1 3/4"			1/4"	1 :		1				
///		138	20			218		50	33			78	
		156	21			191	32		39			72	
		191	22			176	33		40		42		
		210	23			147		90	42			68	
		249 306			3419 4359			43	4672		57 69	92	
		385	3967 4846		5323		5086 6094		6047 7256				
						170	4924		5808		9802 6879		
		365		4631 5089			6159		7265		8560		
		463	60		6622			113	94		10439		
		579	77			510	102		121		13132		
							-						
To Order, Specify													

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options

VERSTEEL



Conference Large Rectangle

Veneer Wood		ieer ood	Veneer Wood			
Flat	Squ	ıare	Bullnose			
VW2R			VWB2	VWB3		
VW2S 1 1/4"	VWS2	vws2 vws3		1 3/4"		
Fluted	Flu	ted	1 ¼" Revers	e Bevel		
VWF2R						
VWF2S	VWF2	VWF3	VW	/R2		
1 1/4"	1 1/4"	1 ¾"	1 1/4"	only		
1 1/4"	1	/ ₄ "	1	3/4"		
4004	43	95	45	44		
4349		82		44		
4663	51	33	53	08		
5008	55	14	5693			
6084	62	67	7280			
7428	81	41	8762			
8926		90	11186			
7290		94	8726			
9073		15	9967			
11309	118		12119			
13971	153	67	16015			

Finish Options	Code	Price
Chrome		\$ 147
Nickel		\$ 200
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 147
Platinum		\$ 438
Top Options		
2-Piece Top (120" length only)	T2P	\$ 564
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 107

Power & Data OptionsPlease reference the Power & Data section (page 38) or the Power & Data Price List

Wire Management Options 1 Oval Brush Grommet - Location K...

1 Oval Brush Grommet - Location KWOK	\$ 86
1 Oval Brush Grommet - Provide Location Print WOG	\$ 86
1 Round Grommet - Location K WRK	\$ 68
1 Round Grommet - Provide Location PrintWRG	\$ 68
Power Hatch (black) - Available in 6" increments WPH	
24" or less (each)	\$ 229
25" to 48" (each)	\$ 299
49" to 81" (each)	\$ 363
Accessory Wire ColumnAWC	\$ 251
Only available with Power Hatch	



Racetrack

VERSTEEL

Questions? 1.800.876.2120			top> edge>	Lami P\ FI	/C	T-N	inate fold nvex	Laminate Wood Flat	Laminate Soft PVC Bumper	Lami Wo Squ	od	Lami Wo Bullr	od
Black = Fixed Bases ● = Indicates Numb	er of Legs	edge ordering or edge ordering		LP2R	LP3R	LT2	LT3	LW2R	LB2R	LWS2	LWS3	LWB2	LWB3
₹QS = Quickship Prog	gram Product	top thick		1 1/4"	1 3/4"	1 1/4"	1 ¾"	1 1/4"	1 1/4"	1 1/4"	1 3/4"	1 1/4"	1 3/4"
				Flu	ted			Fluted	Reverse Bevel Acrylic	Flu	ted	Reverse	e Bevel
		edge ordering or edge ordering top thick	code>	LPF2R 1 1/4"	LPF3R			LWF2R 1 ¼"	LMRA2R	LWF2 1 1/4"	LWF3	LW 1 ¼"	
1		top thickness	price >	1		15	3/4"		1/4"	1 3		1 3	
Base Style	Table Description 42 x 84 Fix	Model # Produ			10	25	15	20	5.4.7	12	02	1.1	0.4
//	42 x 96 Fix	PA3 4296RAFX =QS	143 160			25 27	45 96		547 743	43 45		44	
	48 x 96 Fix	PA3 4896RAFX	176			28			359	47		48	
PA3	48 x 120 Fix	PA3 48120RAFX ⊙ 3QS	233	37	35	41	47	50	000	59	48	63	58
	48 x 144 Fix	PA3 48144RAFX @	272	45	54	50	161	60)98	72	58	76	31
	60 x 144 Fix	PA3 60144RAFX @	339			59			185	85		92	
	60 x 192 Fix 60 x 240 Fix	PA3 60192RAFX Φ PA3 60240RAFX Φ	437 553			77	'21 I19	93 120	314	108 146		122 151	

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options

VERSTEEL



Paces 371 Conference

Racetrack

Veneer Wood		neer ood	Veneer Wood			
Flat		ıare	Bullnose			
1101			Dulliose			
VW2R			VWB2	VWB3		
1 1/4"	VWS2	VWS3	1 1/4"	1 3/4"		
Fluted	Flu	ted		e Bevel		
Tid tod			1107010	20101		
VWF2R						
	VWF2	VWF3		/R2		
1 1/4"	1 1/4"	1 3/4"		only		
1 1/4"	1	1/4"	1:	3/4"		
5915	65	518	67	52		
6429	70	87	73	26		
6319	72	62	75	511		
7614	83	01	87	82		
9288	101	25	11334			
10943	119	27	13623			
14183	154	59	17822			
17901	198		22098			

Finish Options	Code	Price
Chrome		\$ 147
Nickel		\$ 200
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 147
Platinum		\$ 438
Top Options		
2-Piece Top (120" length only)	T2P	\$ 564
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 107

Power & Data OptionsPlease reference the Power & Data section (page 38) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location KWOK	\$ 86
1 Oval Brush Grommet - Provide Location Print WOG	\$ 86
1 Round Grommet - Location K WRK	\$ 68
1 Round Grommet - Provide Location PrintWRG	\$ 68
Power Hatch (black) - Available in 6" increments WPH	
24" or less (each)	\$ 229
25" to 48" (each)	\$ 299
49" to 81" (each)	\$ 363
Accessory Wire ColumnAWC	\$ 251
Only available with Power Hatch	

372 | Paces Conference



Boat and Arc Boat

VERSTEEL

Questions? 1.800.876.2120			e	top> edge>	Lami PV			inate 1old	Laminate Wood	Laminate Soft PVC		nate ood		nate ood
1.000.070.2120					Fla	at	Cor	ivex	Flat	Bumper	Squ	are	Bullr	nose
Black = Fixed Ba			edge ordering o	code >	LP2R	LP3R	LT2	LT3	LW2R	LB2R	LWS2	LWS3	LWB2	LWB3
● = Indicates N	lumber of Legs Program Product		top thickr		1 1/4"	1 3/4"	1 1/4"	1 3/4"	1 ¼"	1 1/4"	1 1/4"	1 3/4"	1 1/4"	1 3/4"
- Quiokomp	, rrogram rroddot		top tilleki	1622 >	Flut		1 /4	1 /4	Fluted	Reverse Bevel Acrylic		ted		e Bevel
			edge ordering o	code >	LPF2R	LPF3R			LWF2R	LMRA2R	LWF2	LWF3	LW	/R2
			top thickr	ness>	1 1/4"	1 3/4"			1 ¼"	1 1/4"	1 1/4"	1 ¾"	1 1/4"	only
D 01 I	True sec		top thickness p		1 !	/ ₄ "	1	3/4"	1	1/4"	1	/ ₄ "	1 5	3/4"
Base Style	Table Description	Model #	Produc	;t vvt										
	PA3 42 x 48 x 96 Fix	PA3 4296BT	FX ⊕ ∃QS	204	31	65	33	45	4	536	57	84	64	23
	42 x 48 x 120 Fix	PA3 42120B	TFX ⊙ ∃QS	241	36	72	38	84	5:	209	65	81	73	05
	42 x 48 x 144 Fix	PA3 42144B	TFX 😉	297	44	59	47	'14	6	163	93	81	104	111
PA3	48 x 60 x 192 Fix	PA3 48192B	TFX 😉	437	61	89	65	i41	8	314	86	51	96	02
	48 x 60 x 240 Fix	PA3 48240B	TFX @	546	75	34	79	50	10	053	140	64	156	112
Arc E			TV - 100			.=								
///	PA3 42 x 48 x 96 Fix	PA3 4296AB		204				45		536	57			23
	42 x 48 x 120 Fix	PA3 42120AI		241	36			84 '14	5209		6581		7305	
<i>PA3</i>	42 x 48 x 144 Fix 48 x 60 x 192 Fix	PA3 42144AI		297 437					6163 8314		9381 8651		10411 9602	
TAU	48 x 60 x 240 Fix	PA3 48240A		546			6541 7950		10053		14064		156	
	10 X 00 X 2 10 1 1X	1710 102 1071	5170	010	, 0	0 1	, 0	.00	10		110	01	100	12

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options

VERSTEEL





Boat and Arc Boat

Veneer Wood	Ven Wo		Veneer Wood			
Flat	Squ	iare	Bullnose			
VW2R	VWS2	VWS3	VWB2	VWB3		
1 1⁄4"	1 1/4"	1 ¾"	1 1/4"	1 ¾"		
Fluted	Flu	ted	Reverse Bevel			
	-					
VWF2R	VWF2	VWF3	VW	/R2		
1 1/4"	1 1/4"	1 3/4"		/R2 only		
	1 1/4"		1 1/4"			
1 1/4"	1 1/4"	1 3/4"	1 1/4"	only		
1 1/4"	1 1/4"	1 ³ ⁄ ₄ "	1 1/4"	only ¾"		
1 ¼"	1 1/4"	1 ¾" ¼" 47	1 1/4"	only 3⁄4" 88		
1 ¼" 1 ¼" 7515	1 1/4"	1 ³ ⁄ ₄ " /4" 47	1 ¼" 13	only 34" 88 86		
1 ¼" 1 ¼" 7515 9227	1 ¼" 1 1 76 93	1 ¾" ¼" 47 56	1 ¼" 13 84 103	only 3/4" 88 86 93		
1 ¼" 1 ¼" 7515 9227 11666	1 ¼" 1 1 76 93 117	1 ¾" 47 56 95	1 ¼" 13 84 103 130	only %" 88 86 93 87		

7515	7647	8488
9227	9356	10386
11666	11795	13093
14676	19269	21387
14858	21283	21578

Finish Options	Code	Price
Chrome		\$ 147
Nickel		\$ 200
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 147
Platinum		\$ 438

Top Options

2-Piece Top (120" length only)	\$ 564
Special LaminateTSP	call
Custom Cutout (per cutout)	\$ 107

Power & Data Options
Please reference the Power & Data section (page 38) or the
Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location KWOK	\$ 86
1 Oval Brush Grommet - Provide Location Print WOG	\$ 86
1 Round Grommet - Location K WRK	\$ 68
1 Round Grommet - Provide Location PrintWRG	\$ 68
Power Hatch (black) - Available in 6" increments WPH	
24" or less (each)	\$ 229
25" to 48" (each)	\$ 299
49" to 81" (each)	\$ 363
Accessory Wire ColumnAWC	\$ 251
Only available with Power Hatch	

374 | Paces Conference



Video Conference & Arc Video Conference

VERSTEEL

Questions?			top > edge >		inate /C		inate Iold	Laminate Wood	Laminate Soft PVC	Lami Wo		Lami Wo	nate ood
1.800.876.2120				FI	at	Con	nvex	Flat	Bumper	Squ	are	Bullr	nose
Black = Fixed Bases		edge ordering code (radius co	orner) >	LP2R	LP3R	LT2	LT3	LW2R	LB2R			LWB2	LWB3
● = Indicates Numb ©S = Quickship Pro	•	edge ordering code (square co		LP2S	LP3S	4 1/1	1 2/11	LW2S	4 1/"	LWS2	LWS3	1 1/1	1 2/1
- 40 = Quickship i roj	gramiriouuct	top thic	kness >	1 1/4"	1 ¾"	1 1/4"	1 ¾"	1 1/4"	1 1/4"		1 ¾"	1 1/4"	1 ¾"
				FIU	ted			Fluted	Reverse Bevel Acrylic	Flu	tea	Reverse	e Bevei
		edge ordering code (radius co	orner) >	LPF2R or	or			LWF2R or	LMRA2R or				
		edge ordering code (square co		LPF2S 1 1/4"	LPF3S 1 3/4"			LWF2S 1 1/4"	LMRA2S 1 1/4"	LWF2 1 1/4"	LWF3 1 ¾"	LW 1 1/4"	/R2 only
		top thic		1 /4		1:	3/4"		1/4"	1 /4		1 /4	
Base Style	Table Description		ict Wt		/4		/4	'	/4		/4		/4
Video Conference													
//// PA3	36 x 48 x 96 Fix	PA3 3696VCFX 🏵 💈 🔾 S	191	26			974		61	51		53	
	36 x 48 x 120 Fix	PA3 36120VCFX 🏵 🗟 🕄	225		35		248		113	61		69	
Ш	36 x 48 x 144 Fix	PA3 36144VCFX @	277	48			155		576	78		83	
PA3	48 x 60 x 120 Fix	PA3 48120VCFX ⊕	274				327		104	82		87	
	48 x 60 x 144 Fix	PA3 48144VCFX ®	336		32		109		778	96		99	
	48 x 60 x 192 Fix	PA3 48192VCFX ®	442				48		724	117		120	
V: A	48 x 60 x 240 Fix	PA3 48240VCFX @	530	/4	78	81	156	94	62	128	6/	132	49
Video Arc Conference													
////	36 x 48 x 96 Fix	PA3 3696AVFX ⊙ 🕄 QS	191		22		974		61	51		53	
	36 x 48 x 120 Fix	PA3 36120AVFX @ 3 Q\$	225		35		248		113	61			16
	36 x 48 x 144 Fix	PA3 36144AVFX @	277		00		155		576	78		83	
PA3	48 x 60 x 120 Fix	PA3 48120AVFX ⊕ = QS	274				327		104	82		87	
	48 x 60 x 144 Fix	PA3 48144AVFX ®	336		32		109		778	96		99	
	48 x 60 x 192 Fix	PA3 48192AVFX ®	442				48		724	117		120	
	48 x 60 x 240 Fix	PA3 48240AVFX @	530	/4	78	81	56	94	62	128	b/	132	49

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options

Conference

VERSTEEL





Video Conference & Arc Video Conference

Veneer	Ven		Ven			
Wood	Wo	ood	Wood			
Flat	Squ	iare	Bullr	nose		
VW2R			VWB2	VWB3		
VW2S	VWS2	VWS3				
1 1/4"	1 1/4"	1 ¾"	1 1/4"	1 ¾"		
Fluted	Flu	ted	Revers	e Bevel		
VWF2R						
VWF2S	VWF2	VWF3	VWR2			
1 1/4"	1 1/4"	1 ¾"	1 ¼" only			
4 1/11			1 3/4"			
1 1/4"	1	l/ ₄ "	13	3/4"		
1 1/4"	1	1/4"	1 3	3/4"		
	-					
7205	79	61	82	10		
	-	61		10		
7205	79	61 35	82	110 91		
7205 7851	79 86	61 35 08	82 95	110 91 68		
7205 7851 10101	79 86 111	61 35 08 64	82 95 123	91 68 86		
7205 7851 10101 10607	79 86 111 116	61 35 08 64 30	82 95 123 129	91 68 86 61		

7205	7961	8210
7851	8635	9591
10101	11108	12368
10607	11664	12986
11135	13730	13861
12290	18056	18187
14033	21366	21498

Finish Options	Code	Price
Chrome		\$ 147
Nickel		\$ 200
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 147
Platinum		\$ 438

Top Options

2-Piece Top (120" length only)	\$ 564
Special LaminateTSP	call
Custom Cutout (per cutout)	\$ 107

Power & Data Options
Please reference the Power & Data section (page 38) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location KWOK	\$ 86
1 Oval Brush Grommet - Provide Location Print WOG	\$ 86
1 Round Grommet - Location K WRK	\$ 68
1 Round Grommet - Provide Location PrintWRG	\$ 68
Power Hatch (black) - Available in 6" increments WPH	
24" or less (each)	\$ 229
25" to 48" (each)	\$ 299
49" to 81" (each)	\$ 363
Accessory Wire ColumnAWC	\$ 251
Only available with Power Hatch	

376 | Paces Zeta



1.800.876.2120 Black = Fixed Bases		edge ordering code (r edge ordering code (so	or	Flat LP2R or LP2S 1 ¼"	Flat LW2R LW2S	Wood Square LWS2	Flat VW2R VW2S	Wood Square
Black = Fixed Bases		edge ordering code (so	or quare corner) >	LP2R LP2S	LW2R or LW2S		VW2R	
Black = Fixed Bases		edge ordering code (so	or quare corner) >	LP2S	LW2S	LWS2		
						LWS2	WWoc	
					1 1/4"	1 ¼"	1 1/4"	VWS2 1 1/4"
				Fluted	Fluted	Fluted	Fluted	Fluted
		edge ordering code (r	adius corner) >	LPF2R	LWF2R		VWF2R	
		edge ordering code (so	or quare corner) >	LPF2S	LWF2S	LWF2	VWF2S	VWF2
		1	top thickness >	1 1/4"	1 1/4"	1 1/4"	1 ¼"	1 1/4"
D 0. I	l=		ickness price >	1 ¼"	1 1/4"	1 1/4"	1 ¼"	1 1/4"
Base Style	Table Description		Product Wt	1070	2702	2444	2001	2025
1 PAZ	20x60 Fixed w/FixMod	PAZ 2060REFX	51	1979	2702	3444	3691	3935
	20x72 Fixed w/FixMod	PAZ 2072REFX	61	2105	2876	3665	3893	4119
<i>IP</i>	20x84 Fixed w/FixMod	PAZ 2084REFX	71	2209	3016	3846	4072	4302
	24x60 Fixed w/FixMod	PAZ 2460REFX	59	2037	2782	3546	3800	4054
	24x72 Fixed w/FixMod	PAZ 2472REFX	70	2163	2954	3766	3852	3936
	24x84 Fixed w/FixMod	PAZ 2484REFX	82	2267	3097	3949	3885	3823
	30x60 Fixed w/FixMod	PAZ 3060REFX	70	2115	2888	3684	3952	4223
	30x72 Fixed w/FixMod	PAZ 3072REFX	84	2253	3075	3922	4132	4343
	30x84 Fixed w/FixMod	PAZ 3084REFX	98	2366	3231	4119	4294	4465

- Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options



Paces 377 Zeta

Recta	angle	

Finish Options	Code	Price
Chrome		\$ 147
Nickel		\$ 200
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 147
Platinum		\$ 438
Top Options Special Laminate Custom Cutout (per cutout)		call \$ 107
Power & Data Options Please reference the Power & Data section (page Power & Data Price List	ge 38) o	r the
Wire Management Options Plastic Legway		\$ 70 \$ 68



VERSTEEL

						T	
Questions?		to edg	p> Laminate PVC	Laminate Wood	Laminate Wood	Veneer Wood	Veneer Wood
1.800.876.2120		eug	Flat	Flat	Square	Flat	Square
			Flat	Flat	Square	FIGE	Square
Diado Fired Dasas							
Black = Fixed Bases		edge ordering code (radius corne or	or	LW2R	LWCa	VW2R VW2S	VIMO
		edge ordering code (square corne top thicknes		LW2S 1 1/4"	LWS2 1 1/4"	1 ¼"	VWS2 1 1/4"
		·	Fluted	Fluted	Fluted	Fluted	Fluted
			- Indied				
		edge ordering code (radius corne	r)> LPF2R	LWF2R	*	VWF2R	~
		or edge ordering code (square corne	or	LWF2S	LWF2	VWF2S	VWF2
		top thicknes	ss > 1 ½"	1 1/4"	1 1/4"	1 ¼"	1 1/4"
D C4l -	Table Description	top thickness pric		1 1/4"	1 1/4"	1 1/4"	1 1/4"
Base Style	Table Description 36x72 Fixed	Model # Product PAD 3672REFX	122 2440	3333	3966	4523	5181
1	36x84 Fixed		136 2642	3608	4295	4714	5410
	36x96 Fixed		150 2746	3750	4462	4872	5640
PAD	42x72 Fixed		136 2472	3375	4018	4761	5383
	42x84 Fixed		152 2744	3747	4458	4950	5634
	42x96 Fixed		168 2859	3904	4648	5125	5883
	48x72 Fixed		150 2566	3505	4171	5000	5586
	48x84 Fixed	PAD 4884REFX	168 2855	3898	4637	5189	5855
	48x96 Fixed	PAD 4896REFX	187 2999	4096	4874	5377	6124
To (Order, Specify						

- 1 Model Number
- 7 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- Base Color
- 6 Additional Options



Paces 379 Delta

Rectangle

Finish Options Chrome. Nickel Powder Coat - Standard. Powder Coat - Premium Platinum.		Price \$ 147 \$ 200 n/c \$ 147 \$ 438
Top Options Special Laminate		call \$ 107
Power & Data Options Please reference the Power & Data section (page 38) or the Power & Data Price List		
Wire Management Options Plastic Legway		